1941
Copper, R.P. et al

ILLINOIS CORN PERFORMANCE TESTS . . . 1940

University of Illinois · Agricultural Experiment Station

Bulletin 474

In cooperation with the Division of Cereal Crops and Diseases, Bureau of Plant Industry, U. S. Department of Agriculture, and the Illinois State Natural History Survey

CONTENTS

PAGE

DESCRIPTION OF TESTS AND SEASONAL PROBLEMS

Scope of the Tests 175
Soil Characteristics of Fields 176
Method of Planting 176
Seasonal Conditions 179
Insect Problems 180
Disease Prevalence 180
Measuring Performance of Entries 182

RESULTS OF TESTS (Text)

Discussion of 1940 Test 183
Five-, Four-, Three-, and Two-Year Summaries 185
Soil Adaptation Test 216
Summary 219

RESULTS OF TESTS (Tables)

Summary of 1940 Results 184
Northeastern Illinois: Round Lake 190
Northern Illinois: Kings 192
West North-Central Illinois: Cambridge 194
East North-Central Illinois: Reddick 198
West-Central Illinois: Littleton 200
Central Illinois: Mt. Pulaski 202
East-Central Illinois: Paxton 203
East South-Central Illinois: Sullivan 206
West South-Central Illinois: Greenfield 208
Southern Illinois: Shobonier 209
Southeastern Illinois: Albion 211
Southwestern Illinois: Modoc 214
Soil Adaptation Tests: Central Illinois 217

SOURCES OF SEED

Pedigrees of Illinois and U.S. Hybrids 187
Contributors of Seed for the 1940 Tests 188

INDEX TO ENTRIES 221

Acknowledgment is due the following farm advisers for their collaboration in these tests:
H. C. Gilkerson, Lake county; D. E. Warren, Ogle county; H. K. Danforth, Henry county; G. T. Swaim, Kankakee county; R. T. Nicholas, Schuyler county; N. H. Anderson, Logan county; H. D. Triplett, Ford county; P. M. Krows, Moultrie county; W. F. Purnell, Greene county; J. B. Turner, Fayette county; W. D. Murphy, Edwards county; and E. C. Secor, Randolph county.

Urbana, Illinois January, 1941

Publications in the Bulletin series report the results of investigations made or sponsored by the Experiment Station

Seventh Annual

Illinois Corn Performance Tests 1940

By R. R. Copper, G. H. Dungan, A. L. Lang, J. H. Bigger, Benjamin Koehler, and Oren Bolin[1]

OF THE 7,551,000 acres of corn in Illinois in 1940, 77 percent or 5,814,270 acres was planted to hybrids. This is the largest acreage of hybrid corn on record in the state. The extensive use of hybrids was responsible for a relatively high state average yield, 44 bushels an acre, in spite of a shortage of moisture in many important corn-growing areas. The average yield for the previous ten years was 36 bushels an acre.

SCOPE OF THE TESTS

Three hundred eighty-six hybrids and 26 open-pollinated varieties were included on twelve Illinois corn-performance test fields in 1940, the largest number of hybrids ever entered in the Illinois test. Sixty-seven companies and individuals entered hybrid seed, and twenty-five companies and individuals furnished seed for the open-pollinated varieties.

Two new testing fields were included, one at Mt. Pulaski in Logan county and the other at Greenfield in Greene county. Five fields in the north-central and central sections of the state had 75 entries each. The other fields had 60 entries each, except Albion, which had only 53. Six open-pollinated varieties were used on the Albion field as a check; 5 were used on each of the other fields. Because of the number of producers desiring to submit seed, it was necessary to limit the number of kinds each could enter.

Seed samples were obtained directly from the warehouses of the producers entering the corn, except in a few instances where small quantities were shipped to the Experiment Station by the producers. These small samples and all samples taken from less than five different bushel lots are marked with an asterisk (*) in the tables.

Records were made of total yield, sound yield, percent of moisture in grain at harvest, lodging resistance, and soil adaptability. On the Round Lake field and the Kings field a moisture test was made a little over a week after the first killing frost.

[1]R. R. Copper, Assistant in Crop Production, G. H. Dungan, Chief in Crop Production, A. L. Lang, Assistant Chief in Soil Experiment Fields, Benjamin Koehler, Chief in Crop Pathology, and Oren Bolin, Associate in Plant Genetics, Illinois Agricultural Experiment Station; J. H. Bigger, Associate Entomologist, Illinois State Natural History Survey.

SOIL CHARACTERISTICS OF FIELDS

The fields chosen for the 1940 tests were, on the whole, medium to high in productivity. In locating a field, effort was made to select a soil type that occurs extensively in the region represented by the field. Furthermore care was taken to have each field as nearly uniform as possible, both in soil type and in drainage conditions. However, at Reddick the surface soil was alkaline in reaction, and the texture varied from sandy silt loam to clay loam. At Paxton the depth to

Table 1.—GENERAL INFORMATION: Illinois Cooperative Corn Performance Tests, 1940

Location of field	County	Cooperator	Number of entries	Date planted	Date harvested	Average acre-yield all entries	
						Total	Sound
						bu.	*bu.*
NE—Round Lake	Lake	Joseph Wiser	60	May 24	Nov. 15	74.1	72.1
N—Kings	Ogle	Elmer Hayes	60	May 18	Nov. 8	101.9	92.4
WNC—Cambridge	Henry	Earl Collis	75	May 16	Nov. 7	86.8	83.6
ENC—Reddick	Kankakee	Thomas Jenson	75	May 11	Oct. 21	77.7	76.6
WC—Littleton	Schuyler	Ira Burnham	75	May 21	Oct. 24	82.3	81.4
C—Mt. Pulaski	Logan	James Cowan	75	May 13	Oct. 29	62.8	61.7
EC—Paxton	Ford	Arthur Stevenson	75	May 14	Oct. 22	55.3	54.0
ESC—Sullivan	Moultrie	Masonic Home Farm, Monroe Wilson, Mgr.	60	May 14	Oct. 31	70.9	70.1
WSC—Greenfield	Greene	Glenn Smith	60	May 21	Oct. 30	83.0	82.4
S—Shobonier	Fayette	Henry Opfer	60	May 18	Nov. 18	26.2	25.1
SE—Albion	Edwards	Elmer and Robert Hortin	53	May 22	Nov. 12	75.3	74.5
SW—Modoc	Randolph	Bernard Naeger	60	May 9	Oct. 17	69.0	68.5

unleached compact glacial till was variable. The south half of the testing field at Shobonier was a "slick spot."

The approximate location of the twelve test fields is shown by the map on page 177. General information on soil characteristics and soil-management practices is indicated in Table 2.[1]

METHOD OF PLANTING

In order that the trials might be carried on under actual farm conditions, the test plots were located within a larger cornfield. The test plot was planted by hand on the day the rest of the field was planted. The rows of the test plot were joined with those of the surrounding corn so they could be cultivated with the rest of the field.

On all but the Modoc field each entry (variety or hybrid) was planted in 10 plots, each plot being 12 hills long and 2 rows wide. At

[1]HERMAN WASCHER, Assistant Chief in the Soil Survey, determined the soil type, uniformity, and physical characteristics of each field. H. J. SNIDER, Assistant Chief in Soil Experiment Fields, made the chemical analyses.

Modoc 30 of the 60 entries were planted in 8 plots and 30 were planted in 7 plots.

All plots were planted 3 kernels to a hill, and the only correction made for imperfect stand was to adjust the yields for missing hills. All seed was treated with organic mercury dust before planting.

Entries were arranged in controlled random order. With the



Location of 1940 test fields

Twelve fields, distributed so as to represent the more important climatic areas of the state, were used in the 1940 general-performance tests; two others, Sibley and Urbana, were used for soil-adaptability tests. All these fields were, on the whole, medium to high in productivity.

Table 2.—TESTING FIELDS: Soil Characteristics and Management Practices

a—Surface color and drainage b—Subsoil texture, and underdrainage	pH values *Surface*	Organic matter *Surface*	Total nitrogen *Surface*	Nitrate nitrogen *Surface*	Available phosphorus *Surface*	Available potassium *Surface*	Previous crops and soil management
			Northeastern				
Round Lake—Drummer silty clay loam (tentative)		*perct.*	*lbs.*	*lbs.*	*lbs.*	*lbs.*	
a—Black, moderately slow	7.8	8.92	9400	45	60	300	Oats 1937, corn 1938, soybeans 1939; manured 1939. Spring plowed.
b—Silty clay loam, moderate							
			Northern				
Kings—Tama silt loam							
a—Light brown, moderately rapid	5.0	4.66	4600	70	40	300	Soybeans (hay) 1937, corn 1938, oats (sweet clover) 1939; limed 1939, manured 1940. Spring plowed.
b—Silty clay loam, moderate							
			West north-central				
Cambridge—Muscatine silt loam							
a—Brown, moderate	4.8	6.01	5920	140	45	530	Oats 1937, red clover 1938, corn 1939; manured 1938. Spring plowed.
b—Silty clay loam, moderate							
			East north-central				
Reddick—Rensselaer loam (tentative)							
a—Dark brown, moderate	8.0	5.15	5760	50	75	185	Corn 1937, oats 1938, sweet-clover and alfalfa pasture 1939; limed 1938, rock phosphate 1938. Fall plowed.
b—Clay loam, moderate							
			West-central				
Littleton—Ipava silty clay loam to clay loam							
a—Black, moderately slow to slow	5.0	3.98	4200	30	190	350	Wheat 1937, mammoth clover 1938, corn 1939; limed 1927. Spring plowed.
b—Clay loam, moderate							
			Central				
Mt. Pulaski—Sable silty clay							
a—Black, slow	5.2	4.82	5400	20	220	300	Wheat 1937, red clover 1938, corn 1939. Spring plowed.
b—Silty clay, moderate							
			East-central				
Paxton—Elliott clay loam							
a—Black, slow	5.4	4.90	5280	30	50	370	Oats 1937, sweet-clover and red-clover pasture 1938, corn 1939; manured 1938. Fall plowed.
b—Clay loam, moderately slow							
			East south-central				
Sullivan—Flanagan silt loam (light)							
a—Brown to light brown, moderate	5.8	3.90	4280	60	18	250	Sweet-clover and timothy pasture 1937, 1938, corn 1939; limed 1938. Fall plowed.
b—Silty clay loam, moderate							
			West south-central				
Greenfield—Ipava silt loam (tentative)							
a—Brown, moderate	5.0	4.21	4000	80	300	260	Alfalfa 1936, 1937, 1938, corn 1939; manured 1939, 1940, limed 1928, 1935, rock phosphate 1940. Spring plowed.
b—Silty clay, moderate							
			Southern				
Shobonier—Cisne silt loam (slick spots)							
a—Gray, slow	5.0	2.28	2360	16	40	70	Oats 1937, corn 1938, wheat 1939; limed 1932. Spring plowed.
b—Clay, very slow							
			Southeastern				
Albion—Patton silty clay loam (light)							
a—Brownish gray, slow	5.2	3.82	4000	30	130	300	Corn 1937, wheat 1938, sweet clover 1939. Fall plowed.
b—Silty clay loam, moderately slow							
			Southwestern				
Modoc—Beaucoup clay loam, bottom							
a—Drab, moderately slow	6.6	3.10	3000	40	520	750	Corn 1937, wheat 1938, red clover and sweet clover 1939. Fall plowed.
b—Clay loam, moderately slow							

Soil samples collected June 3, 4, 6, and 7, 1940.

few exceptions indicated in the tables of results, all plots of each entry were harvested.

SEASONAL CONDITIONS

Growing conditions in 1940 were more favorable at Round Lake in northeastern Illinois and at Kings in northern Illinois than on any of the other corn-performance fields.

Temperatures during May were a little below average, but during the rest of the year temperatures were favorable for corn. An abundance of rain in the northern part resulted in good corn yields and caused the grain to carry a relatively high amount of moisture at harvest. Grain samples were taken on the Kings and Round Lake fields on October 8 and 9 respectively in order to determine the condition of the corn about a week after the first killing frost.

The Cambridge field in west north-central Illinois received about the right amount of rainfall until the last half of August and all of September, when lack of moisture caused considerable injury. The Reddick field in the east north-central section became dry even earlier, and some firing of the lower leaves resulted.

With the exception of the fields at the northern end of the state, the best distribution of rainfall occurred on the Littleton field. The corn on the Mt. Pulaski field in central Illinois and on the Paxton field in the east-central area, which started off nicely, was injured considerably by drouth during the first half of August.

The potential yield of the field at Greenfield was greatly reduced by lack of moisture from mid-June to the second week in August. The hybrids that matured late were even more severely injured than those that matured early. The Sullivan field withstood the drouth; by the middle of September signs of moisture shortage were clearly evident, but yields were not greatly reduced.

The Shobonier field in southern Illinois suffered greatly from early drouth. The plants were so badly stunted that they were not able to recover after the rains of mid-August. A deficiency of potassium and perhaps also of nitrates aggravated the situation on this field.

The Albion field in southeastern Illinois also suffered from early drouth, and leaf firing appeared early. The amount of firing was more than normal, and may have been caused by close planting since the hills were only 3 feet apart each way. In spite of an evident moisture deficiency during a large part of the growing season, the yields from the Albion field were good.

At Modoc in southwestern Illinois there was enough moisture during most of the season to keep the corn growing vigorously. Silking and tasseling occurred earlier at Modoc than at any of the other corn-performance fields.

INSECT PROBLEMS

The season of 1940 presented several insect hazards for corn. The first to attract attention was the attack of the seed-corn maggot, *Hylemyia cilicrura* Rond. This insect, always present in Illinois, damages corn seed when the corn lies ungerminated in the soil or when it germinates very slowly. The cold wet ground at planting time in 1940 delayed the germination of the seed and a great deal of damage resulted. Many farmers found it necessary to replant their fields. It is possible that factors other than the cold wet ground may have been partly responsible for the slow germination and for the consequent losses that were incurred from the seed maggot attack. There was no conclusive evidence that some hybrids are more susceptible than others to damage by the seed-corn maggot, altho hybrids that germinate slowly are probably more susceptible. The performance fields were not seriously affected.

The grape colaspis, *Colaspis brunnea* (F.) was present in great abundance in many Illinois cornfields where corn followed clover, soybeans, and lespedeza. In some places soybean stands were reduced as much as 50 percent, and many fields of corn had to be replanted because of an attack by this insect. There was, however, no particular evidence of the grape colaspis on the performance fields.

There was a threat of chinch bugs, *Blissus leucopterus* (Say), in the early part of the season but they caused very limited damage. They did not affect the performance fields to any considerable extent.

The test fields at Cambridge and Albion were affected to a measureable extent by corn rootworms. The average amount of lodging of hybrids on these two fields was 40.9 and 35.7 percent respectively. (Plants are considered lodged when they lean 30 degrees or more from the perpendicular, this leaning extending to and including the roots.) Examination of other performance fields showed that rootworm damage occurred, but environmental conditions were such that no lodging resulted. Two rootworms, the corn rootworm, *Diabrotica longicornis* (Say), and the southern corn rootworm, *Diabrotica duodecimpunctata* (Fab), were present and contributed to root damage which resulted in the ultimate damage recorded.

DISEASE PREVALENCE

Smut and ear rots were the principal diseases attacking Illinois cornfields in 1940. Only traces of Stewart's disease were seen. Diplodia stalk rot developed only moderately and came too late in the season to decrease yields, but it was no doubt a factor in late-season stalk breaking. There was much lodging from stalk breaking that was not caused by disease, so far as could be ascertained; the

healthy tissues of many of the varieties and hybrids were softer than usual, so that the stalks kinked and fell over easily. Some of the crosses carrying inbred L317 were especially weak in this respect.

Smut. About 4 percent of the 1940 corn crop in Illinois was lost because of smut, as estimated by the authors and by the Illinois State Natural History Survey. This is about twice the average loss. Most of the smut galls in 1940 were located at the ear or at nodes below the ear. Smut above the ear and in the tassel was rare.

Analysis of 1940 data on smut occurrence in single crosses in two fields at Urbana and one at Wyoming showed a negative correlation between smut and yield in each case. This agrees with data obtained by M. T. Jenkins on crosses in Iowa some years ago, and means that in general in years of severe smut occurrence the greater the prevalence of smut in a cross the lower the yield. Of the inbreds that made up these single crosses, 38-11 was the worst in introducing smut- susceptibility, and was followed by WF9, P8, 187-2, and Pr. Among the more resistant inbreds were L317, K4, Kys, 5120, R4, and 28. It is possible that under different growing conditions these rankings might be changed somewhat.

Ear rots. The average kernel damage from rot on all twelve of the corn-performance test fields in 1940 was 2.57 percent; in 1939 it

Smut caused serious reduction in corn yields in 1940

This disease occurred most commonly at nodes below the ear (*left*) and on the ear (*right*). Often the entire ear was converted to smut.

was only 1.68 percent for all fields. This increase was due for the most part to the large amount of ear rot in the two northern fields located at Kings and Round Lake. This area received considerable rain in the late summer, whereas rainfall in most of the remainder of the state was below average during that time.

Diplodia was the principal cause of ear rot in the northern end of the state, where ear rot was most severe. In the remainder of the state Fusarium rot appeared to be the most prevalent.

No advance toward better ear-rot resistance appears to have been made in most of the hybrids that are now in general commercial production. Altho observations have appeared in print stating that the quality of corn has been better during the last few years because more hybrid corn is being grown, the data from the performance tests do not altogether support this view. Either five or six entries of open-pollinated corn were included on each of the twelve performance fields. When the percentage of damaged kernels was averaged separately for all the open-pollinated entries and for all the hybrid entries, the hybrids averaged higher in ear-rot damage on 7 fields, the open-pollinated were higher on 4 fields, and the two were equal on the twelfth field.

Some individual hybrids, of course, have much greater resistance to ear rots than others; the two-, three-, four- and five-year summaries give more reliable data for comparing individual hybrids than do the one-year tables.

MEASURING PERFORMANCE OF ENTRIES

The entries in 1940 were rated, as they were each year since 1935, on the basis of two measures of performance—erect plants at harvest (lodging resistance) and yield of sound corn.

Erect plants. The percentage of erect plants in each entry on each field was estimated at the time of harvest. The *rating* for erect plants of an entry is the ratio of erect plants of that entry to the average number of erect plants on the field, multiplied by 100.

There were three types of lodging on the test fields—that due to rootworm damage, to broken stalks just below the ear, and to broken stalks toward the base of the plant.

Sound corn. To determine shelling percentage, the entire yield from one replicate of each entry was shelled. From this shelled corn one sample was taken to determine the percentage of moisture at harvest, and another to determine the percentage of damaged kernels, by weight. The moisture determinations were made with a Tag-Heppenstall moisture meter. The percentage of damaged corn was determined according to the federal grain standards.

The total acre-yield was calculated as shelled corn carrying 15.5 percent moisture, the upper limit allowable for No. 2 corn. The yield of sound corn was computed by deducting the amount of damaged corn from the total yield.

The rating on sound yield is the ratio, expressed as percentage, of the yield of sound corn for that entry to the average yield of sound corn for all the entries on the field.

General performance. In computing the general-performance rating of an entry, the ratings for erect plants and sound corn were averaged, but the sound-corn rating was given three times the weight of the rating for erect plants. When two or more entries tied in the general-performance rating, the ties were given the same numerical ranking, but they were listed in the order of their descending yield of sound corn. If the two entries had the same yield of sound corn, then they were listed on the basis of total corn.

Chance differences. Too much confidence must not be placed in the exact ranking of a hybrid in the following tables, for chance has played a part in determining the placing of many of them. Unmeasured differences in soil and in prevalence of insects and diseases, and unaccountable variability in stand will cause differences in yield that are not inherent in the hybrids or varieties.

The part played by chance in the 1940 tests has been calculated by the mathematical procedure known as "analysis of variance." At the bottom or side of each table is stated the approximate difference which there must be in the 1940 yields to show a true inherent difference between any two entries. Unless this difference exists there is no assurance that one entry is inherently higher yielding than the other.

Readers are urged to note the difference necessary for significance, as shown for each test field, and to keep that difference constantly in mind in all comparisons of entries on that field.

DISCUSSION OF 1940 TEST

The results of the 1940 corn-performance test brought out some marked differences in hybrids. The year 1940 was not so favorable for corn production as were 1937, 1938, and 1939. In order to perform as consistently as they did, hybrids had to exhibit more resistance to drouth, wind, disease, and insects than in the three years previous. Because of the wind on November 11, the lodging resistance on the Round Lake and Albion fields was important in determining the general-performance rating of the entries on these fields; and in general the entries with the greatest number of standing stalks ranked near the top. Usually the lodging of the hybrids was due to stalk breaking; the open-pollinated varieties went down because of root weaknesses.

Superiority of hybrids. Hybrids were definitely superior to the open-pollinated varieties on all of the fields in the 1940 test. On the Kings, Cambridge, Paxton, and Greenfield test fields the 5 best hybrids exceeded by over 37 bushels an acre the sound yield of the 5 open-pollinated varieties. With the exception of the Littleton field, the 5 poorest hybrids on every field were superior in sound yield to the average of the 5 open-pollinated varieties on the same field. The 5 best hybrids and the 5 poorest hybrids had greater lodging resistance than the average of the 5 open-pollinated varieties on every test field except Round Lake and Albion. On these two fields the 5 poorest hybrids did not stand as well as the open-pollinated varieties. For a complete comparison of the 5 best hybrids and the 5 poorest hybrids with the open-pollinated varieties see Table 3.

With few exceptions the white hybrids that were entered in the test were inferior to the yellow hybrids. Much of the poor performance of the white hybrids was due to the large number of barren stalks. Barrenness also contributed to the poor performance of many of the yellow hybrids but it was not as marked in them as in the white hybrids. Barrenness was the greatest single cause of yield differences on the Paxton field.

Maturity. This year's test was the first in several years in which moisture content at harvest was an indication of maturity. The Round Lake and Kings fields were particularly high in moisture, considering the lateness of harvest.

In order to obtain a better indication of the maturity of the entries on the Kings and Round Lake fields, samples were taken from these fields on October 8 and October 9 respectively. One hill containing at least two plants was harvested from each of four replications. Two

Table 3.—Average of Yields of Five Best Hybrids and Five Poorest Hybrids Compared With Open-Pollinated Varieties: 1940 Test Fields

Field	Sound yield					Lodging resistance				
	Five best hybrids	Five poorest hybrids	Five open-pollinated var.	Superiority of 5 best hybrids over o.p.	Superiority of 5 poorest hybrids over o.p.	Five best hybrids	Five poorest hybrids	Five open-pollinated var.	Superiority of 5 best hybrids over o.p.	Superiority of 5 poorest hybrids over o.p.
	bu.	*bu.*	*bu.*	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*
Round Lake	77.4	68.6	58.8	18.6	9.8	51.2	8.0	14.0	37.2	−6.0
Kings	106.8	78.7	56.4	50.4	22.3	97.6	97.8	80.0	17.6	17.8
Cambridge	97.5	72.1	59.6	37.9	12.5	95.8	94.4	76.8	19.0	17.6
Reddick	87.8	65.4	61.0	26.8	4.4	98.4	97.0	89.4	9.0	7.6
Littleton	91.8	72.2	74.5	17.3	−2.3	99.6	100.0	96.4	3.2	3.6
Mt. Pulaski	70.5	54.3	53.8	16.7	.5	94.4	88.0	83.2	11.2	4.8
Paxton	70.7	31.8	29.9	40.8	1.9	95.8	89.4	70.8	25.0	18.6
Sullivan	80.5	59.2	54.8	25.7	4.4	99.6	98.8	97.0	2.6	1.8
Greenfield	99.5	70.1	56.9	42.6	13.2	99.0	98.2	92.4	6.6	5.8
Shobonier	29.6	21.6	21.2	8.4	.4	78.6	79.4	69.6	9.0	9.8
Albion	81.7	70.5	58.0*	23.7	12.5	43.0	19.6	28.0*	15.0	−8.4
Modoc	74.9	59.6	55.1	19.8	4.5	90.6	88.8	85.6	5.0	3.2
Average	80.7	60.3	53.3	27.4	7.1	87.0	72.4	73.6	13.4	7.1

*Average of 6 open-pollinated varieties instead of 5.

complete rows of kernels were removed from every ear harvested to obtain a sample for moisture. The percentage of moisture was obtained by drying 200 grams of the sample in an electric oven for 48 hours.

At Round Lake the moisture content of the samples ranged from 40.2 percent to 25.7 percent (Table 4) on October 9. The average for the 5 adapted open-pollinated varieties was 32.5 percent; and 14 hybrid entries had the same or a lower percentage of moisture. The average for the entire field on October 9 was 33.9 percent, and at harvest (November 15) it was 21.8 percent. The average of the open-pollinated varieties at harvest time was 23.2 percent; and 42 hybrid entries had the same or a lower percentage. The moisture content of the hybrids at harvest time ranged from 28.5 percent to 17.6 percent.

The above data from the Round Lake field indicate that after an early killing frost most hybrids dry out faster than the open-pollinated varieties. In general the hybrids which had the higher percentage of moisture on October 9 had the higher percentage at harvest, and the hybrids with the lower percentage of moisture on October 9 had the least moisture when harvested.

At Kings (Table 6) the situation was much the same as at Round Lake. The moisture content of the grain decreased more rapidly in most of the hybrids than in the open-pollinated varieties. On October 8 the percentage of moisture for all entries on the field ranged from 39.3 percent to 28.0 percent, while at harvest time it ranged from 27.3 percent to 19.6 percent. Eleven hybrids had the same or a lower moisture content than the average of the open-pollinated varieties on October 8; at harvest time 31 hybrids had the same or a lower percentage of moisture than the open-pollinated varieties.

Dropped ears. A count was made of the dropped ears on all of the 1940 test fields, but there were too few such ears to warrant the drawing of any conclusions.

FIVE-, FOUR-, THREE-, AND TWO-YEAR SUMMARIES

A mistake to which all who are interested in hybrid corn are more or less prone is to evaluate a new entry on the results of a single year's test. No two seasons are exactly alike and a corn which does exceptionally well one year may perform quite differently under different seasonal conditions. Manifestly then, the more seasons during which a corn has been tested, the more certain a grower can be of its merit. For this reason summary tables including entries that have been in the tests for five to two years have been prepared.

Not many hybrids have been grown in these tests for as long as five years because most of the hybrids tested five years ago have been

discontinued. A hybrid that ranks well toward the top in the various summary tables and also shows a good performance in the current year's test is most assuredly a good one. The consistency of the general performance of an entry can be readily traced by studying the summary tables for each section of the state.

A good measure of the superiority of an entry is the amount by which it has exceeded the average of the open-pollinated varieties. If the hybrid exceeded the average of the varieties markedly year after year, it is to be preferred to hybrids with widely fluctuating seasonal yields even tho the average yield of the fluctuating hybrids may be somewhat higher.



Differences between yields of hybrids and open-pollinated varieties 1927-1940

The above bars show the amounts by which the yields of the five best hybrids have exceeded (*black*) or have fallen below (*crosshatch*) the five best open-pollinated varieties in three sections of Illinois.

PEDIGREES OF ILLINOIS AND U. S. HYBRIDS

Following is a partial list of Illinois and U. S. hybrids. The performance of those that are starred is shown in this bulletin.

Ill. 15....(WF9 x 38-11) (159L1 x I224)
*Ill. 21....(WF9 x 38-11) (187-2 x Hy)
Ill. 29....(A x 90) (R4 x Hy)
Ill. 48....(R4 x L317) (Hy x 4211)
Ill. 53....(WF9 x M14) (Pr x I205)
Ill. 99....(CC5 x CC7) (WF9 x CC1)
*Ill. 101...(WF9 x M14) (CC7 x 187-2)
Ill. 104...(CC5 x CC7) (A x Hy)
Ill. 107...(I198 x 38-11) (Tr x L317)
Ill. 110...(38-11 x Kys) (Tr x L317)
Ill. 115...(5120 x Kys) (Tr x L317)
Ill. 117...(K4 x 38-11) (Tr x L317)
*Ill. 126...(WF9 x 38-11) (Tr x L317)
Ill. 153...(WF9 x R4) (159L1 x I224)
Ill. 156...(Kys x 38-11) (Tr x R4)
Ill. 161...(WF9 x 38-11) (Tr x R4)
Ill. 172...(R4 x Hy) (A x 540)
*Ill. 200...(WF9 x 38-11) (K4 x L317)
*Ill. 201...(WF9 x 38-11) (187-2 x L317)
Ill. 205...(WF9 x 38-11) (159L1 x L317)
*Ill. 206...(WF9 x 38-11) (5120 x L317)
Ill. 208...(B2 x 38-11) (K4 x L317)
*Ill. 212...(WF9 x 38-11) (4-8 x 187-2)
Ill. 215...(5120 x 38-11) (187-2 x L317)
*Ill. 219...(CC5 x CC7) (WF9 x Hy)
Ill. 224...(Pr x I205) (M14 x 90)
Ill. 227...(WF9 x 38-11) (Hy x Tr)
Ill. 236...(Os420 x Os426) (WF9 x L317)
Ill. 240...(WF9 x K4) (Hy x 5120)
Ill. 243...(Kys x 5677) (K4 x L317)
*Ill. 246...(WF9 x Hy) (187-2 x L317)
*Ill. 247...(187-2 x 38-11) (Hy x L317)
Ill. 308...(WF9 x M14) (4-8 x 187-2)
Ill. 310...(4-8 x 187-2) (Pr x I205)
Ill. 319...(WF9 x M14) (A x 90)
Ill. 329...(WF9 x 38-11) (Pr x I205)
Ill. 337...(A x 90) (187-2 x L317)
*Ill. 339...(CC5 x CC7) (A x 90)
Ill. 345...(Pr x I205) (WF9 x R4)
*Ill. 350...(WF9 x R4) (187-2 x L317)
Ill. 355...(Pr x I205) (R4 x Hy)
*Ill. 374...(R4 x Hy) (187-2 x L317)
Ill. 384...(WF9 x R4) (A x Hy)
Ill. 387...(CC5 x CC7) (R4 x Hy)
Ill. 391...(A x Hy) (Tr x L317)
Ill. 427...(5120 x L317) (Hy x 540)
Ill. 432...(5120 x 4211) (K4 x L317)
*Ill. 437...(Hy x WF9) (K4 x L317)
*Ill. 448...(38-11 x Kys) (K4 x L317)
Ill. 449...(Hy x 540) (K4 x L317)
*Ill. 450...(R4 x Kys) (K4 x L317)
Ill. 467...(Hy x 5120) (R4 x Kys)
Ill. 498...(5120 x 4211) (701 x L317)
*Ill. 499...(Hy x 5120) (701 x L317)
Ill. 500...(WF9 x 38-11) (701 x L317)
Ill. 501...(WF9 x 38-11) (Hy x 5120)
Ill. 504...(WF9 x L317) (R4 x Hy)
Ill. 507...(A x 90) (WF9 x R4)
Ill. 511...(A x 90) (R4 x L317)
Ill. 521...(A x 90) (Os420 x Os426)
Ill. 523...(A x 90) (WF9 x 4226)
Ill. 538...(5120 x 4211) (R4 x Tr)
Ill. 543...(90 x Hy) (R4 x Tr)
*Ill. 546...(WF9 x Hy) (R4 x Tr)
*Ill. 566...(187-2 x Hy) (K4 x L317)
Ill. 570...(A x 90) (Hy x 540)
Ill. 571...(Tr x 90) (Hy x 540)
Ill. 582...(R4 x L317) (Hy x 540)
Ill. 586...(4226 x A) (Hy x 540)
*Ill. 600...(187-2 x 38-11) (159L1 x L317)
Ill. 606...(R4 x Hy) (NI4 x 5120)
Ill. 614...(701 x L317) (5120 x Tr)
Ill. 710...(R4 x Hy) (Tr x L317)
Ill. 713...(WF9 x 38-11) (G x L317)
*Ill. 751...(A x 90) (WF9 x Hy)
Ill. 762...(A x Hy) (R4 x L317)
Ill. 772...(R4 x Hy) (I159 x L317)
*Ill. 784...(Hy x 5120) (K4 x L317)
Ill. 791...(A x 90) (L317 x 701)
*Ill. 800...(5678 x Kys) (K4 x 38-11)
*Ill. 801...(5120 x Kys) (K4 x L317)
*Ill. 802...(38-11 x 5678) (K4 x L317)
*Ill. 804...(5120 x 38-11) (K4 x L317)
*Ill. 805...(187-2 x 38-11) (K4 x L317)
*Ill. 806...(38-11 x 187-2) (K4 x Kys)
Ill. 832...(R4 x Hy) (38-11 x I198)
*Ill. 838...(38-11 x Pr) (K4 x L317)
Ill. 845...(WF9 x CC1) (Pr x I205)
Ill. 846...(A x 90) (Pr x I205)
Ill. 855...(R4 x Hy) (L317 x G)
*Ill. 863...(R4 x Hy) (K4 x L317)
*Ill. 877...(R4 x Pr) (K4 x L317)
*Ill. 885A..(R4 x 38-11) (K4 x L317)
Ill. 936...(A x Hy) (90 x L317)
Ill. 940...(5120 x 4211) (I159 x L317)
Ill. 944...(R4 x L317) (WF9 x Hy)
Ill. 945...(WF9 x R4) (Tr x L317)
*Ill. 947...(R4 x Pr) (Tr x L317)
*Ill. 960...(R4 x Hy) (701 x L317)
*Ill. 972...(WF9 x Hy) (701 x L317)
*Ill. 976...(WF9 x R4) (Hy x 540)
Ill. 1073..(R4 x L317) (5120 x Hy)
Ill. 1075..(4-8 x Hy) (R4 x L317)
*Ill. 1092..(A x 90) (WF9 x CC1)
*U. S. 5...(R4 x L317) (WF9 x 38-11)
*U. S. 13..(Hy x L317) (WF9 x 38-11)
*U. S. 14..(Hy x L317) (WF9 x R4)
*U. S. 35..(WF9 x 38-11) (R4 x Hy)
*U. S. 44..(187-2 x 4-8) (Hy x 540)
*U. S. 45..(461-3 x 4-8) (Hy x 540)
U. S. 61..(R4 x 4-8) (Hy x 540)
*U. S. 63..(R4 x WF9) (Hy x 540)

CONTRIBUTORS OF SEED FOR THE 1940 TESTS

Bear Hybrids	A. Linn Bear	Decatur
Blackhawk	Otto Kreutzberg	Alhambra
Bunning White Dent	Henry Bunning	Moweaqua
Canterbury Yellow Dent	C. E. Canterbury	Cantrall
Champion White Pearl	F. V. Wilson & Son	Edgewood
Crow Hybrids	Crow Hybrid Corn Co.	Milford
DeKalb Hybrids	DeKalb Agr. Assoc.	DeKalb
Doubet Yellow Dent	E. W. Doubet	Hanna City
E. W. Doubet Hybrids	E. W. Doubet	Hanna City
Dyar Hybrid D44R	W. S. Dyar	Metamora
Funk Hybrids	Funk Bros. Seed Co.	Bloomington
Furr Hybrids	Kenneth Furr	Genoa
Fritsch Bros. Hybrid 731	Fritsch Bros.	Plano
Gunn Western Plowman	DeKalb Agr. Assoc.	DeKalb
Hahn Hybrid 150A	Hahn Seed Co.	Dwight
Henley and Whisnand Hybrids	T. Henley, M. Whisnand	Arcola
Holmes Utility Hybrids	Charles Holmes	Edelstein
Hoosier Crost Hybrids	George Marshall	St. Charles
Huebsch-Murdock	L. A. Huebsch & Son	Mundelein
Hulting Hybrids	G. E. Hulting & Son	Geneseo
Hunt White Dent	Chester A. Hunt	Morris
I.H.P. Hybrids	Ind. Hyb. Prod. of Ill., Inc.	Pekin
Illinois Hybrid 21	W. S. Dyar	Metamora
Illinois Hybrid 21	Frey Hybrid Corn Co.	Gilman
Illinois Hybrid 21	Huey Seed Co.	Carthage
Illinois Hybrids 101, 246, 247, 350, 437, 600, 800, 801, 802, 804, 838	Ind. Hyb. Prod. of Ill., Inc.	Pekin
Illinois Hybrid 126	Harold Oakes	Bluffs
Illinois Hyb. 200, 247, 449, 784, 863	C. E. Canterbury	Cantrall
Illinois Hyb. 200, 450, 784, 877, 885A	Castle Hybrid Corn Co.	Alton
Illinois Hybrids 200, 448, 784, 877	Edwin Dallmier	Newton
Illinois Hybrids 200, 201, 374	Macon County Seed Co.	Decatur
Illinois Hybrid 200	Mountjoy Seed Co.	Atlanta
Illinois Hybrids 200, 448, 784, 804, 863, 877, 885A	George Pfeifer	Arcola
Illinois Hybrids 200, 448, 450, 784	Myron Whisnand	Arcola
Illinois Hybrids 200, 201, 499	Edward Wilson	Winchester
Illinois Hybrid 201	Joe Allen	Fisher
Illinois Hybrids 201, 206	C. Doubet & Son	Hanna City
Illinois Hybrid 201	Hahn Seed Company	Dwight
Illinois Hybrids 201, 805, 972	Charles Holmes	Edelstein
Illinois Hybrid 201	Lester L. Lehmann & Sons	Pleasant Plains
Illinois Hybrid 201	O. P. Tiemann	Bloomington
Illinois Hybrids 206, 784, 863, 877	Burrus Bros.	Arenzville
Illinois Hybrid 206	J. E. Forsythe	Cooksville
Illinois Hybrids 206, 806, 885A	Thomas Henley	Arcola
Illinois Hybrids 212, 976	C. Leland Monier	Sparland
Illinois Hybrids 219, 1092	Nichols Bros.	Hebron
Illinois Hybrid 247	Herman Lauer	Broadwell
Illinois Hybrid 339	L. A. Huebsch & Son	Mundelein
Illinois Hybrid 448	Leslie Daily	Mattoon
Illinois Hybrids 448, 566, 784, 838	Pocklington Bros.	Nilwood
Illinois Hybrids 450, 546	Morgan Bros.	Galva
Illinois Hybrid 751	H. H. Ferris	Princeton
Illinois Hybrid 751	Gentert Farms Seed Co.	Lostant
Illinois Hybrid 751	F. A. Joslin	Erie
Illinois Hybrids 784, 877	Everett W. Kerns	Tuscola
Illinois Hybrid 784	Harlan Powers	Brocton
Illinois Hybrid 885A	Nickell Bros.	Concord
Illinois Hybrid 947	Harry Koch	Bluffs
Illinois Hybrid 960	L. A. Sass	Ancona
Ioway Supercorn	Roland Holden	Williamsburg, Ia.

Iowealth Hybrids	Michael-Leonard Seed Co.	Chicago
Kelly Hybrid	Kelly Seed Co.	San Jose
Krug	Krug Bros.	Minonk
Leaming	H. C. Neville	Harrisburg
Macon Hybrid 666	Macon County Seed Co.	Decatur
Maland Yellow Dent	John Maland	Leland
McLurkin White Dent	Theodore Brown	Coulterville
Miller Hybrids	Bert A. Miller	Forrest
M-L Hybrids	B. E. Moews	Granville
	L. L. Lowe	Aroma Park
Mohawk	Martin Schaeffer	Hoyleton
Morgan Hybrids	Morgan Bros.	Galva
Mountjoy Hybrid 2121	Mountjoy Seed Co.	Atlanta
Mountjoy Utility Dent	Mountjoy Seed Co.	Atlanta
National Hybrids	National Hybrid Corn Co.	Anamosa, Iowa
Null Hybrids	Null Seed Farms	Colchester
Null-Vollmer Hybrids	L. H. Vollmer	Liberty
Pfeifer Hybrid A-1-40	George Pfeifer	Arcola
Pfingston Yellow Dent	Fred Pfingston	Roselle
Pioneer Hi-Breds	Pioneer Hi-Bred Corn Co.	Princeton
Rice White Dent	J. R. Rice	Blue Mound
Richbred Hybrids	F. D. Richey	Ashville, Ohio
Roeschley Yellow Dent	Leo Roeschley	Graymont
Sager Hybrid 33W	Troy Sager	Kell
Sass Hybrids	L. A. Sass, Ancona; U. G. Sass, Streator	
Seeber Hybrids	Seeber Bros.	Champaign
Shuman Golden Beauty	Charles Shuman	Sullivan
Sibley Farm Hybrids	Sibley Farms	Sibley
Silver Cross Hybrid W12	Michael-Leonard Seed Co.	Chicago
Sommer Yellow Dent	George Pfeifer	Arcola
St. Charles White	E. H. Isenberg	Kauffman
Station Yellow Dent	Illinois Station	Urbana
Stelford's White Cap	H. J. Stelford	Hampshire
Stewart Hybrid S22	Frank S. Stewart	Princeville
Stiegelmeier Hybrids	H. L. Stiegelmeier	Normal
U. S. Hybrid 5	G. E. Hulting & Son	Geneseo
U. S. Hybrids 5, 15	Mountjoy Seed Co.	Atlanta
U. S. Hybrid 5	Harold Oakes	Bluffs
U. S. Hybrid 5	Producers' Crop Imp. Assoc.	Piper City
U. S. Hybrid 5	Frank S. Stewart	Princeville
U. S. Hybrids 13, 35	Burrus Bros.	Arenzville
U. S. Hybrid 13	C. E. Canterbury	Cantrall
U. S. Hybrid 13	C. Doubet & Son	Hanna City
U. S. Hybrids 13, 44	Frey Hybrid Corn Co.	Gilman
U. S. Hybrid 13	Charles Holmes	Edelstein
U. S. Hybrids 13, 35	Huey Seed Co.	Carthage
U. S. Hybrid 13	Lester L. Lehmann & Son	Pleasant Plains
U. S. Hybrid 13	C. Leland Monier	Sparland
U. S. Hybrid 13	Pocklington Bros.	Nilwood
U. S. Hybrids 13, 44	O. P. Tiemann	Bloomington
U. S. Hybrid 13	Van Horn Seed Co.	Cerro Gordo
U. S. Hybrids 14, 35, 44, 63	H. H. Ferris	Princeton
U. S. Hybrid 35	Joe Allen	Fisher
U. S. Hybrids 35, 44	I. L. & A. G. Sieben	Geneseo
U. S. Hybrid 44	Gentert Farms Seed Co.	Lostant
U. S. Hybrid 44	Morgan Bros.	Galva
U. S. Hybrid 45	L. A. Sass	Ancona
U. S. Hybrid 63	H. I. Coldwater & Son	Elwood
U. S. Hybrid 63	Carl Munson	Galesburg
Van Horn Hybrids	Van Horn Seed Co.	Cerro Gordo
Waddell Utility Dents	Elmer Waddell	Taylorville
Wessbecker Yellow Dent	Paul Wessbecker	Mt. Pulaski
Wilson Yellow Dent	Edward Wilson	Winchester
Wisconsin Hybrid 645	L. A. Huebsch & Son	Mundelein

Table 4.—NORTHEASTERN ILLINOIS: Round Lake

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain on Oct. 9	Moisture in grain at harvest (Nov. 15)	Erect plants	Rating for—		
		Total	Sound					Erect plants	Sound yield	General perform.
	1940	bu.	bu.	perct.	perct.	perct.	perct.	perct.	perct.	
1	*Funk Hybrid G-16	85.5	85.3	.26	35.8	22.0	53	200.0	118.3	138.7
2	Pioneer Hi-Bred 330	76.3	75.4	1.15	35.9	23.6	57	215.1	104.6	132.2
3	*Furr Hybrid 67	74.2	73.7	.71	40.0	22.9	53	200.0	102.2	126.6
4	Funk Hybrid G-114	73.9	72.1	2.43	36.3	23.4	53	200.0	100.0	125.0
5	*Holmes Utility Hybrid 19	81.0	80.7	.31	38.6	21.4	40	150.9	111.9	121.6
6	Wisconsin Hybrid 645 (Huebsch)	75.4	72.0	4.52	29.7	20.4	39	147.2	99.9	117.1
7	Hoosier Crost Hybrid 405	74.9	70.7	5.59	35.0	23.6	45	169.8	98.1	116.0
8	Iowealth Hybrid 16	76.4	75.9	.66	39.2	23.6	37	139.6	105.3	113.9
9	Funk Hybrid G-22	73.0	72.3	.99	36.5	23.6	40	150.9	100.3	113.0
10	Pioneer Hi-Bred 353	74.5	72.9	2.16	36.5	20.5	39	147.2	101.1	112.6
11	M-L Hybrid 14 (Moews-Lowe)	72.8	72.6	.21	37.1	25.1	39	147.2	100.7	112.3
12	*Funk Hybrid G-174	79.1	72.1	8.82	34.8	21.4	39	147.2	100.0	111.8
13	Hoosier Crost Hybrid 422	71.0	70.9	.10	37.5	21.7	39	147.2	98.3	110.5
14	Funk Hybrid G-7	73.2	68.0	7.07	33.0	20.4	42	158.5	94.3	110.4
15	Furr Hybrid 44	74.6	72.3	3.12	32.3	21.0	37	139.6	100.3	110.1
16	Illinois Hyb. 1092 (Nichols Bros.)	69.8	68.3	2.11	32.9	22.6	40	150.9	94.7	108.8
17	*Holmes Utility Hybrid 29	77.1	76.6	.63	38.0	24.2	32	120.8	106.2	108.4
17	*Illinois Hybrid 101 (I.H.P.)	75.8	73.4	3.20	34.0	20.4	34	128.3	101.8	108.4
19	M-L Hybrid 20 (Moews-Lowe)	69.6	68.7	1.31	37.1	20.4	39	147.2	95.3	108.3
20	M-L Hybrid 15 (Moews-Lowe)	79.1	77.2	2.40	38.7	22.9	29	109.4	107.1	107.7
21	*Furr Hybrid 7	77.2	76.5	.88	33.8	22.3	29	109.4	106.1	106.9
22	*M-L Hybrid 19 (Moews-Lowe)	74.7	74.3	.52	37.8	23.8	31	117.0	103.1	106.6
23	Iowealth Hybrid A	75.4	73.8	2.18	34.0	20.7	31	117.0	102.4	106.1
24	DeKalb Hybrid 410	76.2	71.8	5.82	31.6	20.2	33	124.5	99.6	105.8
25	Funk Hybrid G-15	77.1	76.9	.26	34.4	21.4	27	101.8	106.7	105.5
26	Pioneer Hi-Bred 353A	80.8	80.1	.92	31.1	20.0	23	86.8	111.1	105.0
27	*Nichols Bros. Hybrid N-202	75.8	74.7	1.50	32.7	22.0	28	105.7	103.6	104.1
28	*DeKalb Experimental Hybrid 21	71.7	70.9	1.08	31.4	19.4	30	113.2	98.3	102.0
29	Furr Hybrid 66	68.8	67.2	2.28	32.7	21.4	33	124.5	93.2	101.0
30	Illinois Hyb. 219 (Nichols Bros.)	76.6	74.5	2.80	33.2	22.0	26	98.1	100.3	99.8
31	Pioneer Hi-Bred 322	81.8	80.9	1.07	36.3	20.4	16	60.4	112.2	99.2
32	M-L Hybrid 13 (Moews-Lowe)	81.4	76.2	6.33	32.0	20.7	21	79.2	105.7	99.1
32	*I.H.P. (4226 x 187-2) (WF9 x CC1)	71.3	70.8	.69	26.6	20.1	27	101.9	98.2	99.1
34	National Hybrid 116	70.6	70.3	.40	36.3	21.7	27	101.9	97.5	98.6
35	*Illinois Hybrid 350 (I.H.P.)	73.4	73.3	.14	38.4	23.6	23	86.8	101.7	98.0
36	Pioneer Hi-Bred 355	64.3	54.8	14.70	25.7	18.2	43	162.3	76.0	97.6
37	Pioneer Hi-Bred 349	84.0	82.2	2.16	34.8	19.8	11	41.5	114.0	95.9
38	National Hybrid 114$_2$	72.4	70.9	2.02	34.0	21.0	23	86.8	98.3	95.4
39	DeKalb Hybrid 404A	81.9	80.9	1.17	33.9	20.7	11	41.5	112.2	94.5
40	National Hybrid 112$_2$	74.6	73.4	1.56	30.5	19.8	19	71.7	101.8	94.3
41	Pioneer Hi-Bred 324	79.5	79.2	.37	33.9	21.0	12	45.3	109.9	93.8
42	*Bear Hybrid OK-22	79.8	79.4	.51	33.8	20.4	11	41.5	110.1	93.0
43	DeKalb Hybrid 493	73.7	72.8	1.25	30.0	20.2	18	67.9	101.0	92.7
44	*Funk Hybrid G-18	71.2	67.3	5.42	32.5	20.2	24	90.6	93.3	92.6
45	DeKalb Hybrid 240	75.6	71.8	5.04	30.0	19.2	18	67.9	99.6	91.7
46	Illinois Hybrid 339 (Huebsch)	75.6	72.5	4.07	33.0	20.4	17	64.2	100.6	91.5
47	Hoosier Crost Hybrid 668-L	75.3	74.9	.51	37.6	27.5	10	37.7	103.9	87.4
48	Pioneer Hi-Bred 370	77.7	77.4	.34	29.3	18.7	7	26.4	107.4	87.2
49	*Richbred Hybrid 894	70.8	70.0	1.20	40.2	28.5	15	56.6	97.1	87.0
50	DeKalb Hybrid 204	78.4	76.2	2.77	31.2	21.4	8	30.2	105.7	86.8
51	Iowealth Hybrid 25R	71.7	70.3	1.91	32.9	26.7	13	49.1	97.5	85.4
51	Maland Yellow Dent	71.9	66.6	7.36	32.9	22.3	17	64.2	92.4	85.4
53	Illinois Hybrid 972 (Holmes)	67.8	66.8	1.47	38.1	25.4	15	56.6	92.7	83.7
54	DeKalb Hybrid 421	76.5	74.2	3.03	34.1	24.0	6	22.6	102.9	82.8
55	Pfingston Yellow Dent	65.1	64.2	1.33	31.2	23.4	13	49.1	89.0	79.0
56	DeKalb Hybrid 400	73.5	72.1	1.86	28.5	18.9	3	11.3	100.0	77.8
57	Gunn Western Plowman	61.9	59.6	3.67	34.5	20.7	15	56.6	82.7	76.2
	●Average of 5 open-pollinated var.	**64.2**	**58.8**	**8.63**	**32.5**	**23.2**	**14**	**52.9**	**81.6**	**74.5**
58	Huebsch Murdock Yellow Dent	64.1	58.2	9.16	30.0	21.4	12	45.3	80.7	71.8
59	Silver Cross Hyb. W12 (Iowealth)	61.4	59.8	2.57	27.6	17.6	3	11.3	82.9	65.0
60	Stelford's White Cap	58.1	45.5	21.62	34.0	28.4	13	49.1	63.1	59.6
	Average of all entries	74.1	72.1	2.94	33.9	21.8	26.5	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 5.6 bushels between total yields of any two entries in this table is not significant.

Table 5.—NORTHEASTERN ILLINOIS: Round Lake Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Funk Hybrid G-16	75.4	75.2	.22	18.8	76.5	126.2	108.8	113.2
2	Pioneer Hi-Bred 330	72.8	71.8	1.24	20.6	78.0	128.7	103.9	110.1
3	Funk Hybrid G-114	70.4	69.5	1.26	21.1	76.5	126.2	100.6	107.0
4	M-L Hybrid 13 (Moews-Lowe)	78.0	75.4	3.19	19.6	60.5	99.8	109.1	106.8
5	Wisconsin Hybrid 645	72.8	71.0	2.40	17.8	69.5	114.7	102.8	105.8
6	M-L Hybrid 15 (Moews-Lowe)	73.4	72.4	1.20	20.6	64.0	105.6	104.8	105.0
7	DeKalb Hybrid 404A	75.6	75.0	.74	18.4	55.5	91.6	108.5	104.3
8	Funk Hybrid G-15	72.5	72.4	.19	19.4	62.0	102.3	104.8	104.2
9	Pioneer Hi-Bred 322	74.7	74.0	.95	18.4	57.0	94.1	107.1	103.8
10	Iowealth Hybrid A	71.5	70.6	1.16	18.4	64.5	106.4	102.2	103.2
11	Illinois Hybrid 219 (Nichols Bros.)	71.9	70.8	1.52	20.2	63.0	104.0	102.5	102.9
12	DeKalb Hybrid 240	74.8	72.9	2.54	16.5	57.0	94.1	105.5	102.6
13	Pioneer Hi-Bred 349	74.7	73.6	1.37	17.3	54.0	89.1	106.5	102.2
14	Pioneer Hi-Bred 324	73.8	73.6	.20	17.9	52.5	86.6	106.5	101.5
14	DeKalb Hybrid 421	74.6	73.4	1.54	19.8	53.0	87.5	106.2	101.5
16	DeKalb Hybrid 204	72.9	71.7	1.51	19.2	53.5	88.3	103.8	99.9
17	Illinois Hybrid 1092 (Nichols Bros.)	66.2	65.4	1.16	19.8	69.0	113.9	94.6	99.4
18	DeKalb Hybrid 493	70.9	70.4	.80	17.6	55.5	91.6	101.9	99.3
19	Illinois Hybrid 972 (Holmes)	69.9	69.4	.78	22.2	57.0	94.1	100.4	98.8
20	Funk Hybrid G-18	70.0	67.9	2.86	18.6	60.5	99.8	98.3	98.7
21	Pioneer Hi-Bred 355	65.6	60.6	7.81	15.6	76.5	126.2	87.7	97.3
22	Maland Yellow Dent	64.4	61.6	3.85	20.3	52.5	86.6	89.1	88.5
23	Huebsch-Murdock Yellow Dent	62.7	59.7	4.65	18.4	48.5	80.0	86.4	84.8
24	Gunn Western Plowman	58.2	57.0	1.94	18.2	52.5	86.6	82.5	83.5
	● Average of 5 open-pollinated varieties	**60.7**	**57.9**	**4.47**	**20.0**	**49.6**	**81.8**	**83.8**	**83.3**
25	Stelford's White Cap	59.4	53.0	11.10	22.3	46.5	76.7	76.7	76.7
	Average of all entries	70.7	69.1	2.25	19.1	60.6	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Funk Hybrid G-114	72.6	71.8	.97	24.7	84.2	121.0	103.9	108.2
2	DeKalb Hybrid 404A	75.5	75.1	.58	21.9	69.7	100.1	108.7	106.6
3	Pioneer Hi-Bred 349	76.4	75.4	1.33	21.2	68.2	98.0	109.1	106.3
4	Pioneer Hi-Bred 322	74.7	73.6	1.45	21.6	70.3	101.0	106.5	105.1
5	Funk Hybrid G-15	71.9	71.7	.29	22.6	74.2	106.6	103.8	104.5
6	DeKalb Hybrid 421	74.2	73.3	1.18	22.6	67.7	97.3	106.1	103.9
7	DeKalb Hybrid 493	71.0	70.3	.98	20.7	69.2	99.4	101.7	101.1
8	Iowealth Hybrid A	69.0	68.2	1.07	20.3	74.0	106.3	98.7	100.6
9	DeKalb Hybrid 204	70.8	70.0	1.12	22.8	68.2	98.0	101.3	100.5
10	Maland Yellow Dent	64.7	62.8	2.69	23.2	65.2	93.7	90.9	91.6
	● Average of 5 open-pollinated varieties	**61.2**	**59.2**	**3.17**	**22.5**	**62.1**	**89.2**	**85.7**	**86.6**
11	Gunn Western Plowman	59.5	58.6	1.45	21.1	63.5	91.2	84.8	86.4
12	Huebsch-Murdock Yellow Dent	60.4	58.2	3.54	20.6	61.5	88.4	84.2	85.2
	Average of all entries	70.1	69.1	1.39	21.9	69.6	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	DeKalb Hybrid 421	72.6	71.9	.95	22.7	71.8	106.8	112.2	110.8
2	DeKalb Hybrid 204	69.9	69.3	.84	22.9	73.1	108.8	108.1	108.3
3	DeKalb Hybrid 493	67.8	67.1	1.10	21.9	70.9	105.5	104.7	104.9
4	Maland Yellow Dent	61.6	60.0	2.45	24.1	63.9	95.1	93.6	94.0
5	Gunn Western Plowman	59.2	58.5	1.16	21.1	63.6	94.6	91.3	92.1
	● Average of 5 open-pollinated varieties	**59.7**	**58.1**	**2.64**	**22.8**	**61.6**	**91.7**	**90.6**	**90.9**
6	Huebsch-Murdock Yellow Dent	59.6	57.9	2.66	19.4	59.6	88.7	90.3	89.9
	Average of all entries	65.1	64.1	1.53	22.0	67.2	....	....	....
	(D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	DeKalb Hybrid 421	71.9	71.2	.90	25.3	72.5	110.5	115.4	114.2
2	DeKalb Hybrid 493	66.7	66.1	.98	24.4	71.5	109.0	107.1	107.6
3	Gunn Western Plowman	57.6	56.8	1.31	24.4	61.1	93.1	92.1	92.4
	● Average of 5 open-pollinated varieties	**57.0**	**55.5**	**2.50**	**25.5**	**58.8**	**89.6**	**89.9**	**89.8**
4	Huebsch-Murdock Yellow Dent	54.2	52.8	2.47	23.8	57.3	87.3	85.6	86.0
	Average of all entries	62.6	61.7	1.42	24.5	65.6	....	....	....

Table 6.—NORTHERN ILLINOIS: Kings

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain on Oct. 8	Moisture in grain at harvest (Nov. 8)	Erect plants	Rating for—		
		Total	Sound					Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Iowealth Hybrid 25R	115.1	109.3	5.06	32.9	23.7	95	99.6	118.3	113.6
2	*Hahn Hybrid 150A	116.9	108.5	7.15	36.7	25.9	93	97.5	117.4	112.4
3	U. S. Hybrid 63 (Coldwater)	111.9	106.1	5.19	34.8	22.4	100	104.8	114.8	112.3
4	*Holmes Utility Hybrid 39	112.3	105.4	6.16	33.1	22.4	100	104.8	114.1	111.8
5	Illinois Hybrid 751 (Joslin)	109.2	104.8	4.07	33.1	21 8	100	104.8	113.4	111.2
6	*Richbred Hybrid 894	110.6	105.8	4.32	39.3	27.3	96	100.6	114.5	111.0
7	DeKalb Hybrid 607	109.8	107.7	1.87	31.8	21.8	88	92.2	116.6	110.5
8	Illinois Hybrid 751 (Gentert)	110.4	103.8	6.00	36.1	22.4	97	101.7	112.3	109.7
9	Iowealth Hybrid 18	108.0	103.6	4.08	36.5	21.8	97	101.7	112.1	109.5
10	*Bear Hybrid OK-24	111.0	104.3	6.00	33.3	21.1	94	98.5	112.9	109.3
11	Pioneer Hi-Bred 307	111.0	104.0	6.28	33.3	23.7	93	97.5	112.6	108.8
12	Pioneer Hi-Bred 322	107.9	102.6	4.94	31.3	20.8	96	100.6	111.0	108.4
13	Seeber Hybrid 50	109.0	101.5	6.84	36.3	26.4	98	102.7	109.9	108.1
14	*Ioway-Supercorn 214-H	108.4	100.8	7.03	31.1	20.8	100	104.8	109.1	108.0
15	Pioneer Hi-Bred 324	105.8	101.1	4.45	32.2	21.1	96	100.6	109.4	107.2
16	Morgan Hybrid M-52	108.1	102.3	5.33	37.2	22.7	91	95.4	110.7	106.9
17	*Illinois Hybrid 350 (I.H.P.)	104.9	100.1	4.60	35.0	22.7	97	101.7	108.3	106.6
17	*Funk Hybrid G-37	105.6	99.3	5.98	36.0	23.7	99	103.8	107.5	106.6
19	*Bear Hybrid OK-23	114.6	103.0	10.10	31.3	23.0	87	91.2	111.5	106.4
20	Pioneer Hi-Bred 314	107.6	100.5	6.58	34.6	22.1	94	98.5	108.8	106.2
21	National Hybrid 117	101.5	98.8	2.63	33.7	21.1	97	101.7	106.9	105.6
22	*Holmes Utility Hybrid 49	107.2	97.7	8.84	35.8	24.8	100	104.8	105.7	105.5
23	DeKalb Hybrid 615	104.9	97.6	6.97	34.0	21.4	100	104.8	105.6	105.4
24	U. S. Hybrid 44 (Sieben)	111.7	101.4	9.24	34.0	24.3	87	91.2	109.7	105.1
25	*Sass Hybrid 30	107.0	98.2	8.22	36.2	21.4	96	100.6	106.3	104.9
26	M-L Hybrid 120 (Moews-Lowe)	102.2	96.7	5.40	34.5	24.5	99	103.8	104.7	104.5
27	DeKalb Hybrid 421	104.9	100.4	4.26	31.5	20.7	87	91.2	108.7	104.3
28	*DeKalb Experimental Hyb. 43	105.9	96.4	8.98	32.8	23.0	96	100.6	104.3	103.4
28	DeKalb Hybrid 404A	104.2	96.4	7.52	30.2	20.8	96	100.6	104.3	103.4
30	*E. W. Doubet Hybrid D3	102.6	95.8	6.65	33.8	22.1	95	99.6	103.7	102.7
30	U. S. Hybrid 63 (Ferris)	101.8	94.9	6.82	35.1	21.8	98	102.7	102.7	102.7
32	Funk Hybrid G-114	100.8	94.6	6.17	33.2	23.3	98	102.7	102.4	102.5
33	*Furr Hybrid 67	102.8	94.7	7.89	33.1	23.3	97	101.7	102.5	102.3
34	Illinois Hybrid 751 (Ferris)	104.3	93.9	9.95	32.9	23.7	99	103.8	101.6	102.2
34	National Hybrid 116	99.3	93.9	5.45	34.7	21.8	99	103.8	101.6	102.2
36	Iowealth Hybrid AQ	100.3	94.5	5.74	34.7	22.7	95	99.6	102.3	101.6
37	M-L Hybrid 14 (Moews-Lowe)	98.7	92.4	6.34	34.0	24.3	100	104.8	100.0	101.2
38	Furr Hybrid 88	102.1	92.5	9.42	35.9	22.1	99	103.8	100.1	101.0
39	Illinois Hybrid 976 (Monier)	100.6	92.5	8.08	33.6	23.0	98	102.7	100.1	100 8
40	Furr Hybrid 78	102.9	92.3	10.28	29.9	22.7	94	98.5	99.9	99.6
40	Pioneer Hi-Bred 353	102.1	90.4	11.42	28.0	19.6	100	104.8	97.8	99.6
42	Pioneer Hi-Bred 330	101.6	89.4	11.96	34.8	23.7	100	104.8	96.8	98.8
43	Holmes Utility Hybrid 35	101.6	89.8	11.62	37.5	24.1	98	102.7	97.2	98.5
44	Furr Hybrid 77	100.4	88.7	11.63	33.7	23.9	99	103.8	96.0	97.9
45	Funk Hybrid G-19	99.8	88.2	11.67	30.7	22.1	99	103.8	95.5	97.6
46	Iowealth Hybrid AQF	94.6	87.4	7.63	32.5	21.1	99	103.8	94.6	96.9
47	Funk Hybrid G-22	92.9	87.4	5.88	34.0	22.1	96	100.6	94.6	96.1
48	*I.H.P. Hybrid 66	86.6	85.8	.91	34.0	22.1	100	104.8	92.9	95.9
49	Hoosier Crost Hybrid 422	90.5	85.1	6.02	32.9	21.8	100	104.8	92.1	95.3
50	Funk Hybrid G-25	89.0	85.0	4.46	35.5	21.1	99	103.8	92.0	94.9
51	*Fritsch Bros. Hybrid 731	97.5	86.4	11.42	33.0	22.4	94	98.5	93.5	94.7
52	M-L Hybrid 20 (Moews-Lowe)	94.7	83.9	11.38	31.9	22.4	98	102.7	90.8	93.8
53	DeKalb Hybrid 410	98.8	82.5	16.50	29.0	20.5	97	101.7	89.3	92.4
54	Hunt White Dent	87.2	83.3	4.46	34.5	23.0	71	74.4	90.2	86.2
55	M-L Hybrid 15 (Moews-Lowe)	90.7	72.4	20.14	30.6	24.5	100	104.8	78.4	85.0
56	M-L Hybrid 13 (Moews-Lowe)	96.0	68.4	28.78	31.4	22.1	100	104.8	74.0	81.7
57	Maland Yellow Dent	83.5	62.5	25.18	30.3	23.3	88	92.2	67.6	73.7
	● Average of 5 open-pollinated var.	**75.7**	**56.4**	**26.64**	**31.8**	**22.6**	**86**	**83.8**	**61.0**	**66.7**
58	Pfingston Yellow Dent	77.3	49.5	36.00	30.4	21.3	77	80.7	53.6	60.4
59	Gunn Western Plowman	68.4	48.6	28.94	32.2	21.8	78	81.8	52.6	59.9
60	Stelford's White Cap	62.0	38.1	38.62	31.8	23.7	86	90.1	41.2	53.4
	Average of all entries	101.3	92.4	9.35	33.5	22.6	95.4	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 5.4 bushels between total yields of any two entries in this table is not significant.

Table 7.—NORTHERN ILLINOIS: Kings Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 307	102.2	98.2	3.66	20.0	96.5	101.8	111.5	109.1
2	Pioneer Hi-Bred 314	101.5	97.8	3.44	18.4	96.5	101.8	111.0	108.7
3	Illinois Hybrid 751	100.0	96.4	3.34	19.8	99.0	104.4	109.4	108.2
4	DeKalb Hybrid 615	98.8	95.1	3.50	19.0	100.0	105.5	107.9	107.3
5	Pioneer Hi-Bred 324	99.4	96.4	2.86	18.5	95.5	100.7	109.4	107.2
5	Pioneer Hi-Bred 322	99.3	95.9	3.28	18.1	97.0	102.3	108.9	107.2
7	Funk Hybrid G-37	98.8	94.8	3.91	19.8	99.5	105.0	107.6	107.0
8	National Hybrid 117	95.2	93.6	1.54	18.2	97.0	102.3	106.2	105.2
9	DeKalb Hybrid 404A	97.6	93.2	4.40	18.4	97.5	102.9	105.8	105.1
10	DeKalb Hybrid 421	99.1	95.8	3.29	18.2	89.0	93.9	108.7	105.0
11	Morgan Hybrid M-52	97.5	94.4	2.94	19.8	92.0	97.1	107.2	104.7
12	E. W. Doubet Hybrid D3	96.3	92.4	3.96	19.9	97.5	102.9	104.9	104.4
13	Funk Hybrid G-114	95.1	91.9	3.21	20.1	98.5	103.9	104.3	104.2
14	National Hybrid 116	94.6	91.8	2.81	19.1	98.5	103.9	104.2	104.1
15	I.H.P. Hybrid 66	92.0	91.4	.54	19.3	99.5	105.0	103.7	104.0
16	Furr Hybrid 77	97.0	91.0	5.97	20.4	98.5	103.9	103.3	103.4
17	Iowealth Hybrid AQ	94.3	91.3	2.98	19.2	97.0	102.3	103.6	103.3
18	Pioneer Hi-Bred 330	96.2	90.3	6.01	21.1	100.0	105.5	102.5	103.2
19	M-L Hybrid 14 (Moews-Lowe)	93.4	90.1	3.40	20.1	100.0	105.5	102.3	103.1
20	Funk Hybrid G-22	91.6	88.8	3.08	18.8	96.5	101.8	100.8	101.1
21	Iowealth Hybrid AQF	91.2	87.6	3.82	18.0	99.5	105.0	99.4	100.8
22	Funk Hybrid G-19	93.1	86.9	6.28	19.8	96.5	101.8	98.6	99.4
23	M-L Hybrid 15 (Moews-Lowe)	90.2	80.5	10.72	20.2	99.0	104.4	91.4	94.6
24	M-L Hybrid 13 (Moews-Lowe)	93.8	80.0	14.52	19.2	100.0	105.5	90.8	94.5
25	Hunt White Dent	77.6	75.6	2.36	21.1	72.5	76.5	85.8	83.5
26	Maland Yellow Dent	79.9	69.4	12.66	20.1	81.5	86.0	78.8	80.6
	● Average of 5 open-pollinated varieties	**74.4**	**64.5**	**13.69**	**19.9**	**77.9**	**82.2**	**73.2**	**75.4**
27	Gunn Western Plowman	72.0	62.0	14.64	18.6	78.5	82.8	70.4	73.5
28	Stelford's White Cap	68.1	55.0	20.80	20.4	81.0	85.4	62.4	68.2
	Average of all entries	93.1	88.1	5.50	19.4	94.8	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Pioneer Hi-Bred 314	98.6	95.8	2.70	18.3	90.6	103.4	109.9	108.3
2	Pioneer Hi-Bred 322	97.2	94.8	2.36	18.0	90.3	103.1	108.7	107.3
3	Illinois Hybrid 751	95.8	93.2	2.41	20.1	93.8	107.1	106.9	107.0
4	Morgan Hybrid M-52	96.8	94.7	1.96	19.7	86.8	99.1	108.6	106.2
5	M-L Hybrid 14 (Moews-Lowe)	94.5	91.9	2.63	20.9	93.8	107.1	105.4	105.8
6	DeKalb Hybrid 421	96.6	94.3	2.29	18.1	84.0	95.9	108.1	105.1
7	National Hybrid 117	92.8	91.6	1.23	18.4	91.7	104.7	105.0	104.9
8	DeKalb Hybrid 404A	94.0	91.0	3.00	18.2	92.3	105.4	104.4	104.6
9	Iowealth Hybrid AQF	92.0	89.4	2.68	17.9	93.3	106.5	102.5	103.5
10	Iowealth Hybrid AQ	91.4	89.3	2.02	19.3	90.7	103.5	102.4	102.7
11	National Hybrid 116	90.4	88.5	1.95	18.8	92.5	105.6	101.5	102.5
12	Funk Hybrid G-19	91.4	86.9	4.60	19.3	91.2	104.1	99.7	100.8
13	M-L Hybrid 15 (Moews-Lowe)	89.3	82.7	7.22	19.7	96.5	110.2	94.8	98.6
14	Hunt White Dent	75.8	73.9	2.27	20.6	66.7	76.1	84.7	82.6
15	Maland Yellow Dent	78.4	71.2	8.62	19.3	74.3	84.8	81.7	82.5
16	Gunn Western Plowman	73.6	66.7	9.95	18.1	73.8	84.3	76.5	78.4
	● Average of 5 open-pollinated varieties	**74.2**	**67.2**	**9.71**	**19.2**	**71.3**	**81.4**	**77.1**	**78.2**
	Average of all entries	90.5	87.2	3.62	19.0	87.6	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Pioneer Hi-Bred 322	96.9	95.0	1.82	18.5	79.2	103.1	109.1	107.6
2	Pioneer Hi-Bred 314	96.5	94.3	2.13	19.2	76.5	99.6	108.3	106.1
3	National Hybrid 117	92.5	91.6	.92	19.6	82.8	107.8	105.2	105.8
4	Illinois Hybrid 751	92.1	90.1	1.85	20.2	86.4	112.5	103.4	105.7
5	Iowealth Hybrid AQ	92.0	90.3	1.62	19.8	82.8	107.8	103.7	104.7
6	DeKalb Hybrid 421	94.7	92.9	1.76	19.6	72.5	94.4	106.7	103.6
7	Funk Hybrid G-19	91.2	87.8	3.45	19.7	81.1	105.6	100.8	102.0
8	Maland Yellow Dent	77.7	72.3	6.53	20.0	64.8	84.4	83.0	83.5
9	Gunn Western Plowman	74.5	69.4	7.47	18.5	64.9	84.5	79.7	80.9
	● Average of 5 open-pollinated varieties	**73.8**	**68.4**	**7.38**	**20.0**	**62.4**	**81.3**	**78.5**	**79.2**
	Average of all entries	89.8	87.1	2.76	19.5	76.8	....	....	....
	(D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	DeKalb Hybrid 421	88.3	86.4	2.12	19.4	78.4	101.2	110.9	108.5
2	Illinois Hybrid 751	85.7	83.6	2.34	20.9	86.2	111.2	107.3	108.3
3	Gunn Western Plowman	68.3	63.8	6.51	19.1	68.0	87.7	81.9	83.4
	● Average of 5 open-pollinated varieties	**68.8**	**64.0**	**6.83**	**20.1**	**65.2**	**84.1**	**82.2**	**82.7**
	Average of all entries	80.8	77.9	3.66	19.8	77.5	....	....	....

A difference of less than 7.0 bushels between total yields of any two entries in this table is not significant.

Table 8.—WEST NORTH-CENTRAL ILLINOIS: Cambridge

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	108.1	100.2	7.33	21.7	94	100.6	120.0	115.2
2	M-L Hybrid 500 (Moews-Lowe)	99.1	96.9	2.17	21.1	100	107.1	116.0	113.8
3	Morgan Hybrid M-52A	101.5	98.2	3.28	19.9	91	97.4	117.6	112.6
4	Pioneer Hi-Bred 332	102.7	96.2	6.34	21.4	97	103.9	115.2	112.4
5	Seeber Hybrid 11A	97.7	95.8	1.94	20.8	97	103.9	114.7	112.0
6	Illinois Hybrid 960 (L. A. Sass)	98.6	96.6	2.07	19.2	92	98.5	115.7	111.4
7	Ioway-Supercorn 123-H	97.5	93.5	4.09	17.1	97	103.9	112.0	110.0
8	*Hahn Hybrid 150A	96.7	93.2	3.60	20.8	98	104.9	111.6	109.9
9	Funk Hybrid G-212	95.0	93.5	1.60	20.8	92	98.5	112.0	108.6
10	DeKalb Hybrid 827	92.8	92.0	.84	17.9	96	102.8	110.2	108.4
11	U. S. Hybrid 35 (Ferris)	95.3	92.3	3.12	17.9	95	101.7	110.5	108.3
11	*Null Hybrid N-85	96.8	91.7	5.31	17.0	97	103.9	109.8	108.3
13	*Illinois Hybrid 600 (I.H.P.)	94.7	90.7	4.22	19.9	98	104.9	108.6	107.7
14	M-L Hybrid 523 (Moews-Lowe)	96.0	91.0	5.17	18.3	96	102.8	109.0	107.4
15	*Holmes Utility Hybrid 59	93.2	89.7	3.74	18.5	100	107.1	107.4	107.3
16	*Sass Hybrid 17 (L. A. Sass)	96.2	93.8	2.50	18.5	86	92.1	112.3	107.2
17	Sass Hybrid 305 (U. G. Sass)	91.7	89.6	2.25	18.3	97	103.9	107.3	106.4
18	Iowealth Hybrid 25R	95.7	90.4	5.52	18.1	93	99.6	108.3	106.1
19	Sass Hybrid 50 (L. A. Sass)	94.4	90.0	4.66	18.7	94	100.6	107.8	106.0
20	National Hybrid 129	92.3	89.7	2.82	18.3	92	98.5	107.4	105.2
21	Funk Hybrid G-53	88.1	87.5	.69	19.0	98	104.9	104.8	104.8
22	Illinois Hybrid 201 (C. Doubet & Son)	93.5	87.3	6.62	17.9	98	104.9	104.6	104.7
23	Pioneer Hi-Bred 307	93.0	87.8	5.56	18.5	96	102.8	105.1	104.5
24	U. S. Hybrid 14 (Ferris)	93.2	89.9	3.49	19.1	87	93.2	107.7	104.1
24	Illinois Hybrid 21 (Frey)	89.5	86.3	3.63	19.0	99	106.0	103.4	104.1
26	Pioneer Hi-Bred 333	90.4	86.6	4.15	17.9	97	103.9	103.7	103.8
26	U. S. Hybrid 35 (Sieben)	89.0	86.1	3.29	17.9	98	106.0	103.1	103.8
26	Ioway-Supercorn 218-H	88.4	86.0	2.77	17.3	99	106.0	103.0	103.8
29	M-L Hybrid 514 (Moews-Lowe)	89.3	87.0	2.63	17.3	95	101.7	104.2	103.6
30	M-L Hybrid 528 (Moews-Lowe)	89.2	86.3	3.27	17.6	97	103.9	103.4	103 5
31	Pioneer Hi-Bred 334	91.0	88.0	3.30	19.2	91	97.4	105.4	103.4
31	*Null Hybrid N-73	92.2	85.9	6.80	18.7	98	104.9	102.9	103.4
33	Morgan Hybrid M-52	93.9	88.0	6.28	18.7	90	96.4	105.4	103.2
34	DeKalb Hybrid 800	85.7	85.2	.60	18.3	99	106.0	102.0	103.0
35	Illinois Hybrid 201 (Holmes)	90.9	84.9	6.58	17.3	98	104.9	101.7	102.5
36	*Stewart Hybrid S-22	89.2	84.5	5.26	18.5	99	106.0	101.2	102.4
37	Funk Hybrid G-169	86.6	85.2	1.62	18.3	95	101.7	102.0	101.9
38	Holmes Utility Hybrid 35	86.9	84.0	3.33	18.5	98	104.9	100.6	101.7
39	Iowealth Hybrid 25	89.7	87.2	2.74	17.6	87	93.2	104.4	101.6
40	*Illinois Hybrid 21 (Dyar)	89.2	83.9	5.95	19.0	97	103.9	100.5	101.4
41	U. S. Hybrid 44 (Ferris)	88.2	84.2	4.59	18.1	96	102.8	100.8	101.3
42	Bear Hybrid OK-72	91.5	85.4	6.65	18.7	91	97.4	102.3	101.1
43	U. S. Hybrid 44 (Sieben)	85.1	84.4	.85	19.8	94	100.6	101.1	101.0
43	Sass Hybrid 40 (U. G. Sass)	88.0	83.5	5.16	17.9	97	103.9	100.0	101.0
45	U. S. Hybrid 44 (Morgan)	87.3	84.7	2.95	18.5	92	98.5	101.4	100.7
46	*Illinois Hybrid 350 (I.H.P.)	91.4	87.7	4.04	17.1	80	85.7	105.0	100.2
47	Illinois Hybrid 374 (Macon Co. Seed Co.)	86.5	84.0	2.92	19.8	90	96.4	100.6	99.6
48	Morgan Hybrid M-52B	85.4	83.3	2.48	19.7	92	98.5	99.8	99.5
49	Hulting Hybrid 380	88.1	84.5	4.05	18.1	86	92.1	101.2	*98.9
50	National Hybrid 119s	87.5	83.4	4.73	19.6	89	95.3	99.9	98.8
51	U. S. Hybrid 5 (Hulting)	83.1	80.3	3.34	17.2	96	102.8	96.2	97.8
52	Illinois Hybrid 546 (Morgan)	84.3	81.0	3.90	19.2	90	96.4	97.0	96.8
52	Bear Hybrid OK-46	80.5	80.0	.63	18.3	93	99.6	95.8	96.8
52	U. S. Hybrid 63 (Munson)	79.8	79.4	.48	19.0	95	101.7	95.1	96.8
55	Funk Hybrid G-63	83.5	78.6	5.81	19.0	97	103.9	94.1	96.6
56	M-L Hybrid 120 (Moews-Lowe)	83.3	79.2	4.87	19.6	95	101.7	94.8	96.5
57	*Richbred Hybrid 381	83.8	78.1	6.80	24.3	97	103.9	93.5	96.1
58	E. W. Doubet Hybrid D7	79.6	78.6	1.23	19.4	95	101.7	94.1	96.0
59	Funk Hybrid G-32	82.3	79.5	3.38	21.1	91	97.4	95.2	95 8
60	Iowealth Hybrid 25W (Yellow)	81.9	78.5	4.13	16.5	93	99.6	94.0	95.4
61	Crow Hybrid 607	80.5	76.6	4.82	20.4	98	104.9	91.7	95.0
62	E. W. Doubet Hybrid D6	79.9	76.1	4.78	18.1	99	106.0	91.1	94.8
63	*E. W. Doubet Hybrid D1	80.4	76.8	4.51	17.3	92	98.5	92.0	93.6
64	DeKalb Hybrid 615	76.8	75.1	2.23	18.5	96	102.8	89.9	93.1
65	Illinois Hybrid 212 (Monier)	80.3	73.7	8.20	16.4	98	104.9	88.3	92.4
66	*Dyar Hybrid D44R	77.4	73.8	4.59	17.9	96	102.8	88.4	92.0
67	Illinois Hybrid 751 (Joslin)	77.7	76.2	1.89	18.5	86	92.1	91.3	91.5
67	Stiegelmeier Hybrid 702	74.8	73.2	2.08	19.5	96	102.8	87.7	91.5
69	DeKalb Hybrid 840	73.1	68.5	6.26	19.4	97	103.9	82.0	87.5
70	DeKalb Hybrid 825	72.8	68.8	5.44	20.0	97	103.9	81.7	87.2
71	Doubet Yellow Dent	68.5	67.1	2.00	21.4	81	86.7	80.4	82.0
72	Station Yellow Dent	67.5	66.6	1.29	19.5	77	82.4	79.8	80.4
73	Krug	64.9	62.0	4.44	19.8	75	80.3	74.3	75.8
	● Average of 5 open-pollinated varieties	**60.7**	**59.6**	**2.03**	**19.9**	**76.8**	**82.2**	**71.3**	**74.1**
74	Hunt White Dent	51.5	50.8	1.32	19.0	78	83.5	60.8	66.5
75	Roeschley Yellow Dent	51.9	51.3	1.10	20.0	73	78.2	61.4	65.6
	Average of all entries	86.8	83.6	3.72	18.9	93.4	....	....	....

*Less than 5 bushels of seed sampled.

Table 9.—WEST NORTH-CENTRAL ILLINOIS: Cambridge Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	119.4	114.8	4.20	20.1	93.5	102.0	115.6	112.2
2	Seeber Hybrid 11A	112.0	110.6	1.32	19.6	96.5	105.2	111.4	109.8
3	Illinois Hybrid 960	111.0	109.1	1.78	18.0	89.5	97.6	109.9	106.8
3	Morgan Hybrid M-52A	111.1	108.5	2.42	18.6	91.0	99.2	109.3	106.8
5	M-L Hybrid 523 (Moews-Lowe)	109.4	106.0	3.41	18.3	97.0	105.8	106.7	106.5
6	DeKalb Hybrid 827	107.0	106.0	.91	17.1	94.0	102.5	106.7	105.6
7	Pioneer Hi-Bred 307	109.0	105.5	3.51	17.6	94.5	103.1	106.2	105.4
7	Illinois Hybrid 201	109.4	103.8	5.30	17.6	99.0	108.0	104.5	105.4
9	Sass Hybrid 305 (U. G. Sass)	106.8	104.7	2.00	17.7	95.5	104.1	105.4	105.1
10	Funk Hybrid G-212	106.4	105.1	1.19	19.1	93.0	101.4	105.8	104.7
11	Sass Hybrid 50 (L. A. Sass)	108.6	105.6	2.95	18.0	90.0	98.1	106.3	104.2
12	Iowealth Hybrid 25	107.8	105.2	2.50	16.4	90.0	98.1	105.9	104.0
12	DeKalb Hybrid 800	102.6	101.8	.73	18.1	99.5	108.5	102.5	104.0
14	M-L Hybrid 514 (Moews-Lowe)	104.8	102.8	2.09	16.7	95.5	104.1	103.5	103.6
15	U. S. Hybrid 44	105.4	103.4	1.98	17.5	92.6	101.0	104.1	103.3
15	Funk Hybrid G-169	103.8	102.0	1.68	17.7	96.5	105.2	102.7	103.3
17	U. S. Hybrid 14 (Ferris)	106.8	103.6	3.10	18.4	90.5	98.7	104.3	102.9
18	M-L Hybrid 120 (Moews-Lowe)	103.2	101.0	2.57	18.1	95.0	103.6	101.7	102.2
19	Funk Hybrid G-53	102.1	101.0	1.02	17.5	95.0	103.6	101.7	102.1
20	Illinois Hybrid 374	104.4	101.1	3.19	18.2	92.0	100.3	101.8	101.4
21	National Hybrid 119s	103.2	101.0	2.56	17.8	90.5	98.7	101.7	101.0
22	E. W. Doubet Hybrid D6	103.3	100.4	3.23	17.4	92.0	100.3	101.1	100.9
23	E. W. Doubet Hybrid D7	100.8	100.1	.80	18.1	92.5	100.9	100.8	100.8
24	U. S. Hybrid 5	101.8	100.1	1.82	16.9	92.0	100.3	100.8	100.7
25	Funk Hybrid G-32	102.3	99.8	2.62	19.2	91.5	99.8	100.5	100.3
26	Funk Hybrid G-63	102.6	97.9	4.74	18.0	94.5	103.1	98.6	99.7
27	Morgan Hybrid M-52	101.8	98.6	3.38	17.6	89.5	97.6	99.3	98.9
28	DeKalb Hybrid 615	97.2	93.9	3.20	16.9	98.0	106.9	94.6	97.7
29	Stiegelmeier Hybrid 702	93.8	92.6	1.44	17.8	96.0	104.7	93.2	96.1
30	DeKalb Hybrid 825	91.4	89.2	2.90	18.0	98.0	106.9	89.8	94.1
31	Illinois Hybrid 751	93.8	90.8	2.96	17.4	91.0	99.2	91.4	93.4
32	Doubet Yellow Dent	87.4	84.1	3.42	20.3	80.0	87.2	84.7	85.3
33	Krug	84.1	80.4	4.32	19.0	76.0	82.9	81.0	81.5
	● Average of 5 open-pollinated varieties	**80.4**	**78.4**	**2.36**	**18.6**	**77.0**	**84.0**	**78.9**	**80.2**
34	Roeschley Yellow Dent	79.4	77.8	1.78	16.7	73.5	80.2	78.3	78.8
35	Hunt White Dent	69.4	68.9	.88	17.6	75.0	81.8	69.4	72.5
	Average of all entries	101.8	99.3	2.51	18.0	91.7	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Pioneer Hi-Bred 313	114.2	111.1	2.80	19.5	77.3	95.7	117.1	111.8
2	M-L Hybrid 523 (Moews-Lowe)	106.2	103.1	3.04	17.4	88.8	109.9	108.6	108.9
3	DeKalb Hybrid 827	102.1	101.4	.62	16.6	87.8	108.7	106.8	107.3
4	M-L Hybrid 514 (Moews-Lowe)	102.8	101.3	1.41	16.2	87.7	108.5	106.7	107.2
5	Pioneer Hi-Bred 307	106.1	103.1	3.05	17.0	82 5	102.1	108.6	107.0
6	U. S. Hybrid 44	103.9	102.3	1.57	16.8	82.3	101.9	107.8	106.3
7	Illinois Hybrid 960	103.9	102.4	1.42	17.1	79.5	98.4	107.9	105.5
7	Funk Hybrid G-212	102.2	101.2	.96	18.0	82.5	102.1	106.6	105.5
9	M-L Hybrid 120 (Moews-Lowe)	101.0	98.5	1.92	17.3	87.5	108.3	103.8	104.9
10	Funk Hybrid G-53	97.8	96.6	1.16	16.7	88.0	108.9	101.8	103.6
11	Funk Hybrid G-63	101.5	98.2	3.28	16.8	81.8	101.2	103.5	102.9
12	National Hybrid 119s	98.9	97.3	1.80	17.1	83.2	103.0	102.5	102.6
13	Morgan Hybrid M-52	97.8	95.3	2.71	16.7	84.2	104.2	100.4	101.4
14	Funk Hybrid G-32	97.1	95.4	1.75	18.3	81.8	101.2	100.5	100.7
15	DeKalb Hybrid 825	91.0	89.5	1.93	17.8	89.8	111.1	94.3	98.5
16	Illinois Hybrid 751	91.4	89.4	1.97	16.9	85.0	105.2	94.2	97.0
17	Doubet Yellow Dent	83.2	81 0	2.34	19.3	70.3	87.0	85.3	85 7
18	Krug	81.4	78.9	2.99	18.1	67.7	83.8	83.1	83.3
19	Roeschley Yellow Dent	81.0	79.8	1.30	16.4	65.0	80.4	84.1	83.2
	● Average of 5 open-pollinated varieties	**79.8**	**78.4**	**1.70**	**17.9**	**67.8**	**83.9**	**82.6**	**82.9**
20	Hunt White Dent	72.3	71.7	.81	17.1	63.5	78.6	75.6	76.4
	Average of all entries	96.8	94.9	1.94	17.4	80 8	....	....	....

(Table 9 is concluded on page 205.)

Table 10.—WEST NORTH-CENTRAL: Cambridge, Resistance to Lodging Caused by Feeding of Corn Rootworms[1]

Rank	Entry	Plants leaning 30 degrees or more[2]	Plants leaning more than 45 degrees	Resistance rating compared with average[3] (hybrids only)
	1940	*perct.*	*perct.*	
1	Ioway-Supercorn 218-H	5.6	0	821
2	M-L Hybrid 500 (Moews-Lowe)	12.3	0	371
3	Holmes Utility Hybrid 35	12.8	0	359
4	DeKalb Hybrid 800	13.8	0	333
5	Funk Hybrid G-53	14.8	.9	277
6	Stewart Hybrid S-22	16.5	0	277
7	U. S. Hybrid 5 (Hulting)	16.2	.3	274
8	Illinois Hybrid 21 (Frey)	15.0	1.2	264
9	Null Hybrid N-73	18.3	.3	242
10	Illinois Hybrid 600 (I.H.P.)	19.6	.3	228
11	Holmes Utility Hybrid 59	20.6	0	223
12	E. W. Doubet Hybrid D6	21.3	.6	204
13	DeKalb Hybrid 825	22.0	.7	197
14	M-L Hybrid 514 (Moews-Lowe)	22.3	.9	190
15	Null Hybrid N-85	24.1	.6	181
16	Funk Hybrid G-63	25.5	.3	176
17	M-L Hybrid 523 (Moews-Lowe)	27.2	0	169
18	Illinois Hybrid 201 (Holmes)	24.2	1.5	169
19	U. S. Hybrid 35 (Sieben)	26.8	.3	168
20	Hahn Hybrid 150A	26.7	.6	164
21	M-L Hybrid 528 (Moews-Lowe)	27.8	.3	162
22	DeKalb Hybrid 827	27.4	.6	161
23	Illinois Hybrid 212 (Monier)	28.1	.3	160
24	Bear Hybrid OK-46	28.2	1.2	150
25	DeKalb Hybrid 840	28.5	1.3	147
26	Richbred Hybrid 381	32.8	0	140
27	E. W. Doubet Hybrid D7	27.9	2.5	139
28	U. S. Hybrid 35 (Ferris)	30.9	1.5	135
29	Funk Hybrid G-169	32.1	1.3	132
30	Sass Hybrid 40 (U. G. Sass)	34.5	.6	128
31	Stiegelmeier Hybrid 702	35.9	0	128
32	Seeber Hybrid 11A	35.6	.3	127
33	U. S. Hybrid 44 (Ferris)	36.6	.3	124
34	Pioneer Hi-Bred 332	38.3	0	120
35	Pioneer Hi-Bred 307	38.1	0	120
36	Illinois Hybrid 201 (C. Doubet & Son)	37.0	.9	119
37	U. S. Hybrid 44 (Morgan)	39.3	.6	113
38	E. W. Doubet Hybrid D1	36.8	2.2	112
39	Pioneer Hi-Bred 333	38.2	1.8	110
40	Illinois Hybrid 21 (Dyar)	39.8	1.2	109
41	Dyar Hybrid D44R	42.4	.6	106
42	M-L Hybrid 120 (Moews-Lowe)	39.8	1.9	106
43	Sass Hybrid 305 (U. G. Sass)	39.0	2.1	106
44	Ioway-Supercorn 123-H	38.9	2.9	103
45	U. S. Hybrid 63 (Munson)	41.4	3.4	95
46	U. S. Hybrid 44 (Sieben)	48.1	1.5	90
47	Funk Hybrid G-32	49.2	1.6	88
48	DeKalb Hybrid 615	51.1	1.5	85
49	Bear Hybrid OK-72	49.0	2.7	85
50	Crow Hybrid 607	51.1	2.2	83
51	Sass Hybrid 50 (L. A. Sass)	50.3	3.8	79
52	National Hybrid 119s	55.2	4.1	73
53	Morgan Hybrid M-52B	57.9	3.1	72
54	Iowealth Hybrid 25R	59.8	2.6	71
55	Illinois Hybrid 960 (L. A. Sass)	60.4	2.4	71
56	Illinois Hybrid 546 (Morgan)	57.8	4.5	69
57	Iowealth Hybrid 25W (Yellow)	61.4	3.3	68
58	Hulting Hybrid 380	60.9	3.9	67
59	National Hybrid 129	54.5	7.4	66
60	Illinois Hybrid 374 (Macon Co. Seed Co.)	62.2	3.5	66
61	Pioneer Hi-Bred 313	66.9	1.8	65
62	Funk Hybrid G-212	63.7	6.5	60
63	Morgan Hybrid M-52	69.7	4.4	59
64	Pioneer Hi-Bred 334	74.7	4.3	55
65	U. S. Hybrid 14 (Ferris)	71.4	14.6	46
66	Illinois Hybrid 751 (Joslin)	85.0	9.8	44
67	Morgan Hybrid M-52A	86.4	8.8	44
68	Sass Hybrid 17 (L. A. Sass)	83.0	13.4	42
69	Illinois Hybrid 350 (I.H.P.)	85.8	11.8	42
70	Iowealth Hybrid 25	89.6	16.4	38
	Average of hybrid entries	40.9	2.5	100
71	Roeschley Yellow Dent	92.8	35.4	...
72	Doubet Yellow Dent	77.5	12.0	...
73	Krug	92.1	24.8	...
74	Hunt White Dent	92.7	29.5	...
75	Station Yellow Dent	98.3	29.4	...

[1] *Diabrotica duodecimpunctata* (F.) and *Diabrotica longicornis* (Say). [2] A difference of less than 5.2 in this column is not significant. [3] High rating indicates better standing ability.

Table 11.—WEST NORTH-CENTRAL ILLINOIS: Cambridge, Summary of Lodging Caused by Feeding of Corn Rootworms[1]

Rank	Entry	Plants leaning 30 degrees or more	Plants leaning 45 degrees or more	Resistance rating compared with average[2] (hybrids only)	Plants leaning 30 degrees or more
		Average of 1939 and 1940			Average of 1937, 1939, 1940
		perct.	*perct.*		*perct.*
1	DeKalb Hybrid 800	7.8	.1	408	....
2	U. S. Hybrid 5	11.9	.6	247	....
3	Funk Hybrid G-53	12.2	1.0	230	....
4	M-L Hybrid 514 (Moews-Lowe)	12.4	.9	230	....
5	DeKalb Hybrid 825	13.6	.3	230	24.5
6	M-L Hybrid 523 (Moews-Lowe)	15.7	0	206	....
7	Funk Hybrid G-169	18.6	.6	165	....
8	Seeber Hybrid 11A	19.1	.3	165	....
9	Pioneer Hi-Bred 307	19.8	0	165	26.4
10	DeKalb Hybrid 827	19.6	.7	155	....
11	Illinois Hybrid 201	20.5	.6	150	....
12	Funk Hybrid G-63	21.2	.6	146	....
13	Sass Hybrid 305	23.2	1.2	127	....
14	DeKalb Hybrid 615	25.7	.8	119	....
15	Stiegelmeier Hybrid 702	28.2	.4	112	....
16	Funk Hybrid G-32	28.4	.8	109	....
17	U. S. Hybrid 44	35.2	.5	90	38.8
18	Funk Hybrid G-212	34.2	3.1	81	39.8
19	National Hybrid 119$_3$	35.4	2.4	81	....
20	Pioneer Hi-Bred 313	38.7	.9	80	....
21	Illinois Hybrid 374	37.1	2.1	79	....
22	M-L Hybrid 120 (Moews-Lowe)	33.9	2.8	78	....
23	Morgan Hybrid M-52	38.3	2.3	76	42.3
24	Sass Hybrid 50	38.1	3.0	74	....
25	Illinois Hybrid 960	39.9	1.9	74	43.5
26	U. S. Hybrid 14	42.8	7.8	56	....
27	Morgan Hybrid M-52A	50.1	4.5	55	....
28	Iowealth Hybrid 25	50.2	8.6	48	49.6
29	Illinois Hybrid 751	55.9	6.5	47	65.2
	Average of hybrid entries	29.0	1.8	100	41.2
30	Doubet Yellow Dent	63.9	9.0	...	71.3
31	Krug	72.6	15.8	...	79.1
32	Hunt White Dent	79.9	25.5	...	....
33	Roeschley Yellow Dent	80.7	25.6	...	83.7

[1] *Diabrotica duodecimpunctata* (F.) and *Diabrotica longicornis* (Say).
[2] Average resistance of all hybrids = 100. High rating indicates increased standing ability.

Table 12.—EAST NORTH-CENTRAL ILLINOIS: Reddick

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	[1]Pioneer Hi-Bred 334	90.2	89.1	1.24	20.3	99	100.8	116.5	112.6
2	*[1]Holmes Utility Hybrid 69	89.1	88.2	.97	23.0	100	101.8	115.3	111.9
3	Pioneer Hi-Bred 313	90.4	88.2	2.40	24.8	96	97.7	115.3	110.9
4	Iowealth Hybrid 25R	87.0	86.9	.10	21.2	98	99.8	113.6	110.2
5	[1]Hoosier Crost Hybrid 668-L	87.7	86.6	1.29	23.0	99	100.8	113.2	110.1
6	[1]Illinois Hybrid 21 (Frey)	87.2	85.7	1.74	22.1	100	101.8	112.0	109.5
7	U. S. Hybrid 35 (Ferris)	85.1	84.8	.32	22.4	100	101.8	110.9	108.6
8	Illinois Hybrid 972 (Holmes)	84.7	84.4	.36	22.6	100	101.8	110.3	108.2
9	[1]DeKalb Hybrid 628	87.6	85.1	2.87	21.2	97	98.7	111.2	108.1
10	*Illinois Hybrid 246 (I.H.P.)	84.7	84.0	.88	23.0	100	101.8	109.8	107.8
11	Sass Hybrid 305 (U. G. Sass)	86.4	83.9	2.88	22.8	100	101.8	109.7	107.7
12	Sass Hybrid 17 (U. G. Sass)	85.4	84.0	1.61	21.2	99	100.8	109.8	107.6
12	Iowealth Hybrid 25	84.2	84.0	.18	20.6	99	100.8	109.8	107.6
14	U. S. Hybrid 14 (Ferris)	85.8	83.6	2.54	21.8	99	100.8	109.3	107.2
15	[1]Pioneer Hi-Bred 333	84.1	83.0	1.	20.2	100	101.8	108.5	106.8
16	Sass Hybrid 50 (L. A. Sass)	84.7	84.2	.6	22.1	94	95.7	110.1	106.5
17	Iowealth Hybrid CI	84.6	83.1	1.79	21.8	98	99.8	108.6	106.4
18	[1]Van Horn Hybrid 22	83.2	82.3	1.09	22.8	99	100.8	107.6	105.9
19	Funk Hybrid G-212	84.4	82.2	2.57	23.2	98	99.8	107.5	105.6
20	*Pioneer Hi-Bred 300	83.4	81.5	2.22	24.5	100	101.8	106.5	105.3
21	[1]U. S. Hybrid 45 (L. A. Sass)	83.2	81.4	2.18	22.8	99	100.8	106.4	105.0
22	Pioneer Hi-Bred 332	81.8	81.1	.80	26.6	99	100.8	106.0	104.7
23	Hulting Hybrid 381	80.7	80.6	.15	20.3	100	101.8	105.4	104.5
24	*Hahn Hybrid 150A	82.3	81.3	1.17	26.0	97	98.7	106.3	104.4
25	DeKalb Hybrid 821B	81.4	80.6	1.01	23.8	99	100.8	105.4	104.2
26	Hulting Hybrid 366	81.3	80.0	1.55	21.2	100	101.8	104.6	103.9
27	Bear Hybrid OK-70	83.2	80.2	3.65	21.8	99	100.8	104.8	103.8
28	U. S. Hybrid 5 (Stewart)	80.4	79.9	.63	22.4	98	99.8	104.5	103.3
29	Sass Hybrid 40 (L. A. Sass)	80.3	79.6	.88	23.0	99	100.8	104.1	103.3
30	*Richbred Hybrid 442	79.7	79.0	.85	26.6	100	101.8	103.4	103.0
31	*Illinois Hybrid 201 (Hahn)	79.4	79.2	.25	24.3	99	100.8	103.5	102.8
32	[1]M-L Hybrid 514 (Moews-Lowe)	79.4	78.8	.72	21.5	100	101.8	103.0	102.7
33	[1]U. S. Hybrid 13 (Monier)	79.6	78.6	1.30	26.0	100	101.8	102.7	102.5
34	U. S. Hybrid 63 (Coldwater)	80.3	78.1	2.75	21.8	100	101.8	102.1	102.0
35	M-L Hybrid 523 (Moews-Lowe)	78.3	77.8	.58	24.8	100	101.8	101.7	101.7
36	Sass Hybrid 30 (U. G. Sass)	78.4	78.2	.28	19.6	98	99.8	102.2	101.6
37	*Crow Hybrid 638	77.7	77.2	.68	21.5	100	101.8	100.9	101.1
37	*Funk Hybrid G-77	78.5	77.1	1.77	23.6	100	101.8	100.8	101.1
39	Bear Hybrid OK-69	77.0	76.8	.23	21.2	100	101.8	100.4	100.8
40	Pioneer Hi-Bred 307	82.7	78.9	4.60	22.4	92	93.6	103.1	100.7
41	Illinois Hybrid 247 (Canterbury)	77.6	76.6	1.28	24.5	100	101.8	100.1	100.5
42	DeKalb Hybrid 817	76.3	76.0	.37	21.8	100	101.8	99.3	99.9
43	*E. W. Doubet Hybrid D4	77.4	76.6	1.02	21.2	97	98.7	100.1	99.8
44	Holmes Utility Hybrid 35	75.8	74.8	1.35	21.8	100	101.8	97.8	98.8
45	U. S. Hybrid 44 (Frey)	75.1	74.7	.55	24.0	100	101.8	97.6	98.6
46	U. S. Hybrid 44 (Gentert)	74.7	74.4	.41	23.4	99	100.8	97.3	98.2
46	Pioneer Hi-Bred 330	74.4	74.2	.21	20.6	100	101.8	97.0	98.2
48	Crow Hybrid 607	75.3	74.1	1.61	26.8	100	101.8	96.9	98.1
49	[1]DeKalb Hybrid 615	74.4	73.9	.65	20.3	99	100.8	96.6	97.6
49	Funk Hybrid G-53	76.1	73.6	3.31	21.8	100	101.8	96.2	97.6
51	DeKalb Hybrid 800	74.9	73.5	1.88	24.0	100	101.8	96.1	97.5
52	Funk Hybrid G-32	75.6	73.7	2.56	22.6	99	100.8	96.3	97.4
53	M-L Hybrid 500 (Moews-Lowe)	76.6	73.4	4.19	26.0	99	100.8	95.9	97.1
54	Bear Hybrid OK-79	73.7	72.9	1.13	22.4	100	101.8	95.3	96.9
55	DeKalb Experimental Hybrid 61	75.2	72.7	3.28	23.6	100	101.8	95.0	96.7
56	[1]Stiegelmeier Hybrid 380	73.4	72.7	.91	25.3	99	100.8	95.0	96.4
57	Sibley Farms Hybrid 753B	74.1	72.5	2.14	22.1	99	100.8	94.8	96.3
58	E. W. Doubet Hybrid D8	72.6	72.1	.65	23.6	100	101.8	94.2	96.1
59	M-L Hybrid 528 (Moews-Lowe)	76.6	71.9	6.20	22.1	99	100.8	94.0	95.7
60	M-L Hybrid 120 (Moews-Lowe)	73.8	71.4	3.28	22.4	100	101.8	93.3	95.4
61	Funk Hybrid G-63	71.4	70.9	.68	25.0	100	101.8	92.7	95.0
62	Funk Hybrid G-169	72.4	71.4	1.42	22.8	98	99.8	93.3	94.9
63	*Miller Hybrid 1050 (W)	71.8	70.9	1.28	26.0	97	98.7	92.7	94.2
64	National Hybrid 119A	70.8	69.5	1.88	20.3	98	99.8	90.9	93.1
65	Stiegelmeier Hybrid 702	69.0	68.2	1.09	22.1	99	100.8	89.2	92.1
66	*Funk Hybrid G-535 (W)	68.2	67.8	.58	24.3	100	101.8	88.6	91.9
67	[1]DeKalb Hybrid 606	68.4	68.2	.34	23.2	97	98.7	89.2	91.6
68	M-L Hybrid 550 (Moews-Lowe)	69.1	66.7	3.46	22.6	99	100.8	87.2	90.6
69	Krug	72.0	70.3	2.40	23.8	83	84.5	91.9	90.1
70	[1]Crow Hybrid 501 (W)	63.4	63.0	.61	23.6	97	98.7	82.4	86.5
71	*[1]Miller Hybrid 1047 (W)	62.5	61.4	1.72	21.2	92	93.6	80.3	83.6
72	Station Yellow Dent	60.8	60.6	.36	26.8	94	95.7	79.2	83.3
	●Average of 5 open-pollinated varieties	**62.0**	**61.0**	**1.50**	**24.9**	**89.4**	**91.0**	**79.8**	**82.6**
73	Doubet Yellow Dent	60.1	58.8	2.08	27.8	94	95.7	76.9	81.6
74	Roeschley Yellow Dent	61.8	60.2	2.58	24.3	87	88.6	78.7	81.2
75	Hunt White Dent	55.3	55.2	.10	22.1	89	90.6	72.2	76.8
	Average of all entries	77.7	76.6	1.50	23.0	98.4	....	....	....

*Less than 5 bushels of seed sampled. [1]Average of 9 plots instead of 10.

A difference of less than 9.1 bushels between total yields of any two entries in this table is not significant.

Table 13.—EAST NORTH-CENTRAL ILLINOIS: Reddick Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	87.0	85.5	1.76	18.0	94.5	97.8	111.0	107.7
2	U. S. Hybrid 14 (Ferris)	85.8	83.8	2.31	16.8	99.5	103.0	108.8	107.4
3	Illinois Hybrid 972 (Holmes)	84.5	83.9	.73	17.6	98.5	102.0	109.0	107.2
4	Iowealth Hybrid 25	83.8	83.4	.31	16.1	98.5	102.0	108.3	106.7
5	DeKalb Hybrid 628	84.5	83.2	1.52	16.4	96 0	99.4	108.1	105.9
6	Iowealth Hybrid CI	84.1	82.9	1.38	16.8	96.5	99.9	107.7	105.8
7	Sass Hybrid 50 (L. A. Sass)	82.6	82.2	.57	17.1	94.5	97.8	106.8	104.6
7	Funk Hybrid G-212	82.6	81.4	1.42	17.6	98.0	101.4	105.7	104.6
9	Bear Hybrid OK-69	81.4	81.1	.33	17.5	98.5	102.0	105.3	104.5
10	Bear Hybrid OK-70	82.6	80.9	2.12	18.1	99.0	102.5	105.1	104.4
10	M-L Hybrid 514 (Moews-Lowe)	81.1	80.7	.46	16.6	99.5	103.0	104.8	104.4
12	M-L Hybrid 523 (Moews-Lowe)	81.8	80.8	1.18	19.3	99.0	102.5	104.9	104.3
13	Funk Hybrid G-32	81.1	80.0	1.41	17.0	98.5	102.0	103.9	103.4
14	U. S. Hybrid 13	80.8	79.8	1.27	19.6	98.5	102.0	103.6	103.2
15	U. S. Hybrid 35	79.9	79.4	.54	17.2	99.5	103.0	103.1	103.1
16	U. S. Hybrid 5	80.2	80.0	.34	17.1	97.0	100.4	103.9	103.0
17	U. S. Hybrid 45 (L. A. Sass)	80.6	79.4	1.52	17.4	96.5	99.9	103.1	102.3
18	U. S. Hybrid 63	78.6	76.6	2.70	16.6	100.0	103.5	99.5	100.5
19	Pioneer Hi-Bred 307	80.2	78.1	2.53	17.0	94.0	97.3	101.4	100.4
20	Sass Hybrid 40	77.7	77.0	.88	17.4	97.5	100 9	100.0	100.2
21	DeKalb Hybrid 615	76.4	76.2	.42	15.8	99.5	103.0	99.0	100.0
22	Funk Hybrid G-169	76.6	75.6	1.42	17.8	99.0	102.5	98.2	99.3
23	Stiegelmeier Hybrid 380	76.4	76.0	.56	19.1	97.5	100.9	98.7	99.2
23	U. S. Hybrid 44	76.3	75.8	.65	17.9	98.2	101.7	98.4	99.2
25	E. W. Doubet Hybrid D8	76.1	74.5	1.96	17.4	100.0	103.5	96.8	98.5
26	Sibley Farms Hybrid 753B	76.1	75.0	1.42	17.5	97.5	100.9	97.4	98.3
27	Stiegelmeier Hybrid 702	74.8	74.4	.66	16.8	99.5	103.0	96.6	98.2
28	E. W. Doubet Hybrid D4	75.4	74.7	.86	16.2	97.5	100.9	97.0	98.0
29	Pioneer Hi-Bred 330	72.2	72.0	.41	15.8	100.0	103.5	93.5	96.0
30	DeKalb Hybrid 606	71.5	71.2	.35	18.5	96.0	99.4	92.5	94.2
31	Krug	71.4	70.2	1.72	19.6	86.0	89.0	91.2	90.6
32	Crow Hybrid 501 (W)	68.4	67.9	.74	17.6	94.0	97.3	88.2	90.5
33	Roeschley Yellow Dent	67.4	66.5	1.42	18.7	86.5	89.5	86.4	87.2
34	Doubet Yellow Dent	66.4	65.4	1.51	19.6	90.5	93.7	84.9	87.1
	● Average of 5 open-pollinated varieties	**65.6**	**64.8**	**1.06**	**19.2**	**87.9**	**91.0**	**84.2**	**85.9**
35	Hunt White Dent	59.9	59.6	.45	16.9	85.0	88.0	77.4	80.1
	Average of all entries	77.9	77.0	1.14	17.5	96.6	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Pioneer Hi-Bred 313	84.0	82.5	1.67	16.5	88.0	102.1	113.9	111.0
2	M-L Hybrid 514 (Moews-Lowe)	80.1	79.8	.43	15.3	94.0	109.0	110.2	109.9
3	M-L Hybrid 523 (Moews-Lowe)	77.8	77.1	.80	17.5	90.6	105.1	106.5	106.2
4	DeKalb Hybrid 628	78.7	77.9	1.02	15.8	87.5	101.5	107.6	106.1
4	Funk Hybrid G-212	78.8	77.1	2.21	15.8	90.3	104.8	106.5	106.1
4	Iowealth Hybrid CI	78.1	77.1	1.34	15.8	90.5	105.0	106.5	106.1
7	Funk Hybrid G-32	76.6	75.8	1.10	15.8	92.2	107.0	104.7	105.3
8	Pioneer Hi-Bred 307	77.9	76.4	1.84	15.7	87.3	101.3	105.5	104.4
9	U. S. Hybrid 35	74.4	73.5	1.31	16.4	92.7	107.5	101.5	103.0
10	U. S. Hybrid 44	73.4	72.9	.61	16.5	89.9	104.3	100.7	101.6
11	DeKalb Hybrid 606	71.6	71.1	.71	17.1	85.7	99.4	98.2	98.5
12	Krug	66.3	65.4	1.26	18.4	73.8	85.6	90.3	89.1
13	Roeschley Yellow Dent	64.9	64.2	1.12	17.8	76.8	89.1	88.7	88.8
	● Average of 5 open-pollinated varieties	**61.8**	**61.0**	**1.27**	**18.0**	**77.3**	**89.7**	**84.3**	**85.6**
14	Doubet Yellow Dent	60.7	59.5	2.10	17.8	80.2	93.0	82.2	84.9
15	Hunt White Dent	57.4	56.5	1.56	16.2	73.3	85.0	78.0	79.8
	Average of all entries	73.4	72.4	1.27	16.6	86.2	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Funk Hybrid G-212	76.7	75.4	1.70	15.6	86.5	108.3	107.7	107.8
2	Pioneer Hi-Bred 307	76.9	75.7	1.44	15.4	84.5	105.8	108.1	107.5
3	DeKalb Hybrid 628	76.3	75.5	.97	15.9	82.4	103.1	107.9	106.7
3	Funk Hybrid G-32	74.5	73.9	.83	15.8	87.9	110.0	105.6	106.7
5	U. S. Hybrid 44	72.9	72.5	.51	16.4	85.2	106.6	103.6	104.4
6	DeKalb Hybrid 606	69.2	68.8	.54	16.8	79.8	99.9	98.3	98.7
7	Roeschley Yellow Dent	64.2	63.7	.91	17.8	75.6	94.6	91.0	91.9
8	Krug	66.0	65.4	.95	18.4	64.9	81.2	93.4	90.4
	● Average of 5 open-pollinated varieties	**61.3**	**60.7**	**1.00**	**18.1**	**71.0**	**88.9**	**86.7**	**87.2**
9	Doubet Yellow Dent	60.2	59.2	1.68	17.9	72.1	90.2	84.6	86.0
	Average of all entries	70.8	70.0	1.06	16.7	79.9	....	....	....

(Table 13 is concluded on page 205.)

Table 14.—WEST-CENTRAL ILLINOIS: Littleton

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	*Illinois Hybrid 247 (I.H.P.)	94.0	93.3	.72	18.0	100	100.4	114.6	111.1
2	Pioneer Hi-Bred 332	92.5	92.2	.36	21.0	100	100.4	113.3	110.1
3	Illinois Hybrid 877 (Burrus)	92.0	91.5	.52	15.8	100	100.4	112.4	109.4
4	Illinois Hybrid 960 (L. A. Sass)	92.3	91.5	.82	18.0	98	98.4	112.4	108.9
5	Morgan Hybrid M-52A	91.4	90.3	1.17	18.0	100	100.4	110.9	108.3
6	U. S. Hybrid 13 (Huey Seed Co.)	90.9	90.2	.82	17.2	100	100.4	110.8	108.2
7	*Illinois Hybrid 246 (I.H.P.)	91.1	89.6	1.66	18.5	100	100.4	110.1	107.7
8	Pioneer Hi-Bred 313	89.5	88.1	1.60	20.0	99	99.4	108.2	106.0
9	Illinois Hybrid 805 (Holmes)	88.1	87.5	.73	18.5	100	100.4	107.5	105.7
10	Illinois Hybrid 201 (Wilson)	87.4	87.3	.15	17.5	100	100.4	107.2	105.5
11	U. S. Hybrid 14 (Ferris)	87.6	87.2	.42	19.0	100	100.4	107.1	105.4
12	Illinois Hybrid 21 (Huey Seed Co.)	87.1	86.7	.42	17.2	100	100.4	106.5	105.0
12	Null Hybrid N-54	87.1	86.7	.41	19.4	100	100.4	106.5	105.0
14	Illinois Hybrid 499 (Wilson)	86.8	86.6	.22	20.7	99	99.4	106.4	104.6
15	Null Hybrid N-16	87.5	86.2	1.51	17.5	100	100.4	105.9	104.5
15	U. S. Hybrid 35 (Huey Seed Co.)	86.7	86.2	.57	16.9	100	100.4	105.9	104.5
15	*Richbred Hybrid 381	86.4	86.2	.23	18.8	100	100.4	105.9	104.5
18	Funk Hybrid G-212	85.9	85.8	.15	19.4	100	100.4	105.4	104.2
19	*Pioneer Hi-Bred 300	86.2	85.5	.76	19.4	100	100.4	105.0	103.8
20	DeKalb Experimental Hybrid 83	86.2	84.9	1.52	19.4	100	100.4	104.3	103.3
21	Bear Hybrid OK-72	86.9	84.7	2.51	17.5	100	100.4	104.1	103.2
22	U. S. Hybrid 35 (Ferris)	86.0	84.3	1.93	17.5	100	100.4	103.6	102 8
23	Crow Hybrid 607	84.2	83.9	.39	19.0	100	100.4	103.1	102.4
24	Crow Hybrid 608	84.2	83.8	.52	15.9	100	100.4	102.9	102.3
25	U. S. Hybrid 13 (C. Doubet & Son)	85.0	83.6	1.60	18.8	100	100.4	102.7	102.1
25	M-L Hybrid 523 (Moews-Lowe)	83.9	83.6	.33	18.8	100	100.4	102.7	102.1
25	M-L Hybrid 500 (Moews-Lowe)	84.4	83.5	1.01	21.0	100	100.4	102.6	102.1
25	Stiegelmeier Hybrid 38	84.3	83.5	.94	19.0	100	100.4	102.6	102.1
29	DeKalb Hybrid 827	84.2	83.3	1.03	17.5	100	100.4	102.3	101.8
29	Iowealth Hybrid 29A	83.7	83.2	.65	18.3	100	100.4	102.2	101.8
31	Ill. Hybrid 201 (Macon Co. Seed Co.)	83.8	83.0	.92	18.3	100	100.4	102.0	101.6
32	U. S. Hybrid 35 (Burrus)	85.7	82.6	3.60	17.8	100	100.4	101.5	101 2
32	*Bear Hybrid OK-42	82.8	82.6	.28	19.0	100	100.4	101.5	101.2
32	*Holmes Utility Hybrid 69	83.8	82.5	1.50	17.2	100	100.4	101.4	101.2
32	Seeber Hybrid 45	83.3	82.5	1.00	20.4	100	100.4	101 4	101.2
36	*E. W. Doubet Hybrid D49	83.3	82.8	.61	20.0	99	99.4	101.7	101.1
37	DeKalb Hybrid 816	82.7	82.1	.75	19.4	100	100.4	100.9	100.8
38	Kelly Hybrid K-374	82.2	81.5	.89	16.9	100	100 4	100.1	100 2
39	Illinois Hybrid 200 (Mountjoy)	81 5	80.9	.68	17.5	100	100.4	99.4	99.6
40	*Pioneer Hi-Bred 336	83.1	80.6	3.02	19 0	100	100.4	99.0	99.4
40	U. S. Hybrid 5 (Mountjoy)	81.0	80.6	.46	17 8	100	100.4	99.0	99.4
42	Pioneer Hi-Bred 307	85.6	80.5	6.01	17 2	100	100.4	98 9	99.3
43	Macon Hybrid 666	82.6	79.5	3.74	17.8	100	100.4	97.7	98.4
43	M-L Hybrid 514 (Moews-Lowe)	80.9	79.5	1.74	17.2	100	100.4	97 7	98.4
45	Hulting Hybrid 380	79.7	79.2	.65	19.7	100	100.4	97.3	98.1
46	Kelly Hybrid K-100	79.5	79 0	.67	18.2	100	100.4	97.1	97.9
47	Pioneer Hi-Bred 333	80.5	78.9	1.95	16.9	100	100.4	96.9	97.8
47	Funk Hybrid G-80	80.1	78.9	1.50	18.9	100	100.4	96.9	97.8
47	Illinois Hybrid 546 (Morgan)	79.1	78.9	.20	19.0	100	100.4	96.9	97.8
50	Bear Hybrid OK-79	79.5	79.2	.37	16.7	98	98 4	97.3	97.6
50	Funk Hybrid G-53	79.0	78.7	.43	17.8	100	100.4	96.7	97.6
52	DeKalb Hybrid 847	80 2	78.5	2.06	18.8	100	100.4	96.4	97.4
53	Holmes Utility Hybrid 35	80.6	78.6	2.47	17.2	99	99.4	96.6	97.3
53	*Null-Vollmer Hybrid NV-47	79.2	78.4	1.01	18.3	100	100.4	96.3	97.3
55	National Hybrid 129	78.3	77.8	.67	18.7	100	100.4	95.6	96.8
56	Stiegelmeier Hybrid 901	78.8	77.6	1.50	16.6	100	100.4	95.3	96.6
57	Doubet Yellow Dent	78.3	78.0	.35	19.2	98	98.4	95.8	96.4
57	Illinois Hybrid 126 (Oakes)	79.7	77.3	2.99	18.7	100	100.4	95.0	96.4
57	DeKalb Hybrid 899	77.6	77.3	.42	22.4	100	100.4	95.0	96.4
60	*E. W. Doubet Hybrid CR-47	77.5	76.8	.87	17.5	100	100.4	94.3	95.8
61	Hulting Hybrid 366	77.4	76.4	1.35	18.7	100	100.4	93.9	95.5
62	Iowealth Hybrid 29B	77.3	76.3	1.25	19.8	100	100.4	93.7	95.4
63	Null-Vollmer Hybrid NV-97 (Vollmer)	76.2	76.1	.08	17.5	100	100.4	93.5	95.2
64	Funk Hybrid G-94	7	75.8	.39	20.4	100	100.4	93.1	94.9
64	Funk Hybrid G-81	76.0	75.8	.25	19.5	100	100.4	93.1	94.9
66	DeKalb Hybrid 888	75.6	75.3	.43	19.5	100	100.4	92.5	94.5
67	E. W. Doubet Hybrid D10	76.6	75.1	1.96	19.4	100	100.4	92.3	94.3
68	Funk Hybrid G-169	75.1	74.7	.58	17.3	100	100.4	91.8	94.0
69	Canterbury Yellow Dent	75.3	74.6	.98	21.3	99	99.4	91.6	93.6
70	Station Yellow Dent	75.5	75.2	.44	20.4	94	94.4	92.4	92.9
	● Average of 5 open-pollinated varieties	**75.1**	**74.5**	**.81**	**20.5**	**96.4**	**96.8**	**91.5**	**92.9**
71	Mountjoy Utility Dent	74.8	74.2	.85	20.7	96	96.4	91.2	92.5
71	Morgan Hybrid M-180	73.6	73.2	.56	19.3	100	100.4	89.9	92.5
73	M-L Hybrid 830 (Moews-Lowe)	72.3	71.7	.85	19.7	100	100.4	88.1	91.2
74	Sommer Yellow Dent	71.6	70.6	1.44	23.0	95	95.4	86.7	88.9
75	*Bear Hybrid OK-59	66.8	66.4	.57	22.8	100	100.4	81.6	86.3
	Average of all entries	82.3	81.4	1.08	18.7	99.6	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 5.6 bushels between total yields of any two entries in this table is not significant.

Table 15.—WEST-CENTRAL ILLINOIS: Littleton Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Null Hybrid N-16	95.4	93.6	1.96	15.0	99.5	103.8	106.9	106.1
2	Null Hybrid N-54	94.2	93.6	.60	16.2	97.0	101.2	106.9	105.5
3	Bear Hybrid OK-79	93.1	92.6	.40	14.6	98.5	102.7	105.7	105.0
4	U. S. Hybrid 13	93.1	92.4	.78	15.4	97.8	102.0	105.5	104.6
5	Bear Hybrid OK-72	93.2	91.8	1.50	19.8	98.5	102.7	104.8	104.3
6	Illinois Hybrid 201	92.0	91.5	.52	15.8	95.5	99.6	104.5	103.3
7	Stiegelmeier Hybrid 38	90.7	90.0	.80	16.0	99.5	103.8	102.7	103.0
8	Funk Hybrid G-80	92.1	90.4	1.83	17.1	97.0	101.2	103.2	102.7
9	Crow Hybrid 607	91.7	91.4	.30	16.2	93.0	97.0	104.3	102.5
9	U. S. Hybrid 14 (Ferris)	90.3	89.9	.41	16.2	98.0	102.2	102.6	102.5
11	Illinois Hybrid 200	90.8	90.2	.57	15.6	96.5	100.6	103.0	102.4
12	Funk Hybrid G-212	90.2	89.6	.70	15.9	98.0	102.2	102.3	102.3
13	U. S. Hybrid 5 (Mountjoy)	89.8	89.1	.72	15.4	98.5	102.7	101.7	102.0
14	DeKalb Hybrid 816	90.4	89.1	1.48	16.3	98.0	102.2	101.7	101.8
14	DeKalb Hybrid 827	89.7	88.9	.89	15.0	98.5	102.7	101.5	101.8
16	U. S. Hybrid 35	89.6	88.6	1.21	14.5	98.8	103.0	101.1	101.6
16	Kelly Hybrid K-100	89.4	88.4	1.08	16.2	99.5	103.8	100.9	101.6
18	Funk Hybrid G-81	89.1	88.0	1.08	17.1	97.0	101.2	100.5	100.7
19	Illinois Hybrid 499	89.3	89.0	.31	17.2	93.8	97.8	101.6	100.6
20	E. W. Doubet Hybrid CR-47	88.6	87.6	1.07	15.2	97.5	101.7	100.0	100.4
21	Null-Vollmer Hybrid NV-97	87.8	87.6	.13	14.8	97.0	101.2	100.0	100.3
22	Stiegelmeier Hybrid 901	87.2	86.6	.87	14.0	99.0	103.2	98.9	100.0
23	Crow Hybrid 608	86.8	86.4	.52	14.2	98.5	102.7	98.6	99.6
24	Pioneer Hi-Bred 313	90.1	89.2	1.03	16.2	88.5	92.3	101.8	99.4
24	DeKalb Hybrid 888	87.2	86.8	.43	16.5	96.0	100.1	99.1	99.4
26	Funk Hybrid G-53	86.4	86.1	.36	15.0	98.0	102.2	98.3	99.3
27	Illinois Hybrid 126 (Oakes)	88.0	86.5	1.80	15.8	96.5	100.6	98.7	99.2
28	Illinois Hybrid 960	88.2	87.2	1.11	15.1	93.2	97.2	99.5	98.9
29	Pioneer Hi-Bred 307	88.9	85.8	3.62	14.8	97.0	101.2	97.9	98.7
29	Funk Hybrid G-94	85.2	85.0	.37	17.6	99.5	103.8	97.0	98.7
31	E. W. Doubet Hybrid D10	84.7	83.6	1.38	16.2	99.0	103.2	95.4	97.4
32	M-L Hybrid 514 (Moews-Lowe)	84.6	83.6	1.10	14.7	98.0	102.2	95.4	97.1
33	Doubet Yellow Dent	85.0	83.8	1.20	16.3	89.0	92.8	95.7	95.0
34	Station Yellow Dent	81.6	80.9	.84	17.4	88.5	92.3	92.4	92.4
	● Average of 5 open-pollinated varieties	**81.3**	**80.5**	**.97**	**17.4**	**87.3**	**91.0**	**91.9**	**91.7**
35	Mountjoy Utility Dent	81.5	80.7	1.01	17.2	86.5	90.2	92.1	91.6
36	Canterbury Yellow Dent	80.0	79.2	1.00	18.3	90.0	93.9	90.4	91.3
37	Sommer Yellow Dent	78.5	77.9	.82	19.2	82.5	86.0	88.9	88.2
	Average of all entries	88.5	87.6	.97	16.1	95.9	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	U. S. Hybrid 13	84.9	84.1	.99	16.5	84.0	107.4	110.4	109.6
2	U. S. Hybrid 35	81.4	80.4	1.20	15.8	84.7	108.3	105.5	106.2
3	Funk Hybrid G-212	81.1	80.5	.79	16.2	81.5	104.2	105.6	105.2
4	DeKalb Hybrid 827	80.1	79.1	1.31	15.8	84.3	107.8	103.8	104.8
5	Pioneer Hi-Bred 313	81.1	80.4	.77	16.0	72.7	93.0	105.5	103.4
6	U. S. Hybrid 5	79.6	78.6	1.31	15.7	81.3	104.0	103.1	103.3
7	M-L Hybrid 514 (Moews-Lowe)	79.1	78.1	1.34	15.2	82.3	105.2	102.5	103.2
8	Pioneer Hi-Bred 307	80.6	78.2	3.03	15.5	80.3	102.7	102.6	102.6
8	Funk Hybrid G-94	77.4	76.8	.91	17.9	84.3	107.8	100.8	102.6
10	Illinois Hybrid 960	79.1	78.1	1.24	15.6	78.0	99.7	102.5	101.8
11	Funk Hybrid G-53	76.2	75.6	1.00	15.4	85.0	108.7	99.2	101.6
12	Doubet Yellow Dent	70.6	69.7	1.14	17.4	70.0	89.5	91.5	91.0
13	Station Yellow Dent	70.4	69.4	1.73	17.7	70.3	89.9	91.1	90.8
	● Average of 5 open-pollinated varieties	**69.0**	**68.2**	**1.10**	**18.0**	**69.1**	**88.4**	**89.5**	**89.2**
14	Mountjoy Utility Dent	68.5	67.9	.94	18.1	68.3	87.3	89.1	88.6
15	Sommer Yellow Dent	67.4	66.7	1.10	19.3	65.3	83.5	87.5	86.5
	Average of all entries	77.2	76.2	1.25	16.5	78.2	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Funk Hybrid G-212	88.1	87.4	.75	16.6	80.1	111.6	108.4	109.2
2	Illinois Hybrid 960	86.3	85.5	1.00	16.4	77.2	107.5	106.1	106.4
3	Pioneer Hi-Bred 307	86.5	84.4	2.48	16.2	77.1	107.4	104.7	105.4
4	Funk Hybrid G-53	84.2	83.6	.92	15.6	74.8	104.2	103.7	103.8
5	Station Yellow Dent	75.6	74.8	1.40	18.4	65.6	91.4	92.8	92.4
5	Doubet Yellow Dent	75.5	74.7	.96	17.8	65.8	91.6	92.7	92.4
	● Average of 5 open-pollinated varieties	**75.0**	**74.4**	**.94**	**18.5**	**63.8**	**88.9**	**92.3**	**91.4**
7	Mountjoy Utility Dent	74.6	74.0	.79	18.3	61.8	86.1	91.8	90.4
	Average of all entries	81.5	80.6	1.19	17.0	71.8	....	....	....

(Table 15 is concluded on page 205.)

Table 16.—CENTRAL ILLINOIS: Mt. Pulaski

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 332	73.5	73.0	.67	16.1	96	103.3	118.3	114.6
2	*Illinois Hybrid 247 (Lauer)	75.3	73.0	3.01	13.5	89	95.8	118.3	112.7
3	*Bear Hybrid OK-32	70.2	70.0	.22	14.3	94	101.2	113.4	110.4
4	Null Hybrid N-89	71.0	68.9	3.01	13.6	94	101.2	111.7	109.1
4	Hulting Hybrid 380	68.1	67.8	.46	14.6	99	106.6	109.9	109.1
6	Illinois Hybrid 201 (Tiemann)	68.3	67.7	.84	13.0	99	106.6	109.7	108.9
7	Pioneer Hi-Bred 313	68.5	67.1	2.06	14.0	99	106.6	108.7	108.2
8	*Illinois Hybrid 21 (Dyar)	68.5	66.7	2.65	13.7	100	107.6	108.1	108.0
9	Illinois Hybrid 206 (Forsythe)	67.8	67.4	.56	13.8	96	103.3	109.2	107.7
10	U. S. Hybrid 13 (Frey)	68.1	66 8	1.84	14.0	96	103.3	108.3	107.1
11	U. S. Hybrid 5 (Oakes)	67.2	67.0	.36	12.0	95	102.3	108.6	107.0
11	M-L Hybrid 514 (Moews-Lowe)	66.8	66.5	.50	13.0	97	104.4	107.8	107.0
13	*Bear Hybrid OK-55	67.1	66.3	1.22	13.6	97	104.4	107.5	106.7
14	M-L Hybrid 500 (Moews-Lowe)	66.7	66.0	1.08	14.3	97	104.4	107.0	106.4
15	Stiegelmeier Hybrid 901	65.0	64.9	.22	12.7	100	107.6	105.2	105.8
16	U. S. Hybrid 13 (Van Horn)	65.3	65.0	.42	13.3	99	106.6	105.3	105.6
17	Crow Hybrid 607	66.7	66.0	.98	15.0	93	100.1	107.0	105.3
18	DeKalb Hybrid 816	67.2	66.2	1.43	15.0	92	99.0	107.3	105.2
19	Illinois Hybrid 201 (Lehmann)	66.0	64.9	1.60	11.7	97	104.4	105.2	105.0
20	U. S. Hybrid 13 (Lehmann)	65.1	64.5	.93	13.8	96	103.3	104.5	104.2
21	*Pioneer Hi-Bred 300	63.7	63.2	.71	13.8	99	106.6	102.4	103.4
22	E. W. Doubet Hybrid D42	65 8	63.3	3.80	13.6	98	105.5	102.6	103.3
23	*Null Hybrid N-77	66.5	64.9	2.38	13.3	90	96.9	105.2	103.1
23	Null-Vollmer Hybrid NV-32 (Vollmer)	64.5	63.8	1.06	13.2	95	102.3	103.4	103.1
25	Crow Hybrid 608	63.7	63.1	.93	13.3	96	103.3	102.3	102.6
26	Stiegelmeier Hybrid 904	63.8	62.7	1.80	13.7	97	104.4	101.6	102.3
27	U. S. Hybrid 13 (Mountjoy)	64.3	62.8	2.26	13.3	96	103.3	101.8	102.2
28	Pioneer Hi-Bred 307	62.9	62.5	.56	12.3	97	104.4	101.3	102.1
28	*Pioneer Hi-Bred 336	62.7	62.3	.66	12.9	98	105.5	101.0	102.1
30	Illinois Hybrid 877 (Pfeifer)	66.6	66.0	.91	14.7	80	86.1	107.0	101.8
30	Illinois Hybrid 863 (Pfeifer)	66.8	64.9	2.83	14.5	85	91.5	105.2	101.8
30	Van Horn Hybrid 22	62.6	62.3	.55	13.3	97	104.4	101.0	101.8
33	Stiegelmeier Hybrid 38	62.9	61.8	1.80	14.2	98	105.5	100.2	101.5
34	M-L Hybrid 523 (Moews-Lowe)	63.5	61.7	2.86	13.3	98	105.5	100.0	101.4
35	U. S. Hybrid 35 (Allen)	62.0	61.6	.67	13.1	98	105.5	99.8	101.2
36	U. S. Hybrid 13 (Holmes)	62.9	62.1	1.32	14.0	95	102.3	100.6	101.0
37	Illinois Hybrid 206 (C. Doubet & Son)	63.3	62.0	2.08	14.0	94	101.2	100.5	100.7
38	Bear Hybrid OK-72	62.5	61.1	2.24	13.4	98	105.5	99.0	100.6
39	Kelly Hybrid K-99	61.1	60.9	.37	12.9	98	105.5	98.7	100.4
40	DeKalb Hybrid 817	61.9	61.7	.28	12.7	94	101.2	100.0	100.3
41	U. S. Hybrid 13 (Tiemann)	62.3	61.0	2.06	15.5	94	101.2	98.9	99.5
42	DeKalb Experimental Hybrid 92	64.7	64.0	1.14	16.2	80	86.1	103.7	99.3
43	Illinois Hybrid 201 (Allen)	60.4	60.0	.74	12.5	98	105 5	97.2	99.2
44	Funk Hybrid G-169	60.5	59.6	1.46	12.9	99	106.6	96.6	99.1
45	Pioneer Hi-Bred 333	59.6	59.3	.58	12.7	100	107.6	96.1	99.0
46	*Stiegelmeier Hybrid 100	62.7	61.1	2.49	13.4	91	98.0	99.0	98.8
47	*Illinois Hybrid 437 (I.H.P.)	60.8	60.0	1.39	15.7	96	103.3	97.2	98.7
48	Iowealth Hybrid 29A	61.7	60.9	1.29	14.5	91	98.0	98.7	98.5
49	*Bear Hybrid OK-77	60.7	60.6	.18	15.2	92	99.0	98.2	98.4
49	Kelly Hybrid K-100	62 2	60.1	3.30	13 8	94	101.2	97.4	98.4
51	Iowealth Hybrid 29B	60.4	59.5	1.45	14.5	94	101.2	96.4	97.6
52	Mountjoy Hybrid 2121	63.8	59.7	6.41	14 3	92	99.0	96.8	97.4
53	DeKalb Hybrid 840	63.8	61.8	3.10	14 2	81	87.2	100.2	97.0
54	*Holmes Utility Hybrid 69	64.8	61.7	4.71	12.7	97	104.4	93.8	96.4
55	Illinois Hybrid 784 (Canterbury)	62.4	61.9	.76	16.7	78	84.0	100.3	96 2
56	M-L Hybrid 830 (Moews-Lowe)	60.1	58.9	2.04	14.2	91	98.0	95.5	96 1
57	Kelly Hybrid K-374	59.6	57.2	3.97	13.9	98	105.5	92.7	95.9
58	Bear Hybrid OK-79	60.6	57.4	5.31	13.9	94	101.2	93.0	95.1
59	Illinois Hybrid 200 (Canterbury)	57.5	57.2	.48	14.6	94	101.2	92.7	94.8
60	Illinois Hybrid 805 (Holmes)	59.8	57.7	3.49	13.5	89	95.8	93.5	94.1
60	Sibley Farms Hybrid 753B	57.2	57 0	.34	13.4	92	99.0	92.4	94.1
62	Funk Hybrid G-80	56.9	56.6	.45	15.5	93	100.1	91.7	93.8
63	Crow Hybrid 804	60.2	58.7	2.53	14.7	83	89.3	95.1	93.6
63	*E. W. Doubet Hybrid D50	59.6	58 7	1.52	14.3	83	89.3	95.1	93.6
65	Funk Hybrid G-94	58.5	56.3	3.82	13.9	93	100.1	91.2	93.4
66	DeKalb Hybrid 888	56.5	55.9	1.10	14.7	94	101.2	90.6	93.2
67	Funk Hybrid G-84	56.2	55.2	1.76	14.7	92	99.0	89.5	91.9
68	Funk Hybrid G-81	57.6	56.1	2.53	14.0	88	94.7	90 9	91.8
69	Doubet Yellow Dent	57.7	56.3	2.45	14.5	85	91.5	91.2	91.3
70	Station Yellow Dent	57.4	57.1	.57	14.9	78	84.0	92.5	90.4
71	Wessbecker Yellow Dent	56.6	55.6	1.77	15.9	82	88.3	90.1	89.6
	● Average of 5 open-pollinated varieties	**54.9**	**53.8**	**2.01**	**15.3**	**83.2**	**89.6**	**87.1**	**87.7**
72	DeKalb Hybrid 899	55.2	54.3	1.56	16 6	80	86.1	88.0	87 5
73	Mountjoy Utility Dent	51.4	51.2	.44	15.2	84	90.4	83.0	84.8
74	*Funk Hybrid G-99	50.4	50.1	.53	15.4	86	92.6	81.2	84.1
75	Canterbury Yellow Dent	51.2	48.7	4.83	16.2	87	93.6	78.9	82.6
	Average of all entries	62.8	61.7	1.69	14.0	93.1	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 6.1 bushels between total yields of any two entries in this table is not significant.

Table 17.—EAST-CENTRAL ILLINOIS: Paxton

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	77.3	74.8	3.18	23.0	93	98.4	138.6	128.6
2	Pioneer Hi-Bred 307	74.2	72.7	2.00	18.9	97	102.6	134 7	126.7
3	Stiegelmeier Hybrid 44	70.7	70.5	.29	22.8	95	100.5	130.6	123.1
4	M-L Hybrid 500 (Moews-Lowe)	68.2	67.5	.98	21 5	99	104.8	125 1	120.0
5	Hoosier Crost Hybrid 668-L	68.5	68.1	.61	22.8	95	100.5	126.2	119.8
6	Iowealth Hybrid AQ	67.9	66.8	1.64	19.0	96	101.6	123.8	118.2
7	Pioneer Hi-Bred 333	68.7	66.4	3.30	20.9	97	102.6	123.0	117.9
8	[1]M-L Hybrid 514 (Moews-Lowe)	66.5	65.8	1.08	16.9	98	103.7	121.9	117.4
9	Illinois Hybrid 960 (L. A. Sass)	65.6	65.2	.59	20.6	95	100.5	120.8	115.6
10	*Pioneer Hi-Bred 300	65.7	64.4	1.95	22.1	97	102.6	119.3	115.1
11	U. S. Hybrid 14 (Ferris)	64.6	64.3	.45	20.6	95	100.5	119.1	114.5
12	M-L Hybrid 523 (Moews-Lowe)	64.7	63.7	1.48	20.3	98	103.7	118 0	114.4
13	[1]U. S. Hybrid 13 (Frey)	64.5	63.6	1.42	20.6	98	103.7	117.8	114.3
14	Crow Hybrid 608	64.2	63.4	1.22	19.9	98	103.7	117.5	114.1
15	*Pioneer Hi-Bred 336	65.1	63.4	2.54	21.2	97	102.6	117.5	113.8
16	Stiegelmeier Hybrid 901	63.5	62.5	1.51	19.3	99	104.8	115.8	113.1
17	*Illinois Hybrid 246 (I.H.P.)	66.0	63.4	4.01	21.5	93	98.4	117.5	112.7
18	DeKalb Hybrid 821B	62.0	61.3	1.12	20.9	99	104.8	113.6	111.4
19	Illinois Hybrid 201 (Holmes)	63.8	61.4	3.78	19 5	98	103.7	113.8	111.3
20	Null Hybrid N-16	64.4	61.3	4.87	20.3	98	103 7	113.6	111.1
20	Bear Hybrid OK-72	63.6	61.1	3.97	20.3	99	104.8	113 2	111.1
22	Funk Hybrid G-169	63.2	61.2	3.12	19.2	96	101.6	113.4	110.5
23	Seeber Hybrid 11B	61.3	60.6	1.10	22.6	97	102.6	112 3	109.9
24	Illinois Hybrid 126 (Oakes)	61.2	59.6	2.59	22.4	100	105.8	110.4	109.2
25	Pioneer Hi-Bred 332	60.2	59.8	.62	24.5	97	102.6	110.8	108.8
26	Illinois Hybrid 247 (Canterbury)	59.9	59.2	1.24	20.6	100	105 8	109.7	108.7
27	Kelly Hybrid K-374	62.1	58.7	5.54	19.8	100	105.8	108.8	108.1
28	Iowealth Hybrid 29B	57.8	57.2	1.12	20.2	97	102 6	106.0	105.2
29	Illinois Hybrid 21 (Frey)	58.1	56.5	2.67	20.6	100	105.8	104.7	105.0
30	*Holmes Utility Hybrid 69	59.1	56.6	4.20	19.6	99	104.8	104.9	104.9
31	U. S. Hybrid 44 (Frey)	57.6	57.0	.98	20.3	97	102.6	105.6	104.8
32	[1]Bear Hybrid OK-60	57.0	56.8	.31	19.9	94	99 5	105.2	103.8
33	Crow Hybrid 804	57.3	56.3	1.82	20.3	96	101.6	104.3	103.6
34	*Sibley Farms Hybrid S75	56.7	55.8	1.54	21.2	97	102.6	103.4	103.2
35	Bear Hybrid OK-70	56.4	55.6	1.50	19.7	97	102.6	103.0	102.9
36	Stiegelmeier Hybrid 38	57.2	55.9	2.22	20.3	95	100.5	103.6	102.8
37	National Hybrid 129	56.2	55.8	.80	21.2	95	100.5	103.4	102.7
38	Stiegelmeier Hybrid 904	56.9	55.1	3.09	23.2	98	103.7	102.1	102.5
39	U. S. Hybrid 44 (Tiemann)	57.1	55.6	2.55	20.3	95	100.5	103.0	102.4
39	*Illinois Hybrid 600 (I.H.P.)	57.0	55.4	2.76	20.3	96	101.6	102.7	102.4
41	Sass Hybrid 40 (U. G. Sass)	57.8	56.0	2.98	21.8	92	97.4	103 8	102.2
41	U. S. Hybrid 5 (P.C.I.A.)	56.6	54.9	3.02	20 6	98	103.7	101.7	102.2
43	Illinois Hybrid 206 (Burrus)	55.0	54.0	1.80	20.3	100	105.8	100.1	101.5
44	*Sibley Farms Hybrid S73	55.6	54.6	1.74	22.6	94	99.5	101.2	100.8
45	Funk Hybrid G-212	55.3	53.6	3.08	23.2	97	102.6	99.3	100.1
46	Iowealth Hybrid 29A	54.7	53.9	1.38	21.2	94	99 5	99.9	99.8
46	Illinois Hybrid 200 (Dallmier)	55.6	53.4	3.95	22.8	97	102.6	98.9	99.8
48	Funk Hybrid G-32	53.3	52.5	1.59	20.6	100	105.8	97.3	99.4
49	E. W. Doubet Hybrid D11	54.0	52.9	1.98	21.2	97	102.6	98.0	99.2
50	Funk Hybrid G-94	53.3	52.2	2.12	22 1	100	105 8	96.7	99.0
51	Macon Hybrid 666	55.0	52.4	4.66	19.6	97	102.6	97.1	98.5
52	Funk Hybrid G-53	52.7	51.7	1.87	19.9	99	104.8	95.8	98.1
53	DeKalb Experimental Hybrid 80	54.9	52.9	3.73	23.2	92	97.4	98.0	97.8
53	[1]DeKalb Experimental Hybrid 87	53.9	52.3	2.92	22.6	95	100.5	96.9	97.8
55	Kelly Hybrid K-99	55.4	51.4	7.17	20 6	97	102.6	95.2	97.1
56	DeKalb Hybrid 816	51.5	50.8	1.27	24 8	100	105 8	94.1	97.0
57	*Richbred Hybrid 381	52.7	49.5	6.05	23.0	98	103.7	91.7	94.7
58	DeKalb Experimental Hybrid 94	50.0	48.4	3.14	20.9	99	104.8	89.7	93.5
59	Sibley Farms Hybrid 753B	48.0	47.4	1.18	20.3	99	104.8	87.8	92.1
60	DeKalb Hybrid 888	50.1	47.7	4.73	22.6	96	101.6	88.4	91.7
61	Crow Hybrid 607	51.3	49.6	3.32	22.4	83	87.8	91 9	90.9
62	M-L Hybrid 830 (Moews-Lowe)	48.7	46.8	3.82	21.2	97	102.6	86.7	90.7
62	Sibley Farms Hybrid 753A	47.2	46.8	.95	22 4	97	102.6	86.7	90.7
64	[1]Bear Hybrid OK-67	47.4	46.2	2.58	20.3	99	104.8	85.6	90.4
65	Illinois Hybrid 877 (Kerns)	47.3	46.9	.80	23 8	89	94.2	86 9	88.7
66	[1]Funk Hybrid G-81	44.0	42.8	2 68	21.2	96	101.6	79.3	84 9
67	Illinois Hybrid 784 (Kerns)	40.3	38.4	4 74	24.0	91	96 3	71.2	77.5
68	Crow Hybrid 501 (W)	40.1	38.4	4.22	20.9	84	88.9	71.2	75.6
69	Doubet Yellow Dent	34.5	34.0	1.41	23.4	79	83 6	63.0	68.2
70	Station Yellow Dent	32.3	32.0	.94	23.8	72	76.2	59 3	63.5
●	Average of 5 open-pollinated varieties	**30.3**	**29.9**	**1.12**	**23.7**	**70.8**	**74.8**	**55.6**	**60.4**
71	[1]Canterbury Yellow Dent	30.5	30.0	1.77	24.3	68	72.0	55.6	59.7
72	*Miller Hybrid 1182 (W)	27.2	25.9	4.90	27.0	85	89.9	48.0	58.5
73	Sommer Yellow Dent	28.8	28.6	.64	24.3	69	73 0	53.0	58.0
74	Mountjoy Utility Dent	25.5	25.3	.82	22.6	66	69.8	46.9	52.6
75	*Miller Hybrid 1180 (W)	14.4	13.3	7.98	32.3	91	96.3	24.6	42.5
	Average of all entries	55.3	54.0	2.45	21.6	94.5	....	....	....

*Less than 5 bushels of seed sampled. [1]Average of 9 plots instead of 10.

A difference of less than 6.4 bushels between total yields of any two entries in this table is not significant.

Table 18.—EAST-CENTRAL ILLINOIS: Paxton Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	78.5	76.3	2.77	18.1	96.5	102.9	120.7	116.2
2	Pioneer Hi-Bred 307	75.6	74.1	2.04	15.8	97.5	103.9	117.2	113.9
3	Hoosier Crost Hybrid 668-L	73.6	71.4	2.18	18.2	96.5	102.9	113.0	110.5
4	Stiegelmeier Hybrid 44	71.3	71.0	.43	17.8	94.5	100.7	112.3	109.4
5	Iowealth Hybrid AQ	71.0	69.4	2.17	16.2	98.0	104.5	109.8	108.5
6	Illinois Hybrid 960	70.8	69.8	1.34	17.0	95.0	101.3	110.4	108.1
7	Illinois Hybrid 201 (Holmes)	71.3	69.1	3.15	16.6	96.5	102.9	109.3	107.6
8	U. S. Hybrid 14 (Ferris)	69.8	68.7	1.46	16.9	96.5	102.9	108.7	107.2
8	M-L Hybrid 514 (Moews-Lowe)	71.2	68.1	4.30	15.2	99.0	105.5	107.8	107.2
10	Null Hybrid N-16	70.8	68.6	3.26	17.0	96.0	102.3	108.5	107.0
11	U. S. Hybrid 13	69.4	67.2	3.10	17.2	99.0	105.5	106.3	106.1
12	Bear Hybrid OK-60	68.0	67.8	.28	16.5	93.5	99.7	107.3	105.4
13	Crow Hybrid 608	67.4	66.4	1.36	16.6	98.5	105.0	105.1	105.1
14	Kelly Hybrid K-374	69.6	66.1	5.21	16.6	98.0	104.5	104.6	104.6
15	U. S. Hybrid 44	67.9	66.1	2.30	16.8	97.8	104.3	104.6	104.5
16	Stiegelmeier Hybrid 901	67.6	65.8	2.61	16.4	98.0	104.5	104.1	104.2
17	Stiegelmeier Hybrid 904	67.6	65.1	3.56	18.4	98.5	105.0	103.0	103.5
18	Illinois Hybrid 126 (Oakes)	66.1	64.7	2.17	18.6	98.5	105.0	102.4	103.1
19	Illinois Hybrid 206 (Burrus)	64.8	64.1	1.24	16.8	98.5	105.0	101.4	102.3
20	Sibley Farms Hybrid 753B	64.1	63.3	1.15	17.4	97.0	103.4	100.2	101.0
21	Funk Hybrid G-212	64.0	62.6	2.20	18.2	98.5	105.0	99.1	100.6
22	Stiegelmeier Hybrid 38	64.8	62.7	3.14	16.8	97.5	103.9	99.2	100.4
22	Funk Hybrid G-94	63.6	62.6	1.72	17.8	98.0	104.5	99.1	100.4
24	E. W. Doubet Hybrid D11	64.8	62.2	3.57	17.5	96.5	102.9	98.4	99.5
25	Illinois Hybrid 200	64.4	62.0	3.88	18.6	96.0	102.3	98.1	99.2
26	DeKalb Hybrid 888	63.7	62.2	2.72	18.2	94.5	100.7	98.4	99.0
27	Crow Hybrid 804	64.1	61.8	3.32	17.1	95.0	101.3	97.8	98.7
28	Crow Hybrid 607	65.1	63.2	3.08	17.8	88.5	94.3	100.0	98.6
29	Sibley Farms Hybrid 753A	62.3	60.1	3.06	18.2	95.5	101.8	95.1	96.8
29	Funk Hybrid G-53	61.4	59.7	2.54	16.6	97.5	103.9	94.5	96.8
31	Doubet Yellow Dent	49.8	48.6	2.14	18.6	80.5	85.8	76.9	79.1
32	Station Yellow Dent	48.8	46.5	3.81	18.8	75.5	80.5	73.6	75.3
	● Average of 5 open-pollinated varieties	**47.4**	**46.1**	**2.78**	**1.86**	**76.3**	**81.3**	**72.9**	**75.0**
33	Canterbury Yellow Dent	47.1	45.6	2.91	19.1	77.0	82.1	72.2	74.7
34	Mountjoy Utility Dent	46.2	45.6	1.26	18.0	76.0	81.0	72.2	74.4
35	Sommer Yellow Dent	45.1	44.4	1.25	18.8	72.5	77.3	70.3	72.1
	Average of all entries	64.9	63.2	2.48	17.4	93.8	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Pioneer Hi-Bred 313	72.7	70.9	2.40	16.7	88.8	101.1	122.7	117.3
2	Pioneer Hi-Bred 307	70.1	67.8	3.47	16.1	92.2	105.0	117.3	114.2
3	Illinois Hybrid 960	66.5	65.4	1.56	15.7	90.7	103.3	113.1	110.6
4	Bear Hybrid OK-60	65.3	64.8	.69	15.4	91.0	103.6	112.1	110.0
5	U. S. Hybrid 44	65.4	63.1	3.39	15.8	95.0	108.2	109.2	109.0
5	U. S. Hybrid 13	64.7	63.0	2.46	16.5	95.8	109.1	109.0	109.0
7	Iowealth Hybrid AQ	64.3	62.8	2.36	15.0	94.5	107.6	108.7	108.4
8	Funk Hybrid G-94	60.9	61.5	1.88	17.1	95.3	108.5	106.4	106.9
9	Crow Hybrid 608	60.4	59.6	1.36	15.7	93.2	106.2	103.1	103.9
10	Crow Hybrid 804	60.8	59.1	2.50	16.1	86.7	98.8	102.2	101.4
11	Funk Hybrid G-212	59.3	58.0	2.20	16.3	90.7	103.3	100.3	101.1
12	Funk Hybrid G-53	57.5	56.1	2.35	15.4	93.7	106.7	97.1	99.5
13	Doubet Yellow Dent	45.2	44.2	2.06	17.1	80.8	92.0	76.5	80.4
14	Station Yellow Dent	45.7	44.0	2.97	17.8	74.8	85.2	76.1	78.4
	● Average of 5 open-pollinated varieties	**44.4**	**43.3**	**2.51**	**17.4**	**74.0**	**84.3**	**74.9**	**77.2**
15	Sommer Yellow Dent	43.6	43.2	.90	17.5	70.5	80.3	74.7	76.1
16	Mountjoy Utility Dent	42.3	41.1	2.94	16.8	70.7	80.5	71.1	73.4
	Average of all entries	59.0	57.8	2.22	16.3	87.8	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Pioneer Hi-Bred 307	71.0	69.4	2.32	14.9	93.2	109.0	117.0	115.0
2	Illinois Hybrid 960	69.6	68.8	1.26	15.8	90.2	105.5	116.0	113.4
3	U. S. Hybrid 44	67.8	66.0	2.62	16.0	94.0	109.9	111.3	111.0
4	Funk Hybrid G-212	63.5	62.5	1.76	16.2	90.8	106.2	105.4	105.6
5	Funk Hybrid G-53	61.9	60.8	1.79	15.6	92.0	107.6	102.5	103.8
6	Doubet Yellow Dent	49.8	49.0	1.55	17.3	78.6	91.9	82.6	84.9
7	Station Yellow Dent	51.0	49.7	2.23	18.0	74.5	87.1	83.8	84.8
	● Average of 5 open-pollinated varieties	**50.0**	**49.2**	**1.89**	**17.6**	**74.1**	**86.7**	**83.0**	**83.9**
8	Mountjoy Utility Dent	48.9	48.0	2.24	16.7	70.5	82.5	80.9	81.3
	Average of all entries	60.4	59.3	1.97	16.3	85.5	....	....	....

(Table 18 is concluded on page 205.)

Summaries of Four Fields, Concluded

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	Cambridge (9C) Average yield of entries grown in 1937, 1938, 1939, 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 307	111.2	108.7	2.43	17.3	77.6	108.5	110.4	109.9
2	Funk Hybrid G-212	107.4	106.7	.72	18.1	76.4	106.9	108.3	108.0
3	U. S. Hybrid 44	108.2	107.1	1.10	16.9	74.4	104.1	108.7	107.6
4	Illinois Hybrid 960	107.9	106.8	1.02	17.7	70.9	99.2	108.4	106.1
5	Morgan Hybrid M-52	104.5	102.5	2.08	17.1	75.1	105.0	104.1	104.3
6	Funk Hybrid G-32	103.5	102.2	1.34	18.5	75.4	105.5	103.8	104.2
7	DeKalb Hybrid 825	97.4	96.2	1.56	18.4	86.4	120.8	97.7	103.5
8	Illinois Hybrid 751	97.1	95.6	1.48	17.1	78.2	109.4	97.1	100.2
9	Doubet Yellow Dent	87.9	86.0	1.95	19.2	60.2	84.2	87.3	86.5
10	Krug	88.0	85.9	2.39	18.4	57.0	79.7	87.2	85.3
●	**Average of 5 open-pollinated varieties**	**86.0**	**84.8**	**1.42**	**18.5**	**58.1**	**81.2**	**86.1**	**84.9**
11	Roeschley Yellow Dent	86.9	85.8	1.20	17.3	55.0	76.9	87.1	84.6
	Average of all entries	100.0	98.5	1.57	17.8	71.5	....	....	....
	Cambridge (9D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	U. S. Hybrid 44	92.8	91.5	1.36	17.3	78.4	104.8	107.1	106.5
2	Funk Hybrid G-212	91.3	90.4	1.01	17.9	79.5	106.3	105.9	106.0
3	Illinois Hybrid 960	92.6	91.6	1.12	17.5	74.2	99.2	107.3	105.3
4	Illinois Hybrid 751	82.6	81.3	1.45	17.1	80.4	107.5	95.2	98.3
5	Roeschley Yellow Dent	73.1	72.1	1.39	17.6	61.3	82.0	84.4	83.8
●	**Average of 5 open-pollinated varieties**	**72.3**	**71.1**	**1.79**	**18.4**	**62.3**	**83.3**	**83.3**	**83.3**
	Average of all entries	86.5	85.4	1.27	17.5	74.8	....	....	....
	Reddick (13D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	Funk Hybrid G-212	77.2	76.0	1.76	16.6	84.2	107.3	107.3	107.3
2	U. S. Hybrid 44	74.0	73.5	.76	17.2	83.0	105.7	103.8	104.3
3	Roeschley Yellow Dent	63.5	62.8	1.28	18.5	68.4	87.1	88.7	88.3
●	**Average of 5 open-pollinated varieties**	**61.4**	**60.6**	**1.53**	**18.5**	**68.0**	**86.6**	**85.6**	**85.8**
	Average of all entries	71.6	70.8	1.27	17.4	78.5	....	....	....
	Littleton (15D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	Funk Hybrid G-212	77.6	76.9	.98	16.6	81.0	112.5	108.9	109.8
2	Illinois Hybrid 960	77.7	76.7	1.10	16.5	77.3	107.4	108.6	108.3
3	Station Yellow Dent	65.8	64.9	1.72	18.5	66.0	91.7	91.9	91.8
●	**Average of 5 open-pollinated varieties**	**64.8**	**64.1**	**1.24**	**18.5**	**65.5**	**91.0**	**90.8**	**90.9**
4	Mountjoy Utility Dent	64.2	63.7	1.11	18.2	63.6	88.3	90.2	89.7
	Average of all entries	71.3	70.6	1.23	17.4	72.0	....	....	....
	Paxton (18D) Average yield of entries grown in 1936, 1937, 1938, 1939, 1940								
1	Illinois Hybrid 960	70.2	69.3	1.30	16.5	85.9	111 9	120.5	118.4
2	Funk Hybrid G-212	64.5	63.4	1.83	16.7	86.5	112.6	110.3	110.9
3	Station Yellow Dent	51.0	49.7	2.46	18.6	69.8	90.9	86.4	87.5
●	**Average of 5 open-pollinated varieties**	**50.0**	**49.1**	**2.09**	**18.1**	**68.5**	**89.2**	**85.4**	**86.4**
4	Mountjoy Utility Dent	48.5	47.6	2.30	17.4	65.0	84.6	82.8	83.2
	Average of all entries	58.6	57.5	1.97	17.3	76.8	...	....	....

Table 19.—EAST SOUTH-CENTRAL ILLINOIS: Sullivan

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	*[1]Pioneer Hi-Bred 300	85.4	84.6	.95	17.1	99	100.0	120.7	115.5
2	Pioneer Hi-Bred 313	82.9	80.1	3.36	19.7	100	101.0	114.3	111.0
3	Illinois Hybrid 126 (Oakes)	79.6	79.3	.38	16.4	100	101.0	113.2	110.2
4	Null Hybrid N-61	79.8	79.5	.32	16.0	99	100.0	113.4	110.1
5	*Null-Vollmer Hybrid NV-10 (Vollmer)	79.6	79.2	.54	17.1	100	101.0	113.0	110.0
6	Illinois Hybrid 247 (Canterbury)	82.2	78.8	4.13	17.4	100	101.0	112.4	109.6
7	U. S. Hybrid 13 (Tiemann)	78.9	78.5	.49	17.1	100	101.0	112.0	109.2
8	Pioneer Hi-Bred 333	79.5	78.2	1.62	16.4	100	101.0	111.6	109.0
9	[1]Illinois Hybrid 201 (Wilson)	78.3	78.0	.38	16.0	100	101.0	111.3	108.7
10	M-L Hybrid 523 (Moews-Lowe)	78.1	77.6	.58	16.7	100	101.0	110.7	108.3
11	[1]Illinois Hybrid 863 (Canterbury)	78.0	77.5	.69	19.2	99	100.0	110.6	108.0
12	Pioneer Hi-Bred 332	77.1	76.8	.44	20.2	100	101.0	109.6	107.4
13	[1]Illinois Hybrid 947 (Koch)	78.1	76.8	1.68	18.5	98	99.0	109.6	107.0
14	*Bear Hybrid OK-99	76.8	76.2	.75	20.0	100	101.0	108.7	106.8
15	[1]Illinois Hybrid 885A (Henley)	76.1	76.0	.16	18.3	100	101.0	108.4	106.6
16	Bear Hybrid OK-30	76.5	76.0	.63	16.7	100	101.0	108.4	106.5
17	[1]Macon Hybrid 666	77.1	75.8	1.74	16.4	100	101.0	108.2	106.4
18	Illinois Hybrid 804 (Pfeifer)	76.2	75.6	.84	18.0	100	101.0	107.9	106.2
19	[1]Ill. Hybrid 200 (Macon Co. Seed Co.)	75.2	74.7	.70	17.5	100	101.0	106.6	105.2
20	M-L Hybrid 500 (Moews-Lowe)	76.1	74.1	2.59	18.0	99	100.0	105.7	104.3
21	Iowealth Hybrid 28N	75.3	73.7	2.12	20.0	100	101.0	105.2	104.2
22	[1]Bear Hybrid OK-80	74.2	73.6	.78	17.4	99	100.0	105.0	103.8
23	*Henley & Whisnand Hyb. 834 (Whisnand)	74.6	73.5	1.41	18.3	99	100.0	104.9	103.7
23	Illinois Hybrid 566 (Pocklington)	73.8	73.5	.38	20.0	99	100.0	104.9	103.7
25	DeKalb Hybrid 888	74.3	73.2	1.49	18.5	100	101.0	104.4	103.6
26	[1]Funk Hybrid G-46	73.1	72.9	.26	18.3	100	101.0	104.0	103.2
27	Iowealth Hybrid 29A	73.4	72.5	1.21	17.8	100	101.0	103.5	102.9
28	Henley & Whisnand Hybrid 883 (Henley)	73.0	71.9	1.47	17.5	99	100.0	102.6	102.0
28	Illinois Hybrid 784 (Powers)	72.6	71.7	1.25	20.3	100	101.0	102.3	102.0
30	Illinois Hybrid 877 (Kerns)	71.3	70.8	.70	18.5	100	101.0	101.0	101.0
31	*[1]Bear Hybrid OK-97	72.5	72.1	.62	20.6	92	92.9	102.9	100.4
31	[1]DeKalb Hybrid 816	74.1	70.2	5.21	17.2	100	101.0	100.2	100.4
33	Funk Hybrid G-94	72.2	70.1	3.03	17.0	100	101.0	100.0	100.2
34	[1]Van Horn Hybrid 55	71.5	70.3	1.73	20.6	98	99.0	100.3	100.0
35	[1]DeKalb Hybrid 899	70.8	69.8	1.44	20.8	99	100.0	99.6	99.7
35	Sibley Farms Hybrid 753A	70.1	69.6	.73	18.5	100	101.0	99.3	99.7
37	Pioneer Hi-Bred 332A	70.6	69.3	1.79	19.5	100	101.0	98.9	99.4
38	*[1]Illinois Hybrid 801 (I.H.P.)	70.5	70.4	.11	20.3	94	94.9	100.5	99.1
39	M-L Hybrid 830 (Moews-Lowe)	69.2	68.6	.80	17.4	100	101.0	97.9	98.7
40	DeKalb Hybrid 825	69.2	68.5	1.05	17.8	100	101.0	97.7	98.5
41	[1]Crow Hybrid 804	68.5	68.2	.48	18.0	100	101.0	97.3	98.2
42	Funk Hybrid G-83	69.4	68.3	1.52	20.3	99	100.0	97.5	98.1
43	Seeber Hybrid 36	68.3	67.5	1.10	18.1	100	101.0	96.3	97.5
44	[1]Crow Hybrid 806	67.1	66.8	.45	20.7	98	99.0	95.3	96.2
44	[1]Illinois Hybrid 448 (Pfeifer)	67.1	66.7	.60	20.7	98	99.0	95.2	96.2
46	[1]Funk Hybrid G-88	65.7	65.5	.24	21.8	100	101.0	93.5	95.4
47	*[1]Henley & Whisnand Hyb. 851 (Whisnand)	66.6	64.9	2.52	19.4	100	101.0	92.6	94.7
48	Crow Hybrid 701 (W)	63.4	63.2	.28	18.3	100	101.0	90.2	92.9
49	*Funk Hybrid G-580 (W)	63.4	63.1	.42	20.0	100	101.0	90.0	92.8
50	Crow Hybrid 607	62.4	61.4	1.57	17.8	100	101.0	87.6	91.0
50	Funk Hybrid G-80	61.7	61.4	.50	19.2	100	101.0	87.6	91.0
52	Holmes Utility Hybrid 79	63.3	61.2	3.28	20.5	99	100.0	87.3	90.5
53	*[1]Illinois Hybrid 800 (I.H.P.)	58.1	57.9	.36	23.0	100	101.0	82.6	87.2
54	[1]Wilson Yellow Dent	59.4	59.1	.55	20.1	94	94.9	84.3	87.0
55	DeKalb Hybrid 919 (W)	58.4	58.3	.24	20.4	96	97.0	83.2	86.6
56	DeKalb Hybrid 922 (W)	57.1	57.0	.26	20.1	99	100.0	81.3	86.0
57	Rice White Dent	57.4	57.3	.20	18.5	95	96.0	81.8	85.4
58	Canterbury Yellow Dent	56.3	56.3	0.00	20.1	99	100.0	80.3	85.2
●	Average of 5 open-pollinated varieties	**55.0**	**54.8**	**.31**	**19.4**	**97**	**98.2**	**78.3**	**83.3**
59	Shuman Golden Beauty	52.1	51.9	.37	18.5	99	100.0	74.1	80.6
60	Bunning White Dent	49.8	49.6	.44	20.0	99	100.0	70.8	78.1
	Average of all entries	70.9	70.1	1.10	18.7	99.1	....	....	....

*Less than 5 bushels of seed sampled. [1]Average of 9 plots instead of 10.

A difference of less than 4.1 bushels between total yields of any two entries in this table is not significant.

Table 20.—EAST SOUTH-CENTRAL ILLINOIS: Sullivan Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Null-Vollmer Hybrid NV-10 (Vollmer)	90.4	90.0	.50	15.2	97.5	104.2	109.4	108.1
2	Null Hybrid N-61	90.7	90.4	.33	14.4	95.5	102.0	109.8	107.8
3	U. S. Hybrid 13	88.4	87.2	1.20	15.6	98.0	104.7	106.0	105.7
4	Illinois Hybrid 885A (Henley)	90.2	88.8	1.46	15.6	92.5	98.8	107.9	105.6
4	Illinois Hybrid 126 (Oakes)	87.6	87.2	.51	14.8	97.5	104.2	106.0	105.6
6	Funk Hybrid G-83	89.2	87.6	1.76	18.1	95.0	101.5	106.4	105.2
7	Pioneer Hi-Bred 313	89.6	87.7	2.18	16.6	94.0	100.4	106.6	105.1
8	Illinois Hybrid 877	88.4	87.7	.80	16.2	93.2	99.6	106.6	104.9
8	Illinois Hybrid 200	88.5	87.2	1.39	15.4	95.0	101.5	106.0	104.9
10	Bear Hybrid OK-80	87.7	87.1	.72	15.7	95.5	102.0	105.8	104.8
11	Bear Hybrid OK-30	86.6	86.2	.46	15.1	94.5	101.0	104.7	103.8
11	Illinois Hybrid 784	87.8	86.1	1.76	17.9	94.8	101.3	104.6	103.8
13	DeKalb Hybrid 899	87.6	86.3	1.46	18.2	92.2	98.5	104.9	103.3
14	Illinois Hybrid 863	88.0	86.4	1.68	17.0	91.5	97.8	105.0	103.2
15	Illinois Hybrid 947 (Koch)	86.4	85.4	1.36	16.0	93.8	100.2	103.8	102.9
16	DeKalb Hybrid 816	87.6	84.2	4.06	15.2	95.8	102.4	102.3	102.3
17	Funk Hybrid G-80	84.4	83.4	.96	17.4	98.2	104.9	101.3	102.2
18	Iowealth Hybrid 28N	85.2	84.2	1.22	17.0	94.0	100.4	102.3	101.8
19	Funk Hybrid G-46	84.4	82.9	1.56	16.4	96.5	103.1	100.7	101.3
20	Crow Hybrid 806	84.6	83.8	.82	18.2	92.5	98.8	101.8	101.1
21	DeKalb Hybrid 888	84.5	82.6	2.10	16.5	94.8	101.3	100.4	100.6
22	DeKalb Hybrid 825	76.6	76.1	.81	15.2	98.5	105.2	92.5	95.7
23	Crow Hybrid 804	77.2	75.6	1.78	17.2	95.5	102.0	91.9	94.4
24	Wilson Yellow Dent	76.1	75.2	1.03	17.2	87.0	93.0	92.5	92.6
25	Rice White Dent	75.8	74.6	1.30	16.4	87.5	93.5	90.6	91.3
26	Crow Hybrid 701 (W)	74.4	73.4	1.21	17.6	88.5	94.6	89.2	90.6
27	DeKalb Hybrid 922 (W)	72.4	71.7	.89	18.5	93.2	99.6	87.1	90.2
28	Canterbury Yellow Dent	73.6	72.5	1.25	17.4	89.0	95.1	88.0	89.8
	● Average of 5 open-pollinated varieties	**73.2**	**72.2**	**1.11**	**17.0**	**88.2**	**94.2**	**87.7**	**89.3**
29	Bunning White Dent	72.2	71.1	1.41	17.6	88.8	94.9	86.4	88.5
30	Shuman Golden Beauty	68.0	67.6	.56	16.4	89.0	95.1	82.1	85.4
	Average of all entries	83.5	82.3	1.28	16.5	93.6	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Illinois Hybrid 784	86.4	84.2	2.49	18.6	87.5	105.7	111.1	109.8
2	Bear Hybrid OK-30	83.6	83.3	.39	15.4	86.7	104.7	109.9	108.6
3	Pioneer Hi-Bred 313	86.8	85.5	1.51	17.4	77.7	93.8	112.8	108.1
4	Funk Hybrid G-46	80.7	78.7	2.39	17.2	86.7	104.7	103.8	104.0
5	Illinois Hybrid 863	80.6	78.9	2.08	17.4	83.0	100.2	104.1	103.1
5	DeKalb Hybrid 825	76.9	76.5	.54	15.7	90.8	109.7	100.9	103.1
7	Illinois Hybrid 947	79.3	78.5	1.04	16.5	83.8	101.2	103.6	103.0
8	Crow Hybrid 804	74.2	72.8	1.83	17.1	82.0	99.0	96.0	96.8
9	Wilson Yellow Dent	73.7	72.2	1.97	17.7	80.5	97.2	95.3	95.8
10	Canterbury Yellow Dent	72.5	71.6	.68	17.9	81.3	98.2	94.5	95.4
11	Bunning White Dent	72.9	72.0	1.09	17.5	79.3	95.6	95.0	95.2
12	Rice White Dent	72.6	71.8	1.20	16.8	77.8	94.0	94.7	94.5
13	Crow Hybrid 701 (W)	71.5	70.6	1.09	17.6	80.3	97.0	93.1	94.1
	● Average of 5 open-pollinated varieties	**71.3**	**70.4**	**1.13**	**17.3**	**80.0**	**96.6**	**92.9**	**93.8**
14	Shuman Golden Beauty	64.7	64.4	.46	16.7	81.3	98.2	85.0	88.3
	Average of all entries	76.9	75.8	1.34	17.1	82.8	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Funk Hybrid G-46	88.7	87.2	1.86	17.8	85.8	109.0	105.8	106.6
2	Illinois Hybrid 863	90.0	88.6	1.69	18.1	77.8	98.9	107.5	105.4
3	DeKalb Hybrid 825	83.6	83.2	.51	16.8	91.1	115.8	101.0	104.7
4	Illinois Hybrid 947	84.4	83.7	.92	17.1	81.5	103.6	101.6	102.1
5	Bunning White Dent	82.6	81.9	.84	17.7	72.4	92.0	99.4	97.6
6	Rice White Dent	82.3	81.5	.90	17.6	70.1	89.1	98.9	96.4
	● Average of 5 open-pollinated varieties	**79.6**	**78.9**	**.88**	**18.0**	**71.7**	**91.1**	**95.8**	**94.6**
7	Shuman Golden Beauty	71.1	70.8	.34	17.9	72.0	91.5	85.9	87.3
	Average of all entries	83.2	82.4	1.01	17.6	78.7	....	....	....

Table 21.—WEST SOUTH-CENTRAL ILLINOIS: Greenfield

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	U. S. Hybrid 5 (Oakes)	102.2	101.7	.51	15.2	99	100.9	123.4	117.8
2	DeKalb Experimental Hybrid 93	101.6	100.4	1.23	16.9	100	101.9	121.8	116.8
3	Pioneer Hi-Bred 313	99.4	99.2	.20	19.2	97	98.9	120.4	115.0
4	*Pioneer Hi-Bred 300	99.6	98.4	1.20	15.9	99	100.9	119.4	114.8
5	U. S. Hybrid 13 (Burrus)	98.4	97.9	.47	15.9	100	101.9	118.8	114.6
6	U. S. Hybrid 13 (Huey Seed Co.)	96.5	94.8	1.74	16.2	100	101.9	115.0	111.7
7	M-L Hybrid 500 (Moews-Lowe)	95.1	94.5	.59	17.8	100	101.9	114.7	111.5
8	Pioneer Hi-Bred 332	93.5	92.8	.64	19.4	100	101.9	112.6	109.9
9	Illinois Hybrid 247 (Canterbury)	92.9	92.1	.90	16.7	100	101.9	111.8	109.3
9	U. S. Hybrid 13 (Tiemann)	92.5	92.1	.38	16.9	100	101.9	111.8	109.3
11	*Iowealth Hybrid TX 2	92.2	92.0	.18	20.0	99	100.9	111.7	109.0
12	DeKalb Experimental Hybrid 92	91.6	90.7	.98	18.0	100	101.9	110.1	108.1
13	M-L Hybrid 523 (Moews-Lowe)	90.7	90.0	.74	16.7	100	101.9	109.2	107.4
14	*Null-Vollmer Hybrid NV-47 (Vollmer)	90.8	89.7	1.23	16.6	100	101.9	108.9	107.2
15	Illinois Hybrid 805 (Holmes)	91.0	90.0	1.12	16.0	99	100.9	109.2	107.1
16	Pioneer Hi-Bred 307	90.6	89.6	1.10	16.1	99	100.9	108.7	106.8
17	Illinois Hybrid 885A (Pfeifer)	91.8	90.7	1.16	17.1	94	95.8	110.1	106.5
18	*Null Hybrid N-81	90.9	90.3	.62	18.0	95	96.8	109.6	106.4
19	Illinois Hybrid 206 (Henley)	89.1	88.8	.35	15.6	100	101.9	107.8	106.3
20	*Pfeifer Hybrid A-1-40	89.2	88.4	.92	16.4	100	101.9	107.3	106.0
21	DeKalb Hybrid 816	89.0	88.3	.84	17.0	100	101.9	107.2	105.9
22	Illinois Hybrid 200 (Wilson)	88.6	88.5	.12	15.9	100	101.9	107.4	105.8
23	Pioneer Hi-Bred 333	87.5	86.7	.95	15.7	99	100.9	105.2	104.1
24	DeKalb Experimental Hybrid 83	87.4	86.3	1.28	17.9	100	101.9	104.7	104.0
25	Illinois Hybrid 450 (Whisnand)	87.1	86.9	.25	18.5	93	94.8	105.5	102.8
26	DeKalb Experimental Hybrid 87	87.8	86.0	2.06	19.4	95	96.8	104.4	102.5
27	Illinois Hybrid 566 (Pocklington)	84.7	84.2	.56	18.8	99	100.9	102.2	101.9
28	Iowealth Hybrid 28N	85.0	84.4	.72	17.7	97	98.9	102.4	101.5
29	*Bear Hybrid OK-93	87.1	83.7	3.90	18.0	98	99.9	101.6	101.2
29	Funk Hybrid G-135	83.8	83.5	.33	19.2	99	100.9	101.3	101.2
31	Funk Hybrid G-46	84.1	83.3	1.01	19.0	98	99.9	101.1	100.8
32	DeKalb Hybrid 888	83.1	82.4	.83	16.8	100	101.9	100.0	100.5
33	Funk Hybrid G-83	82.3	82.2	.14	19.5	99	100.9	99.8	100.1
34	Illinois Hybrid 448 (Dallmier)	82.1	81.7	.51	19.0	100	101.9	99.2	99.9
35	DeKalb Hybrid 899	81.5	81.1	.50	20.3	100	101.9	98.4	99.3
36	Funk Hybrid G-88	80.8	80.3	.60	20.5	100	101.9	97.5	98.6
37	*Bear Hybrid OK-98	81.9	81.5	.48	19.4	95	96.8	98.9	98.4
37	M-L Hybrid 830 (Moews-Lowe)	80.9	80.1	.99	17.1	100	101.9	97.2	98.4
39	Funk Hybrid G-84	81.5	81.1	.45	17.5	96	97.9	98.4	98.3
40	Iowealth Hybrid 29A	79.1	78.9	.26	18.5	100	101.9	95.8	97.3
41	Illinois Hybrid 877 (Burrus)	80.2	80.1	.16	19.5	95	96.8	97.2	97.1
41	*Null Hybrid N-28	79.1	78.7	.46	17.4	100	101.9	95.5	97.1
43	Crow Hybrid 804	80.3	78.6	2.14	17.4	100	101.9	95.4	97.0
44	*Null-Vollmer Hybrid NV-96 (Vollmer)	79.1	78.3	.95	18.3	100	101.9	95.0	96.7
45	Richbred Hybrid 1002	78.1	77.8	.36	18.3	98	99.9	94.4	95.8
46	*E. W. Doubet Hybrid D16	78.2	77.9	.32	16.5	97	98.9	94.5	95.6
47	Pioneer Hi-Bred 332A	78.6	75.5	3.93	17.7	100	101.9	91.6	94.2
48	Bear Hybrid OK-78	76.3	75.8	.64	18.0	98	99.9	92.0	94.0
49	Illinois Hybrid 784 (Burrus)	77.4	75.6	2.35	18.0	97	98.9	91.7	93.5
50	*Funk Hybrid G-99	75.1	74.6	.71	19.2	100	101.9	90.5	93.4
51	Illinois Hybrid 784 (Pocklington)	72.3	71.9	.58	20.0	100	101.9	87.3	91.0
52	Illinois Hybrid 863 (Burrus)	74.6	74.0	.82	19.5	92	93.8	89.8	90.8
52	Crow Hybrid 806	72.9	71.8	1.54	19.2	100	101.9	87.1	90.8
54	Funk Hybrid G-80	71.6	70.1	2.04	19.0	100	101.9	85.1	89.3
55	Rice White Dent	65.9	65.5	.60	17.8	90	91.7	79.5	82.6
56	Crow Hybrid 701 (W)	62.9	62.7	.28	18.5	99	100.9	76.1	82.3
57	Shuman Golden Beauty	56.2	56.0	.42	16.7	96	97.9	68.0	75.5
●	Average of 5 open-pollinated varieties	**57.1**	**56.9**	**.38**	**18.5**	**92.4**	**94.2**	**69.1**	**75.4**
58	Wilson Yellow Dent	57.4	57.3	.25	20.3	91	92.8	69.5	75.3
59	Canterbury Yellow Dent	56.8	56.6	.28	18.8	92	93.8	68.7	75.0
60	Bunning White Dent	49.4	49.2	.34	18.8	93	94.8	59.7	68.5
	Average of all entries	83.0	82.4	.87	17.9	98.1	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 5.5 bushels between total yields of any two entries in this table is not significant.

Table 22.—SOUTHERN ILLINOIS: Shobonier

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Pioneer Hi-Bred 313	30.3	29.4	2.98	14.2	89	109.6	117.1	115.2
2	Illinois Hybrid 863 (Canterbury)	30.7	29.7	3.18	16.1	79	97.3	118.3	113.1
3	Sager Hybrid 33 (W)	31.8	31.3	1.66	16.3	62	76.4	124.7	112.6
4	Illinois Hybrid 877 (Castle)	30.0	29.2	2.77	18.3	81	99.8	116.3	112.2
5	Funk Hybrid G-135	29.2	28.4	2.89	18.1	82	101.0	113.1	110.1
6	DeKalb Experimental Hybrid 92	29.6	28.3	4.25	18.7	80	98.5	112.8	109.2
7	DeKalb Experimental Hybrid 93	27.9	26.8	3.95	18.2	94	115.8	106.8	109.1
8	Iowealth Hybrid 28N	28.6	27.8	2.75	16.0	84	103.4	110.8	109.0
8	Illinois Hybrid 885A (Nickel Bros.)	28.4	27.5	3.34	14.9	87	107.1	109.6	109.0
10	Crow Hybrid 806	29.1	27.8	4.50	19.9	81	99.8	110.8	108.1
11	Illinois Hybrid 784 (Whisnand)	29.0	28.3	2.57	20.4	76	93.6	112.8	108.0
12	DeKalb Hybrid 899	29.2	27.7	5.14	18.5	80	98.5	110.4	107.4
12	Illinois Hybrid 206 (Burrus)	28.3	27.5	2.70	17.6	82	101.0	109.6	107.4
14	*Illinois Hybrid 838 (I.H.P.)	27.5	26.8	2.42	17.8	88	108.4	106.8	107.2
15	Illinois Hybrid 448 (Pocklington)	29.1	28.5	1.90	20.6	71	87.4	113.5	107.0
16	Illinois Hybrid 784 (Pfeifer)	29.1	27.7	4.70	20.1	78	96.1	110.4	106.8
17	*Bear Hybrid OK-95	29.1	28.2	3.22	20.2	78	96.1	109.5	106.2
18	Illinois Hybrid 200 (Pfeifer)	27.0	26.1	3.35	15.4	89	109.6	104.0	105.4
19	Bear Hybrid OK-80	28.4	26.9	5.15	16.3	80	98.5	107.2	105.0
20	Richbred Hybrid 1002	28.1	27.6	1.80	19.8	72	88.7	110.0	104.7
21	Funk Hybrid G-123	27.3	26.6	2.48	18.3	81	99.8	106.0	104.4
22	Hoosier Crost Hybrid 1005	26.4	25.8	2.28	17.5	88	108.4	102.8	104.2
23	*Funk Hybrid G-580 (W)	28.0	26.8	4.12	17.8	77	94.8	106.8	103.8
24	*Bear Hybrid OK-45	26.8	26.1	2.58	16.1	81	99.8	104.0	103.0
24	*Pioneer Hi-Bred 300	27.2	25.8	5.02	15.4	84	103.4	102.8	103.0
26	*Illinois Hybrid 450 (Morgan)	27.3	26.4	3.16	20.4	77	94.8	105.2	102.6
27	Funk Hybrid G-83	26.7	25.0	6.30	24.0	88	108.4	99.6	101.8
27	Pioneer Hi-Bred 307	26.2	25.0	4.58	14.2	88	108.4	99.6	101.8
29	DeKalb Hybrid 888	27.3	25.5	6.48	18.9	81	99.8	101.6	101.2
29	Funk Hybrid G-88	26.2	25.4	3.14	24.0	82	101.0	101.2	101.2
31	Illinois Hybrid 247 (Canterbury)	25.6	24.2	5.35	14.6	91	112.1	96.4	100.3
32	DeKalb Hybrid 816	26.2	24.9	4.89	16.0	84	103.4	99.0	100.1
33	*Bear Hybrid OK-98	26.7	25.2	5.67	18.9	79	97.3	100.4	99.6
34	Illinois Hybrid 200 (Castle)	24.5	24.1	1.56	15.8	89	109.6	96.0	99.4
35	Funk Hybrid G-90	25.9	24.1	7.09	19.2	86	105.9	96.0	98.5
35	DeKalb Experimental Hybrid 83	24.4	23.6	3.48	19.4	91	112.1	94.0	98.5
37	Macon Hybrid 666	24.7	23.1	6.54	15.8	89	109.6	92.0	97.9
38	Bear Hybrid OK-78	26.4	24.5	7.12	19.2	80	98.5	97.6	97.8
39	Illinois Hybrid 805 (Holmes)	23.9	23.4	2.26	20.9	90	110.8	93.2	97.6
40	DeKalb Hybrid 892	25.7	23.8	7.29	18.7	85	104.7	94.8	97.3
41	Pioneer Hi-Bred 332A	23.5	22.4	4.79	16.7	97	119.5	89.2	96.8
42	M-L Hybrid 830 (Moews-Lowe)	23.9	23.3	2.38	16.9	88	108.4	92.8	96.7
43	Pioneer Hi-Bred 332	23.5	22.5	4.13	14.8	95	117.0	89.6	96.4
44	*Illinois Hybrid 802 (I.H.P.)	24.9	24.0	3.71	20.2	78	96.1	95.6	95.7
45	U. S. Hybrid 13 (Canterbury)	26.0	24.1	7.35	15.8	76	93.6	96.0	95.4
45	*Illinois Hybrid 804 (I.H.P.)	26.1	23.9	8.43	16.8	78	96.1	95.2	95.4
47	DeKalb Hybrid 922 (W)	24.1	23.6	2.10	22.3	79	97.3	94.0	94.8
48	Illinois Hybrid 784 (Castle)	25.9	23.7	8.36	16.8	76	93.6	94.4	94.2
49	Iowealth Hybrid 29B	24.1	23.0	4.42	16.3	82	101.0	91.6	94.0
50	Iowealth Hybrid 29A	23.6	22.7	3.96	19.6	83	102.2	90.4	93.4
51	DeKalb Hybrid 894	24.7	22.2	10.23	19.2	87	107.1	88.4	93.1
52	McLurkin White Dent	24.5	22.5	8.26	25.7	70	86.2	89.6	88.8
53	Funk Hybrid G-80	22.3	21.2	4.99	21.0	82	101.0	84.5	88.6
54	Champion White Pearl	22.0	21.5	2.34	22.0	75	92.4	85.7	87.4
55	Mohawk	22.4	21.7	2.95	25.1	71	87.4	86.5	86.7
56	Funk Hybrid G-84	21.8	20.9	4.34	20.1	75	92.4	83.3	85.6
57	*Illinois Hybrid 800 (I.H.P.)	21.8	20.7	5.18	28.4	76	93.6	82.5	85.3
●	Average of 5 open-pollinated varieties	**22.4**	**21.2**	**5.42**	**23.5**	**69.6**	**85.7**	**84.5**	**84.8**
58	DeKalb Hybrid 919 (W)	21.4	20.8	2.62	20.9	70	86.2	82.9	83.7
59	St. Charles White	22.6	20.7	8.43	21.0	62	76.4	82.5	81.0
60	Blackhawk	20.7	19.6	5.12	23.8	70	86.2	78.1	80.1
	Average of all entries	26.2	25.1	4.34	18.8	81.2	....	....	....

*Less than 5 bushels of seed sampled.

A difference of less than 6.3 bushels between total yields of any two entries in this table is not significant.

Table 23.—SOUTHERN ILLINOIS: Shobonier Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Illinois Hybrid 877	45.1	44.3	2.00	15.1	89.0	101.4	110.5	108.2
2	Sager Hybrid 33 (W)	46.0	45.5	1.18	14.0	80.0	91.1	113.5	107.9
3	Illinois Hybrid 885A	44.0	43.0	2.56	13.1	93.0	105.9	107.2	106.9
4	Pioneer Hi-Bred 313	42.5	42.0	1.64	12.8	99.5	113.3	104.7	106.8
5	Funk Hybrid G-123	44.7	43.4	2.83	15.2	89.0	101.4	108.2	106.5
6	Illinois Hybrid 200	42.9	42.5	1.05	14.2	93.0	105.9	106.0	106.0
7	Iowealth Hybrid 29A	43.1	42.3	2.57	15.5	90.5	103.1	105.5	104.9
8	Illinois Hybrid 784	44.1	42.8	3.62	15.2	85.4	97.3	106.7	104.4
9	Bear Hybrid OK-78	43.4	42.1	4.15	15.4	89.5	101.9	105.0	104.2
10	Bear Hybrid OK-80	43.3	42.2	3.11	14.1	88.0	100.2	105.2	104.0
11	Illinois Hybrid 838	42.2	41.4	2.01	15.8	92.0	104.8	103.4	103.8
12	DeKalb Hybrid 922 (W)	42.5	42.0	1.56	17.6	87.5	99.7	104.7	103.4
13	DeKalb Hybrid 892	42.6	41.3	4.11	15.2	91.5	104.2	103.0	103.3
14	Funk Hybrid G-135	42.4	41.6	2.30	15.4	88.5	100.8	103.7	103.0
15	DeKalb Hybrid 899	42.9	41.8	3.06	16.2	87.0	99.1	104.2	102.9
16	DeKalb Hybrid 888	42.6	41.4	3.79	15.2	89.5	101.9	103.2	102.9
17	U. S. Hybrid 13 (Henley)	42.5	41.2	4.28	13.6	88.0	100.2	102.4	101.8
18	Funk Hybrid G-90	41.6	40.4	4.12	15.8	91.5	104.2	100.7	101.6
19	Iowealth Hybrid 28N	41.5	40.9	1.74	14.4	85.9	97.8	102.0	101.0
20	DeKalb Hybrid 816	40.8	39.6	3.58	14.0	92.0	104.8	98.8	100.3
21	DeKalb Hybrid 894	40.5	39.0	5.56	16.2	92.0	104.8	97.3	99.2
22	Funk Hybrid G-84	39.2	38.5	2.58	15.9	87.0	99.1	96.0	96.8
23	Funk Hybrid G-88	38.3	37.7	1.94	17.6	90.5	103.1	94.0	96.3
24	Funk Hybrid G-80	38.1	37.4	2.72	16.8	90.5	103.1	93.3	95.8
25	DeKalb Hybrid 919 (W)	37.3	36.6	1.97	16.7	82.0	93.4	91.3	91.8
26	St. Charles White	38.1	36.8	4.88	17.8	77.0	87.7	91.8	90.8
27	Mohawk	36.4	35.5	2.66	19.1	83.0	94.5	88.5	90.0
28	McLurkin White Dent	36.4	35.2	4.74	19.8	82.5	94.0	87.8	89.4
	● Average of 5 open-pollinated varieties	**35.7**	**34.8**	**3.32**	**18.6**	**80.6**	**91.8**	**86.8**	**88.1**
29	Champion White Pearl	33.6	33.0	1.95	18.1	85.0	96.8	82.3	85.9
30	Blackhawk	33.6	33.0	2.84	19.2	75.5	86.0	82.3	83.2
	Average of all entries	41.1	40.1	2.90	15.8	87.8	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Illinois Hybrid 784	47.1	46.2	2.46	16.5	79.2	103.0	111.3	109.2
2	Illinois Hybrid 877	45.4	44.8	1.56	14.1	79.3	103.1	108.0	106.8
3	DeKalb Hybrid 922 (W)	43.1	42.8	1.16	16.7	80.6	104.8	103.1	103.5
4	Funk Hybrid G-90	42.7	41.8	2.90	14.5	83.0	107.9	100.7	102.5
5	St. Charles White	43.3	42.2	3.66	17.1	71.0	92.3	101.7	99.4
6	Pioneer Hi-Bred 313	39.4	39.1	1.22	12.3	78.3	101.8	94.2	96.1
	● Average of 5 open-pollinated varieties	**39.9**	**39.2**	**2.38**	**17.8**	**72.6**	**94.4**	**94.5**	**94.5**
7	Champion White Pearl	38.6	38.1	1.49	17.8	75.5	98.2	91.8	93.4
8	Blackhawk	37.7	37.2	1.90	18.9	68.0	88.4	89.6	89.3
	Average of all entries	42.2	41.5	2.04	16.0	76.9	....	....	....
	(C) Average yield of entries grown in 1937, 1938, 1939, 1940								
1	Funk Hybrid G-90	36.1	35.4	2.21	14.6	72.5	116.4	105.4	108.2
2	St. Charles White	36.8	36.0	2.74	17.6	59.1	94.9	107.1	104.1
	● Average of 5 open-pollinated varieties	**33.2**	**32.7**	**1.79**	**17.9**	**60.0**	**96.3**	**97.3**	**97.1**
3	Champion White Pearl	32.2	31.9	1.12	18.3	63.9	102.6	94.9	96.8
4	Blackhawk	31.7	31.3	1.43	19.0	53.6	86.0	93.2	91.4
	Average of all entries	34.2	33.6	1.88	17.4	62.3	....	....	....

Table 24.—SOUTHEASTERN ILLINOIS: Albion

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	[1]Pioneer Hi-Bred 333	79.7	78.6	1.39	13.6	56	187.3	105.5	126.0
2	*Pioneer Hi-Bred 300	84.9	84.0	1.03	13.9	40	133.9	112.8	118.1
3	DeKalb Experimental Hybrid 92	85.7	84.6	1.32	15.2	37	123.7	113.6	116.1
4	*Funk Hybrid G-580 (W)	75.5	75.0	.70	14.7	48	160.5	100.7	115.6
5	Illinois Hybrid 247 (Canterbury)	86.7	86.4	.40	14.6	73/4	113.7	116.0	115.4
6	Pioneer Hi-Bred 332	85.1	84.6	.55	15.6	35	117.1	113.6	114.5
7	Pioneer Hi-Bred 332A	79.6	79.1	.63	15.2	41	137.1	106.2	113.9
8	*Illinois Hybrid 806 (Henley)	70.0	69.0	1.44	15.9	53	177.3	92.6	113.8
9	Funk Hybrid G-88	70.3	70.2	.18	17.7	51	170.6	94.2	113.3
10	*Bear Hybrid OK-99	87.5	86.8	.80	15.3	26	87.0	116.5	109.1
11	DeKalb Hybrid 888	77.7	77.1	.73	15.1	37	123.7	103.5	108.6
12	Funk Hybrid G-528 (W)	85.1	84.8	.38	14.7	27	90.3	113.8	107.9
13	DeKalb Experimental Hybrid 83	82.2	80.4	2.20	15.0	32	107.0	107.9	107.7
14	Bear Hybrid OK-68	75.7	75.5	.25	13.6	37	123.7	101.3	106.9
15	Funk Hybrid G-135	72.5	71.6	1.31	16.7	39	130.4	96.1	104.7
16	DeKalb Experimental Hybrid 93	83.9	82.2	2.02	14.9	26	87.0	110.3	104.5
17	Pioneer Hi-Bred 313	81.3	80.9	.55	20.0	27	90.3	108.6	104.0
18	DeKalb Hybrid 816	80.4	77.5	3.57	13.9	31	103.7	104.0	103.9
18	[1]Henley & Whisnand Hybrid 883 (Henley)	73.9	73.3	.83	15.1	36	120.4	98.4	103.9
20	Illinois Hybrid 200 (Whisnand)	81.9	80.7	1.52	14.1	27	90.3	108.3	103.8
21	Iowealth Hybrid 29A	79.1	78.4	.84	14.4	29	97.0	105.2	103.2
22	Funk Hybrid G-527 (W)	72.6	72.4	.26	15.9	36	120.4	97.2	103.0
23	Illinois Hybrid 448 (Dailey)	76.2	75.7	.63	16.7	30	100.3	101.6	101.3
24	Illinois Hybrid 863 (Canterbury)	85.9	85.2	.76	14.6	18	60.2	114.4	100.8
25	Funk Hybrid G-83	73.7	73.4	.46	16.4	32	107.0	98.5	100.6
26	Illinois Hybrid 805 (Holmes)	83.1	82.0	1.32	14.0	21	70.2	110.1	100.1
27	Hoosier Crost Hybrid 1005	74.5	73.5	1.30	14.2	31	103.7	98.7	100.0
28	*Bear Hybrid OK-98	83.8	83.1	.83	15.2	19	63.5	111.5	99.5
28	*E. W. Doubet Hybrid D48	76.2	74.7	1.95	14.7	29	97.0	100.3	99.5
30	DeKalb Hybrid 899	71.6	71.3	.42	15.9	33	110.4	95.7	99.4
31	Pioneer Hi-Bred 307	80.9	78.3	3.22	13.8	24	80.3	105.1	98.9
32	Waddell Utility White Dent	66.8	66.6	.36	15.4	38	127.1	89.4	98.8
33	Illinois Hybrid 784 (Dallmier)	76.6	75.6	1.33	16.7	27	90.3	101.5	98.7
34	DeKalb Experimental Hybrid 87	82.0	80.8	1.44	16.0	20	66.9	108.5	98.1
35	*Bear Hybrid OK-96	82.6	81.2	1.73	16.1	19	63.5	109.0	97.6
36	Funk Hybrid G-84	70.5	70.2	.42	16.6	32	107.0	94.2	97.4
37	Iowealth Hybrid TX 1	69.3	69.1	.27	18.6	33	110.4	92.8	97.2
38	Crow Hybrid 806	75.1	73.8	1.74	15.2	27	90.3	99.1	96.9
39	Crow Hybrid 701 (W)	71.2	71.0	.31	16.4	30	100.3	95.3	96.6
39	DeKalb Hybrid 922 (W)	63.4	62.7	1.15	17.1	40	133.8	84.2	96.6
41	Illinois Hybrid 877 (Dallmier)	78.6	78.2	.57	14.9	20	66.9	105.0	95.5
42	Iowealth Hybrid 28N	79.3	79.0	.32	14.9	13	43.5	106.0	90.4
43	DeKalb Hybrid 884	77.5	77.3	.27	15.4	14	46.8	103.8	89.6
44	Illinois Hybrid 450 (Castle)	72.9	71.4	2.04	17.3	21	70.2	95.8	89.4
45	DeKalb Experimental Hybrid 88	77.2	76.9	.34	15.2	14	46.8	103.2	89.1
46	Illinois Hybrid 885A (Castle)	77.8	76.7	1.47	14.2	11	36.8	103.0	86.4
46	DeKalb Hybrid 919 (W)	62.2	60.9	2.06	16.0	30	100.3	81.7	86.4
48	DeKalb Hybrid 894	68.3	66.8	2.20	16.5	22	73.6	89.7	85.7
●	Average of 6 open-pollinated varieties	**58.3**	**58.0**	**.37**	**16.2**	**28**	**93.7**	**77.9**	**81.9**
49	Champion White Pearl	49.8	49.3	.98	16.8	38	127.1	66.2	81.4
50	McLurkin White Dent	50.8	50.7	.22	17.5	36	120.4	68.1	81.2
51	Wilson Yellow Dent	65.0	64.9	.20	15.7	18	60.2	87.1	80.4
52	St. Charles White	59.2	58.9	.56	15.6	25	83.6	79.1	80.2
53	Waddell Utility Yellow Dent	58.2	57.8	.64	16.2	13	43.5	77.6	69.1
	Average of all entries	75.3	74.5	1.03	15.6	29.9	....	....	...

*Less than 5 bushels of seed sampled. [1]Average of 9 plots instead of 10.

A difference of less than 5.5 bushels between total yields of any two entries in this table is not significant.

Table 25.—SOUTHEASTERN ILLINOIS: Albion Summaries

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	(A) Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	Funk Hybrid G-528 (W)	78.8	77.2	2.17	13.1	63.5	100.8	112.4	109.5
2	Bear Hybrid OK-68	76.7	74.6	2.72	11.8	68.0	107.9	108.6	108.4
3	Pioneer Hi-Bred 313	77.6	75.6	2.60	15.4	63.0	100.0	110.0	107.5
4	E. W. Doubet Hybrid D48	76.6	75.1	2.04	12.9	64.0	101.6	109.3	107.4
5	DeKalb Hybrid 888	75.2	73.2	2.84	12.8	68.0	107.9	106.5	106.8
6	Funk Hybrid G-83	75.1	73.2	2.43	13.9	66.0	104.8	106.5	106.1
7	Iowealth Hybrid 29A	75.4	73.3	2.86	13.1	64.5	102.4	106.7	105.6
8	Funk Hybrid G-84	72.2	71.1	1.48	13.7	66.0	104.8	103.5	103.8
9	Crow Hybrid 806	73.9	72.4	1.94	13.4	62.0	98.4	105.4	103.6
10	Iowealth Hybrid 28N	74.9	74.0	1.24	12.8	56.5	89.7	107.7	103.2
11	DeKalb Hybrid 899	71.8	69.8	2.87	13.6	66.5	105.6	101.6	102.6
12	Funk Hybrid G-135	72.2	69.8	3.38	14.2	64.5	102.4	101.6	101.8
13	DeKalb Hybrid 816	74.0	69.0	7.14	12.4	65.5	104.0	100.4	101.3
14	Illinois Hybrid 885A	76.5	72.6	5.30	12.4	55.0	87.3	105.7	101.1
15	Funk Hybrid G-527 (W)	69.8	69.0	1.22	13.6	64.5	102.4	100.4	100.9
16	Waddell Utility White Dent	66.8	66.4	.69	13.4	66.0	104.8	96.7	98.7
17	Crow Hybrid 701 (W)	67.8	65.4	3.75	13.8	64.5	102.4	95.2	97.0
18	DeKalb Hybrid 894	68.4	67.0	2.10	13.6	60.0	95.2	97.5	96.9
19	DeKalb Hybrid 922 (W)	63.8	62.2	2.46	14.2	69.0	109.5	90.5	95.2
20	DeKalb Hybrid 919 (W)	64.0	62.2	2.76	13.7	64.5	102.4	90.5	93.5
21	Wilson Yellow Dent	63.2	62.8	.70	13.2	54.5	86.5	91.4	90.2
21	St. Charles White	61.6	61.0	.90	13.6	59.5	94.4	88.8	90.2
	● Average of 5 open-pollinated varieties	**60.1**	**59.5**	**.81**	**13.8**	**60.4**	**95.9**	**86.6**	**88.9**
23	Waddell Utility Yellow Dent	59.2	58.6	.99	13.4	52.5	83.3	85.3	84.8
24	McLurkin White Dent	54.6	53.2	.82	15.2	64.5	102.4	77.4	83.6
	Average of all entries	70.4	68.7	2.39	13.5	63.0	....	....	....
	(B) Average yield of entries grown in 1938, 1939, 1940								
1	Funk Hybrid G-528 (W)	85.1	83.8	1.52	13.1	69.3	99.0	113.9	110.2
2	Pioneer Hi-Bred 313	80.4	78.7	2.24	14.7	73.3	104.7	106.9	106.4
3	Funk Hybrid G-527 (W)	76.5	75.6	1.21	13.7	72.7	103.9	102.7	103.0
4	DeKalb Hybrid 922 (W)	73.3	72.3	1.65	14.8	76.3	109.0	98.2	100.9
5	Crow Hybrid 701 (W)	73.7	72.0	2.58	14.0	73.0	104.3	97.8	99.4
6	St. Charles White	69.3	68.9	.67	14.0	69.3	99.0	93.6	95.0
7	Wilson Yellow Dent	70.3	69.7	.95	13.2	64.3	91.9	94.7	94.0
	● Average of 5 open-pollinated varieties	**67.0**	**66.5**	**.72**	**14.1**	**67.9**	**97.0**	**90.4**	**92.1**
8	Waddell Utility White Dent	67.9	67.5	.61	14.0	61.7	88.1	91.7	90.8
	Average of all entries	74.5	73.6	1.43	13.9	70.0	....	....	....

Table 26.—SOUTHEASTERN ILLINOIS: Albion, Resistance to Lodging Caused by Feeding of Corn Rootworms[1]

Rank	Entry	Plants leaning 30 degrees or more[2]	Plants leaning more than 45 degrees	Resistance rating compared with average[3] (hybrids only)
	1940	*perct.*	*perct.*	
1	DeKalb Hybrid 899	11.7	2.6	272
2	Illinois Hybrid 877 (Dallmier)	17.1	1.9	220
3	DeKalb Experimental Hybrid 83	23.6	1.6	172
4	Henley and Whisnand Hybrid 883 (Henley)	25.2	2.6	152
5	Funk Hybrid G-580 (W)	26.8	2.5	145
6	Hoosier Crost Hybrid 1005	28.5	1.8	143
7	DeKalb Hybrid 894	27.7	2.6	140
8	DeKalb Experimental Hybrid 93	28.2	2.5	139
9	Illinois Hybrid 247 (Canterbury)	25.2	4.7	134
10	DeKalb Experimental Hybrid 87	25.0	4.9	133
11	Crow Hybrid 701W	30.1	3.3	126
12	Illinois Hybrid 806 (Henley)	27.7	4.6	125
13	Bear Hybrid OK-98	28.4	4.4	124
14	DeKalb Hybrid 816	31.4	3.1	123
15	DeKalb Experimental Hybrid 92	30.9	3.9	119
16	DeKalb Hybrid 919 (W)	33.4	3.1	117
17	Illinois Hybrid 805 (Holmes)	33.6	3.1	116
18	Bear Hybrid OK-68	37.5	1.9	112
19	Illinois Hybrid 784 (Dallmier)	32.8	4.3	112
20	Illinois Hybrid 200 (Whisnand)	36.9	2.5	110
21	Funk Hybrid G-528 (W)	35.0	3.7	109
22	DeKalb Experimental Hybrid 88	36.2	3.5	107
23	Illinois Hybrid 450 (Castle)	37.4	3.1	106
24	Illinois Hybrid 448 (Dailey)	28.0	8.1	105
25	Bear Hybrid OK-99	34.8	5.0	103
26	Crow Hybrid 806	33.8	5.8	102
27	Iowealth Hybrid 28N	36.0	4.8	101
28	Iowealth Hybrid Tx1	39.7	4.0	97
29	Illinois Hybrid 863 (Canterbury)	35.9	5.9	97
30	Funk Hybrid G-84	36.5	5.6	97
31	E. W. Doubet Hybrid D48	40.4	4.3	94
32	DeKalb Hybrid 888	38.5	5.6	93
33	Funk Hybrid G-527 (W)	33.3	8.4	92
34	Illinois Hybrid 885A (Castle)	37.0	7.9	88
35	DeKalb Hybrid 884	48.0	2.5	87
36	Funk Hybrid G-83	47.6	2.9	87
37	Pioneer Hi-Bred 332A	41.2	6.6	85
38	Pioneer Hi-Bred 332	39.1	7.7	85
39	Funk Hybrid G-135	45.1	7.2	78
40	Pioneer Hi-Bred 333	44.2	7.8	77
41	DeKalb Hybrid 922 (W)	49.7	5.4	76
42	Funk Hybrid G-88	45.2	9.0	73
43	Pioneer Hi-Bred 300	45.6	10.2	70
44	Pioneer Hi-Bred 307	49.3	8.7	69
45	Pioneer Hi-Bred 313	49.8	8.9	68
46	Iowealth Hybrid 29A	52.1	12.1	60
47	Bear Hybrid OK-96	58.2	18.3	49
	Average of hybrid entries	35.7	5.2	100
48	McLurkin White Dent	40.4	2.9	...
49	Waddell Utility Yellow Dent	32.0	2.6	...
50	St. Charles White	26.4	5.5	...
51	Waddell Utility White Dent	25.2	2.0	...
52	Wilson Yellow Dent	31.3	7.2	...
53	Champion White Pearl	25.2	.6	...

[1] *Diabrotica duodecimpunctata* (F.) and *Diabrotica longicornis* (Say). [2] A difference of less than 8.2 in this column is not significant. [3] High rating indicates better standing ability.

Table 27.—SOUTHWESTERN ILLINOIS: Modoc

Rank	Entry	Acre-yield		Damaged corn in shelled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	1940	*bu.*	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	[1]Pioneer Hi-Bred 313	76.1	75.8	.36	12.5	94	107.6	110.6	109.8
2	Funk Hybrid G-46	75.6	75.5	.14	14.2	89	101.8	110.2	108.1
3	*[1]Bear Hybrid OK-39	75.0	74.7	.35	14.4	90	103.0	109.0	107.5
4	[1]Pioneer Hi-Bred 332A	73.5	72.8	.93	14.5	96	109.8	106.3	107.2
5	*[1]Bear Hybrid OK-99	76.1	75.7	.46	14.6	84	96.1	110.5	106.9
5	[1]DeKalb Experimental Hybrid 92	73.5	73.1	.52	14.0	94	107.6	106.7	106.9
7	[1]Funk Hybrid G-83	74.8	74.3	.63	15.5	87	99.5	108.4	106.2
8	*[1]Bear Hybrid OK-98	75.4	74.6	1.04	15.1	84	96.1	108.9	105.7
8	U. S. Hybrid 13 (Pocklington)	73.1	72.3	1.11	13.5	93	106.4	105.5	105.7
10	DeKalb Hybrid 899	74.4	74.0	.49	15.9	86	98.4	108.0	105.6
11	*[1]Pfeifer Hybrid A-1-40	75.1	74.7	.50	14.2	83	95.0	109.0	105.5
12	Illinois Hybrid 863 (Canterbury)	75.4	74.8	.84	14.2	82	93.8	109.2	105.4
13	DeKalb Hybrid 888	72.8	72.6	.34	14.6	90	103.0	106.0	105.2
13	*[1]Illinois Hybrid 838 (Pocklington)	72.7	72.3	.50	14.4	91	104.1	105.5	105.2
15	[1]DeKalb Experimental Hybrid 93	72.4	71.4	1.35	14.0	94	107.6	104.2	105.1
16	*Illinois Hybrid 800 (I.H.P.)	72.2	72.1	.10	15.5	91	104.1	105.2	104.9
17	[1]Illinois Hybrid 450 (Whisnand)	76.9	76.8	.10	15.8	71	81.2	112.1	104.4
18	[1]Illinois Hybrid 206 (Burrus)	71.4	71.2	.26	14.0	92	105.3	103.9	104.2
19	*Illinois Hybrid 804 (I.H.P.)	72.2	72.1	.16	15.7	88	100.7	105.2	104.1
20	DeKalb Hybrid 816	72.1	70.3	2.46	14.2	94	107.6	102.6	103.8
21	[1]Illinois Hybrid 448 (Pfeifer)	72.0	71.8	.33	16.8	86	98.4	104.8	103.2
21	Illinois Hybrid 247 (Canterbury)	71.5	71.0	.71	15.4	89	101.8	103.6	103.2
23	Iowealth Hybrid 29A	70.7	70.3	.62	13.7	91	104.1	102.6	103.0
23	Bear Hybrid OK-78	70.6	70.3	.37	13.4	91	104.1	102.6	103.0
25	*Pioneer Hi-Bred 300	70.6	69.9	.93	14.5	92	105.3	102.0	102.8
26	Hoosier Crost Hybrid 1005	70.3	70.0	.40	14.6	91	104.1	102.2	102.7
27	[1]Illinois Hybrid 784 (Castle)	73.7	73.6	.13	16.3	75	85.8	107.4	102.0
28	[1]Illinois Hybrid 885A (Pfeifer)	72.5	72.2	.34	14.7	80	91.5	105.4	101.9
29	Seeber Hybrid 55	70.6	69.9	.94	15.5	88	100.7	102.0	101.7
30	[1]Pioneer Hi-Bred 332	70.0	69.6	.53	14.9	89	101.8	101.6	101.6
31	[1]Funk Hybrid G-145	69.8	68.9	1.24	16.1	91	104.1	100.6	101.5
32	[1]Funk Hybrid G-527 (W)	69.7	69.6	.18	16.8	86	98.4	101.6	100.8
32	*Iowealth Hybrid TX 1	69.7	69.3	.62	18.4	87	99.5	101.2	100.8
34	[1]National Hybrid 134	70.5	70.3	.24	15.9	83	95.0	102.6	100.7
35	[1]Holmes Utility Hybrid 79	68.8	68.4	.58	15.1	90	103.0	99.8	100.6
36	Illinois Hybrid 448 (Whisnand)	70.9	70.5	.62	15.9	80	91.5	102.9	100.1
36	[1]Crow Hybrid 701 (W)	69.8	69.0	1.17	15.5	86	98.4	100.7	100.1
38	[1]Funk Hybrid G-135	69.8	69.3	.73	16.3	84	96.1	101.2	99.9
39	*Iowealth Hybrid TX 2	68.3	68.1	.20	16.8	87	99.5	99.4	99.4
40	[1]Pioneer Hi-Bred 333	67.4	66.8	.94	13.0	91	104.1	97.5	99.2
41	Illinois Hybrid 449 (Canterbury)	70.9	70 3	.88	15.4	77	88.1	102.6	99.0
42	*Illinois Hybrid 802 (I.H.P.)	67.0	66.5	.70	15.6	90	103.0	97.1	98.6
43	[1]Illinois Hybrid 877 (Castle)	70.2	69.8	.49	14.7	77	88.1	101.9	98.4
44	Crow Hybrid 806	69.0	67.4	2.38	16.0	85	97.3	98.4	98.1
45	Funk Hybrid G-88	67.1	66.8	.42	17.4	86	98.4	97.5	97.7
45	[1]Illinois Hybrid 200 (Castle)	65.5	64.7	1.14	14.2	94	107.6	94.4	97.7
47	Morgan Hybrid M-180	67.0	65.7	1.92	14.0	89	101.8	95.9	97.4
48	[1]Hoosier Crost Hybrid 840	66.4	66.0	.57	13.0	87	99.5	96.3	97.1
49	*Funk Hybrid G-580 (W)	64.5	64.1	.66	15.8	92	105.3	93.6	96.5
50	[1]Iowealth Hybrid 29	67.3	66.3	1.44	16.7	83	95.0	96.8	96.4
51	Funk Hybrid G-84	64.1	63.4	1.09	17.0	90	103.0	92.5	95.1
52	Leaming	63.5	63.0	.80	19.4	85	97.3	92.0	93.3
53	Pioneer Hi-Bred 307	62.7	61.6	1.83	13.3	90	103.0	89.9	93.2
54	DeKalb Experimental Hybrid 89	59.3	58.5	1.42	13.8	94	107.6	85.4	91.0
55	[1]DeKalb Hybrid 922 (W)	58.1	57.7	.68	17.1	91	104.1	84.2	89.2
56	[1]Mohawk	54.8	54.5	.60	19.0	89	101.8	79.6	85.2
	● Average of 5 open-pollinated varieties	**55.4**	**55.1**	**.62**	**18.5**	**85.6**	**98.0**	**80.4**	**84.8**
57	[1]DeKalb Hybrid 919 (W)	57.4	56.6	1.40	15.6	79	90.4	82.6	84.6
58	[1]McLurkin White Dent	55.5	54.9	.98	18.1	83	95.0	80.1	83.8
59	St. Charles White	51.1	51.0	.22	16.8	91	104.1	74.4	81.8
60	Champion White Pearl	52.2	51.9	.48	19.4	80	91.5	75.8	79.7
	Average of all entries	69.0	68.5	.74	15.4	87.4	....	....	....

*Less than 5 bushels of seed sampled. [1]Average of 7 plots instead of 8.

A difference of less than 8.0 bushels between total yields of any two entries in this table is not significant.

Table 28.—SOUTHWESTERN ILLINOIS: Modoc, Two-Year Summary

Rank	Entry	Acre-yield		Damaged corn in sheiled sample	Moisture in grain at harvest	Erect plants	Rating for—		
		Total	Sound				Erect plants	Sound yield	General perform.
	Average yield of entries grown in 1939 and 1940								
		bu.	*bu.*	*perct.*	*perct.*	*perct.*	*perct.*	*perct.*	
1	DeKalb Hybrid 899	78.2	77.0	1.60	15.4	91.9	100.7	112.2	109.3
2	Illinois Hybrid 450 (Whisnand)	77.6	77.3	.29	15.6	85.0	93.1	112.7	107.8
2	Funk Hybrid G-83	76.6	75.2	1.64	15.4	93.5	102.4	109.6	107.8
4	Pioneer Hi-Bred 313	75.2	74.6	.80	13.6	94.5	103.5	108.7	107.4
5	Illinois Hybrid 448	74.7	74.2	.61	16.6	91.0	99.7	108.2	106.1
6	Funk Hybrid G-46	75.5	73.8	2.37	14.0	92.2	101.0	107.6	106.0
7	DeKalb Hybrid 816	72.8	71.0	2.53	14.1	97.0	106.2	103.5	104.2
8	Illinois Hybrid 863	73.1	72.0	1.52	15.2	89.4	97.9	105.0	103.2
8	DeKalb Hybrid 888	71.4	70.8	.72	14.5	94.4	103.4	103.2	103.2
10	Funk Hybrid G-527 (W)	72.0	71.7	.36	16.5	90.0	98.6	104.5	103.0
11	Illinois Hybrid 784	72.4	72.0	.64	16.6	86.2	94.4	105.0	102.4
11	Illinois Hybrid 200	71.1	69.6	1.94	13.7	95.8	104.9	101.5	102.4
13	Funk Hybrid G-84	71.1	69.6	2.09	16.0	93.9	102.8	101.5	101.8
14	Illinois Hybrid 885A	72.0	71.1	1.24	14.3	87.2	95.5	103.6	101.6
15	Funk Hybrid G-135	71.0	69.6	2.04	16.2	91.8	100.5	101.5	101.2
16	Bear Hybrid OK-78	69.6	68.5	1.60	13.8	95.0	104.1	99.9	101.0
17	Iowealth Hybrid 29A	70.1	68.9	1.74	14.3	92.7	101.5	100.4	100.7
18	DeKalb Hybrid 919 (W)	64.3	63.6	1.15	15.4	87.6	95.9	92.7	93.5
19	Leaming	62.6	61.0	2.68	20.0	86.4	94.6	88.9	90.3
20	DeKalb Hybrid 922 (W)	59.3	58.8	.82	17.5	91.6	100.3	85.7	89.4
21	St. Charles White	57.6	56.8	1.44	16.5	92.7	101.5	82.8	87.5
22	Mohawk	56.2	55.6	1.06	18.0	91.4	100.1	81.0	85.8
●	Average of 5 open-pollinated varieties	**57.1**	**56.0**	**1.93**	**17.8**	**88.6**	**97.0**	**81.6**	**85.4**
23	McLurkin White Dent	55.8	54.4	2.47	18.0	88.4	96.8	79.3	83.7
	Average of all entries	69.6	68.6	1.45	15.7	91.3	....	....	....

SOIL ADAPTATION TEST

For the sixth consecutive year studies were made at Sibley and Urbana to determine the adaptability and performance of hybrid corn on soils differing in their productivity. As in the previous years, two tests were conducted at each location, one on a highly productive soil and the other on a soil of medium or low productivity.

Season. Weather conditions in 1940 were not favorable for high yields at either of these locations, altho at Urbana the crop did not suffer as much from adverse weather as it did at Sibley. On the less productive area at Urbana yields were almost as high as in previous more favorable years. Lack of rainfall during most of the growing period was the main cause of low yields.

Soils. The fertile area at Sibley consists of a highly productive Proctor silt loam, and the less fertile area consists of a badly eroded plot of Elliott silt loam. These two soil types and the plots selected within each were good representatives of high and low states of soil productivity. A good crop of sweet clover, which furnished an ample supply of organic matter and of nitrogen, had been plowed down on the Proctor silt loam (high productivity) for the 1940 corn crop. The Elliott silt loam had been limed once and had grown a thin stand of sweet clover; but after a crop of corn had been grown in 1939, the fertility of the field was low. At Urbana the two areas, which are on the Agronomy south farm, differ in productivity as a result of the long-continued use of different cropping systems. In the Southwest rotation a high state of productivity has been maintained by systematically rotating corn, oats, clover hay, and wheat with a red-clover catch crop. The South-Central area has been depleted of fertility by a rotation of corn, corn, corn, and soybeans. Both plots at Urbana have received manure and phosphate. The Southwest rotation has had slightly more limestone than the South-Central. The soil type of the two fields is mainly Muscatine silt loam.

1940 results. In general, the moisture conditions in 1940 were more favorable to corn on soils of medium productivity than to corn on highly productive soils. On the highly fertile soils early growth was stimulated by a combination of a good supply of moisture and a high level of fertility; as a result, the shooting, or ear-making, period of the plant came when the soil was most dry. Where this occurred, ears failed to form and the stalks were barren. Varieties and strains of corn that are normally subject to barrenness were more severely damaged than those not so subject to barrenness. On the high-fertility area at Urbana, wherever the open-pollinated variety had three stalks to a hill, 39 percent of the stalks were barren, and where there were four stalks to a hill, 67 percent were barren. The five best hybrids showed much less barrenness—where there were three stalks to a hill

Table 29.—SOIL ADAPTATION TEST: Central Illinois, Sibley

Rank	Entry	Total acre yield	Moisture in grain at harvest	Erect plants	Rating for— Erect plants	General perform.	Total yield
	PROCTOR SILT LOAM: Productivity high (Farm 41)						
		bu.	*perct.*	*perct.*	*perct.*		*perct.*
1	Crow Hybrid 360A	61.9	17.3	92	101.1	117.4	122.8
2	Illinois Hybrid 805	54.4	18.5	88	96.7	105.1	107.9
3	Illinois Hybrid 374	54.3	19.9	86	94.5	104.4	107.7
4	Pioneer Hybrid 307	54.0	18.1	96	105.5	106.7	107.1
5	Illinois Hybrid 247	53.6	19.2	81	89.0	102.0	106.3
6	Illinois Hybrid 972	53.4	18.1	90	98.9	104.2	106.0
7	Illinois Hybrid 960	52.2	19.0	87	95.6	101.6	103.6
8	U. S. Hybrid 5	51.8	19.2	96	105.5	103.5	102.8
9	Mixture—U. S. 5 and Illinois 805	51.3	19.9	90	98.9	101.1	101.8
10	Sibley Farms Hybrid 73	50.8	18.3	85	93.4	99.0	100.8
11	Mixture—U. S. 5 and U. S. 13	50.7	19.8	98	107.7	102.4	100.6
12	Illinois Hybrid 201	50.5	17.9	95	104.4	101.2	100.2
13	Mixture—U. S. 5, U. S. 13, and Illinois 200	50.3	17.6	97	106.6	101.5	99.8
14	U. S. Hybrid 13	48.4	20.8	96	105.5	98.4	96.0
14	U. S. Hybrid 44	48.4	18.5	83	91.2	94.8	96.0
16	Illinois Hybrid 200	47.8	22.0	98	107.7	98.0	94.8
17	Sibley Farms Hybrid 753B	46.7	19.2	94	103.3	95.3	92.7
18	Sibley Farms Hybrid 588	45.7	22.0	88	96.7	92.2	90.7
19	Illinois Hybrid 21	44.9	20.8	96	105.5	93.2	89.1
20	●Station Yellow Dent	**37.1**	**23.6**	**88**	**96.7**	**79.4**	**73.6**
	Average	50.4	19.5	91	....	....	....
	ELLIOTT SILT LOAM: Productivity low (Farm 92)						
1	Sibley Farms Hybrid 588	28.0	20.5				121.2
2	Crow Hybrid 360A	27.2	18.7				117.7
3	Illinois Hybrid 374	26.3	19.6				113.9
4	Pioneer Hybrid 307	26.0	19.1				112.6
5	Illinois Hybrid 972	25.8	18.5				111.7
6	Illinois Hybrid 247	25.5	19.4				110.4
7	Illinois Hybrid 201	24.9	18.3	ALL PLANTS ERECT	ALL PLANTS ERECT	ALL PLANTS ERECT	107.8
7	Sibley Farms Hybrid 73	24.9	20.5				107.8
9	U. S. Hybrid 44	24.6	18.5				106.5
10	Mixture—U. S. 5 and Illinois 805	24.2	21.1				104.8
11	U. S. Hybrid 13	23.4	19.8				101.3
12	Illinois Hybrid 805	22.8	20.2				98.7
13	Illinois Hybrid 21	22.7	19.6				98.3
14	Illinois Hybrid 960	22.5	20.0				97.4
15	Mixture—U. S. 5, U. S. 13, and Illinois 200	22.3	22.4				96.5
16	Sibley Farms Hybrid 753B	20.8	21.1				90.0
17	Illinois Hybrid 200	19.1	20.8				82.7
18	U. S. Hybrid 5	18.6	18.1				80.5
19	Mixture—U. S. 5 and U. S. 13	18.2	20.2				78.8
20	●Station Yellow Dent	**14.8**	**24.9**				**64.1**
	Average	23.1	20.1				....

only 4 percent of the stalks were without ears, and where there were four stalks only 18 percent had no ears.

These data show that in dry seasons on highly fertile soils the yield of thickly planted good hybrids will not be reduced because of stalk barrenness nearly as much as will the yield of thickly planted open-pollinated varieties or of poor hybrids subject to barrenness.

Hybrids on the soil-adaptation fields performed about as they did in the dry season of 1936. Strains such as Illinois 960, Illinois 374, Sibley Farms 588, and Crow 360A, which are generally considered to be widely adapted and particularly suited to poor land, were among the top performers. This was to be expected, for in dry seasons lack

of moisture prevents plant foods from becoming easily available and brings good soil down to the level of poor soil.

Illinois 201 and 247 are newcomers that made a very good showing this year. However, 247 is very susceptible to stalk breaking, and like many of the other widely adapted hybrids it is not so desirable for planting on highly fertile soils, where stalk breaking is often much more severe than on soils of low or medium fertility.

Hybrids stood the drouth much better than the open-pollinated variety. This was particularly true on the high-fertility area at Ur-

Table 30.—SOIL ADAPTATION TEST: Central Illinois, Urbana

Rank	Entry	Total acre yield	Moisture in grain at harvest	Erect plants	Rating for—		
					Erect plants	General perform.	Total yield
	MUSCATINE SILT LOAM: Productivity high (Southwest rotation)						
		bu.	*perct.*	*perct.*	*perct.*		*perct.*
1	Illinois Hybrid 247	88.3	19.2	90	97.9	110.3	114.4
2	Illinois Hybrid 201	85.0	17.9	96	104.5	108.7	110.1
3	Illinois Hybrid 960	84.4	19.0	85	92.5	105.1	109.3
4	Illinois Hybrid 374	84.0	19.9	85	92.5	104.7	108.8
5	U. S. Hybrid 5	83.0	19.2	100	108.8	107.8	107.5
6	Illinois Hybrid 21	81.1	20.8	100	108.8	106.0	105.1
7	Illinois Hybrid 805	78.7	18.5	84	91.4	99.3	101.9
8	U. S. Hybrid 13	77.6	20.8	93	101.2	100.7	100.5
9	Crow Hybrid 360A	76.8	17.3	86	93.6	98.0	99.5
10	Illinois Hybrid 200	74.8	22.0	100	108.8	99.9	96.9
11	Sibley Farms Hybrid 753B	72.2	19.2	98	106.6	96.8	93.5
12●	Station Yellow Dent	**41.0**	**23.6**	**86**	**93.6**	**63.2**	**53.1**
	Average	77.2	19.8	91.9	....	....	....
	MUSCATINE SILT LOAM: Productivity medium (South central rotation)						
1	Illinois Hybrid 960	63.8	16.6	96	100.7	110.6	113.9
2	Illinois Hybrid 201	61.8	18.0	98	102.8	108.5	110.4
3	Illinois Hybrid 247	61.6	18.9	92	96.5	106.6	110.0
4	U. S. Hybrid 13	61.3	17.1	98	102.8	107.8	109.5
5	Illinois Hybrid 374	59.7	16.4	94	98.6	104.6	106.6
6	Illinois Hybrid 21	57.3	16.9	100	104.9	103.0	102.3
7	Crow Hybrid 360A	54.3	16.3	95	99.7	97.7	97.0
7	Illinois Hybrid 200	54.3	17.4	100	104.9	99.0	97.0
9	Illinois Hybrid 805	53.6	17.6	91	95.5	95.7	95.7
10	Sibley Farms Hybrid 753B	52.0	18.9	91	95.5	93.6	92.9
11	U. S. Hybrid 5	51.4	16.8	100	104.9	95.1	91.8
12●	Station Yellow Dent	**41.5**	**18.7**	**89**	**93.4**	**78.9**	**74.1**
	Average	56.0	17.5	95.3	....	....	....

bana, where the average of all entries was 36.2 bushels above the yield of Station Yellow Dent and the average yield of the five best hybrids was 44 bushels above the same variety.

Five-year records of two hybrids. Representative of a large group of hybrids that are particularly adapted to highly fertile soils is U. S. 5 (WF9 x 38-11) (R4 x 317), for which a five-year average is given in Table 31, page 219. On the high-fertility area this hybrid has produced 18 bushels (or 20 percent) more than the open-pollinated variety. On the low-fertility area it yielded only 7 bushels, or 15 percent, more. In physical characteristics (which are very important in

Table 31.—SOIL ADAPTATION TESTS: Five-year Summary of Yields at Sibley and Urbana

Entry	Soil of *high* productivity		Soil of *low* productivity	
	Acre yield	Increase over open-pollinated	Acre yield	Increase over open-pollinated
	bu.	*bu.*	*bu.*	*bu.*
U. S. Hybrid 5[1] (WF9 x 38-11) (R4 x L317)	87	18	46	7
Illinois Hybrid 960 (R4 x Hy) (701 x L317)	86	17	53	14
Station Yellow Dent	69	...	39	...

[1]U. S. Hybrid 5 was tested as Illinois 139 in 1936 and in 1937 as a coded commercial hybrid.

determining the adaptability of a hybrid) this hybrid has demonstrated[1] that it has excellent stalk characteristics when grown on fertile soil and very undesirable ear and kernel characteristics when grown on poor soil.

Likewise Illinois 960 (R4 x Hy) (701 x 317) illustrates the performance of the more widely adapted hybrids, which normally do relatively better on medium to poor soils than on good soils. Since this hybrid yields well on good soils as well as on the medium to poor soils it might be concluded that it would, in general, be the more desirable of these two hybrids, but it has very decided stalk weakness that is greatly emphasized on fertile soil[1] even tho it shows very desirable ear and kernel characteristics when grown on poor soil.

SUMMARY

1. The average yield of corn on the twelve fields in the Illinois corn-performance tests in 1940 was 72.1 bushels an acre, which is 28.1 bushels more than the average for the state. During the seven years (1934-1940) over which these tests have been conducted, the average yields on the test fields have exceeded the average yields of the state by 111, 94, 79, 64, 47, 53, and 64 percent respectively.

2. The range in average yield of sound corn on the twelve testing fields was from 25.1 bushels at Shobonier to 92.4 bushels at Kings.

3. The five best hybrids on all twelve fields yielded an average of 27.4 bushels of sound corn an acre more than the five open-pollinated varieties. They also exceeded the open-pollinated varieties in lodging resistance, having 13.4 more erect plants per hundred.

4. On the Kings, Greenfield, Paxton, and Cambridge fields the five best hybrids exceeded the five open-pollinated varieties in yield of sound corn by 50.4, 42.6, 40.8, and 37.9 bushels an acre respectively.

5. On every test field the five best hybrids exceeded the five open-pollinated varieties in yield of sound corn and in percentage of erect plants.

[1]See illustrations in Bulletins 450 and 463 of this Station.

6. Except on the Littleton field, the five poorest hybrids in the tests averaged more bushels of sound corn per acre than the open-pollinated varieties.

7. On six of the twelve testing fields all the hybrids exceeded the average of the open-pollinated varieties in performance rating. On the other six fields a total of only 10 hybrids had a lower performance rating than the average of the open-pollinated varieties.

8. Data obtained from the Round Lake and Kings fields indicate that after an early killing frost most hybrids dry out faster than the open-pollinated varieties.

9. Compared with the open-pollinated varieties, the hybrid entries have, on the average, improved thru the years of these tests in yield of sound corn but not in lodging resistance. The average superiority of the hybrids over the open-pollinated varieties was 12.8 bushels an acre for the entries included in the four-year tests, 14.4 bushels for the entries in the three-year tests, and 16.1 bushels in the two-year tests; whereas in erect plants per hundred the average superiority of the hybrids was 14.6, 12.9, and 13.6 for the entries in the four-, three-, and two-year tests.

10. Several insects caused damage to the Illinois corn crop in 1940, but the corn rootworm and the southern corn rootworm were the only ones to cause visible damage on the testing fields and this occurred only on the Cambridge and Albion fields.

11. No advance toward better ear-rot resistance appears to have been made in most of the hybrids that are now in general commercial production. Diplodia ear rot caused much damage on the Kings and Round Lake fields. Fusarium ear rot was prevalent thruout Illinois. Smut caused more damage than usual.

12. In the soil-adaptation tests at Sibley and Urbana hybrids grown on a good soil and under a good soil management responded better to such conditions than did the open-pollinated variety. At Urbana the five best hybrids yielded 23.3 bushels an acre more on the high-fertility area than on the poorer fields. The open-pollinated variety, however, yielded half a bushel less on the better field than on the poorer field.

Hybrids normally ranking high on poor soils ranked high in all the soil-adaptation tests this year, and hybrids normally high on good soils ranked low in all tests.

INDEX TO ENTRIES

Hybrid	Table
Bear OK-22	4
Bear OK-23	6
Bear OK-24	6
Bear OK-30	19, 20A-B
Bear OK-32	16
Bear OK-39	27
Bear OK-42	14
Bear OK-45	22
Bear OK-46	8, 10
Bear OK-55	16
Bear OK-59	14
Bear OK-60	17, 18A
Bear OK-67	17
Bear OK-68	24, 25A, 26
Bear OK-69	12, 13A
Bear OK-70	12, 13A
Bear OK-72	8, 10, 14, 15A, 16, 17
Bear OK-77	16
Bear OK-78	21, 22, 23A, 27, 28
Bear OK-79	8, 10, 12, 14, 15A, 16
Bear OK-80	19, 20A, 22, 23A
Bear OK-93	21
Bear OK-95	22
Bear OK-96	24, 26
Bear OK-97	19
Bear OK-98	21, 22, 24, 26, 27
Bear OK-99	19, 24, 26, 27
Crow 501 (W)	12, 13A, 17
Crow 607	8, 10, 12, 14, 15A, 16, 17, 18A, 19
Crow 608	14, 16, 17, 18A-B
Crow 638	12
Crow 701 (W)	19, 20A-B, 21, 24, 25A-B, 26, 27
Crow 804	16, 17, 18A-B, 19, 20A-B, 21
Crow 806	19, 20A, 21, 22, 24, 25A, 26, 27
DeKalb Exp. 21	4
DeKalb Exp. 43	6
DeKalb Exp. 61	12
DeKalb Exp. 80	17
DeKalb Exp. 83	14, 21, 22, 24, 26
DeKalb Exp. 87	17, 21, 24, 26
DeKalb Exp. 88	24, 26
DeKalb Exp. 89	27
DeKalb Exp. 92	16, 21, 22, 24, 26, 27
DeKalb Exp. 93	21, 22, 24, 26, 27
DeKalb Exp. 94	17
DeKalb 204	4, 5A-C
DeKalb 240	4, 5A
DeKalb 400	4
DeKalb 404A	4, 5A-B, 6, 7A-B
DeKalb 410	4, 6
DeKalb 421	4, 5A-D, 6, 7A-D
DeKalb 493	4, 5A-D
DeKalb 606	12, 13A-C
DeKalb 607	6
DeKalb 615	6, 8, 9A, 10, 11, 12, 13A
DeKalb 628	12, 13A-C
DeKalb 800	8, 9A, 10, 11, 12
DeKalb 816	8, 10, 14, 15A, 16, 17, 19, 20A, 21, 22, 23A, 24, 25A, 26, 27, 28
DeKalb 817	12, 16
DeKalb 821B	12, 17
DeKalb 825	19, 20A-C
DeKalb 827	8, 9A-B, 10, 11, 14, 15A-B
DeKalb 840	8, 10, 16
DeKalb 847	14
DeKalb 884	24, 26
DeKalb 888	14, 16, 17, 18A, 19, 20A, 21, 22, 23A, 24, 26, 27, 28
DeKalb 892	22, 23A
DeKalb 894	22, 23A, 24, 26
DeKalb 899	14, 16, 19, 20A, 21, 22, 23A, 24, 25A, 26, 27, 28
DeKalb 919 (W)	19, 22, 23A, 24, 25A, 26, 27, 28
DeKalb 922 (W)	19, 20A, 22, 23A-B, 24, 25A-B, 26, 27, 28
E. W. Doubet D1	8, 10
E. W. Doubet D3	6, 7A
E. W. Doubet D4	12, 13A
E. W. Doubet D6	8, 9A, 10, 11
E. W. Doubet D7	8, 9A, 10, 11
E. W. Doubet D8	12, 13A
E. W. Doubet D10	14, 15A
E. W. Doubet D11	17, 18A
E. W. Doubet D16	21
E. W. Doubet D42	16
E. W. Doubet CR-47	14, 15A
E. W. Doubet D48	24, 25A, 26
E. W. Doubet D49	14
E. W. Doubet D50	16
Dyar D44R	8, 10
Funk G-7	4
Funk G-15	4, 5A-B
Funk G-16	4, 5A
Funk G-18	4, 5A
Funk G-19	6, 7A-C
Funk G-22	4, 6, 7A
Funk G-25	6
Funk G-32	8, 9A-C, 10, 11, 12, 13A-C, 17
Funk G-37	6, 7A
Funk G-46	19, 20A-C, 21, 27, 28
Funk G-53	8, 9A-B, 10, 11, 12, 14, 15A-C, 17 18A-C
Funk G-63	8, 9A-B, 10, 11, 12
Funk G-77	12
Funk G-80	14, 15A, 16, 19, 20A, 21, 22, 23A
Funk G-81	14, 15A, 16, 17
Funk G-83	19, 20A, 21, 22, 24, 25A, 26, 27, 28
Funk G-84	16, 21, 22, 23A, 24, 25A, 26, 27, 28
Funk G-88	19, 21, 22, 23A, 24, 26, 27
Funk G-90	22, 23A-C
Funk G-94	14, 15A-B, 16, 17, 18A-B, 19
Funk G-99	16, 21
Funk G-114	4, 5A-B, 6, 7A
Funk G-123	22, 23A
Funk G-135	21, 22, 23A, 24, 25A, 26, 27, 28
Funk G-145	27
Funk G-169	8, 9A, 10, 11, 12, 13A, 14, 16, 17
Funk G-174	4
Funk G-212	8, 9A-D, 10, 11, 12, 13A-D, 14, 15A-D, 17, 18A-D
Funk G-527 (W)	24, 25A-B, 26, 27, 28
Funk G-528 (W)	24, 25A-B, 26
Funk G-535 (W)	12
Funk G-580 (W)	19, 22, 24, 26, 27
Furr 7	4
Furr 44	4
Furr 66	4
Furr 67	4, 6
Furr 77	6, 7A
Furr 78	6
Furr 88	6
Fritsch Bros. 731	6
Hahn 150A	6, 8, 10, 12
Henley & Whisnand 883 (Henley)	19, 24, 26
Henley & Whisnand 834 (Whisnand)	19
Henley & Whisnand 851 (Whisnand)	19
Holmes 19	4
Holmes 29	4
Holmes 35	6, 8, 10, 12, 14
Holmes 39	6
Holmes 49	6
Holmes 59	8, 10
Holmes 69	12, 14, 16, 17
Holmes 79	19, 27
Hoosier Crost 405	4
Hoosier Crost 422	4, 6
Hoosier Crost 668-L	4, 12, 17, 18A
Hoosier Crost 840	27
Hoosier Crost 1005	22, 24, 26, 27
Hulting 366	12, 14
Hulting 380	8, 10, 14, 16
Hulting 381	12

Hybrid	Table
I.H.P. 66	6, 7A
I.H.P. (4226 x 187-2) (WF9 x CC1)	4
Illinois 21 (Dyar)	8, 10, 16
Illinois 21 (Frey)	8, 10, 12, 17
Illinois 21 (Huey Seed Co.)	14
Illinois 101 (I.H.P.)	4
Illinois 126 (Oakes)	14, 15A, 17, 18A, 19, 20A
Illinois 200 (Canterbury)	16
Illinois 200 (Castle)	22, 23A, 27, 28
Illinois 200 (Dallmier)	17, 18A
Illinois 200 (Macon Co. Seed Co.)	19, 20A
Illinois 200 (Mountjoy)	14, 15A
Illinois 200 (Pfeifer)	22, 23A
Illinois 200 (Whisnand)	24, 26
Illinois 200 (Wilson)	21
Illinois 201 (Allen)	16
Illinois 201 (C. Doubet & Son)	8, 9A, 10, 11
Illinois 201 (Hahn)	12
Illinois 201 (Holmes)	8, 9A, 10, 11
Illinois 201 (Lehmann)	16
Illinois 201 (Macon Co. Seed Co.)	14, 15A
Illinois 201 (Tiemann)	16
Illinois 201 (Wilson)	14, 15A, 19
Illinois 206 (Burrus)	17, 18A, 22, 27
Illinois 206 (C. Doubet & Son)	16
Illinois 206 (Forsythe)	16
Illinois 206 (Henley)	21
Illinois 212 (Monier)	8, 10
Illinois 219 (Nichols Bros.)	4, 5A
Illinois 246 (I.H.P.)	12, 14, 17
Illinois 247 (Canterbury)	12, 17, 19, 21, 22, 24, 26, 27
Illinois 247 (I.H.P.)	14
Illinois 247 (Lauer)	16
Illinois 339 (Huebsch)	4
Illinois 350 (I.H.P.)	4, 6, 8, 10
Illinois 374 (Macon Co. Seed Co.)	8, 9A, 10, 11
Illinois 437 (I.H.P.)	16
Illinois 448 (Dailey)	24, 26
Illinois 448 (Dallmier)	21
Illinois 448 (Pfeifer)	19, 27, 28
Illinois 448 (Pocklington)	22
Illinois 448 (Whisnand)	27, 28
Illinois 449 (Canterbury)	27, 28
Illinois 450 (Castle)	24, 26
Illinois 450 (Morgan)	22
Illinois 450 (Whisnand)	21, 27, 28
Illinois 499 (Wilson)	14
Illinois 546 (Morgan)	8, 10, 14
Illinois 566 (Pocklington)	19, 21
Illinois 600 (I.H.P.)	8, 10
Illinois 751 (Ferris)	6, 7A-D
Illinois 751 (Gentert)	6, 7A-D
Illinois 751 (Joslin)	6, 7A-D, 8, 9A-D, 10, 11
Illinois 784 (Burrus)	21
Illinois 784 (Canterbury)	16
Illinois 784 (Castle)	22, 23A-B, 27, 28
Illinois 784 (Dallmier)	24, 26
Illinois 784 (Kerns)	17
Illinois 784 (Pfeifer)	22, 23A-B
Illinois 784 (Pocklington)	21
Illinois 784 (Powers)	19, 20A-B
Illinois 784 (Whisnand)	22, 23A-B
Illinois 800 (I.H.P.)	19, 22, 27
Illinois 801 (I.H.P.)	19
Illinois 802 (I.H.P.)	22, 27
Illinois 804 (I.H.P.)	22, 27
Illinois 804 (Pfeifer)	19
Illinois 805 (Holmes)	14, 16, 21, 22, 24, 26
Illinois 806 (Henley)	24, 26
Illinois 838 (I.H.P.)	22, 23A
Illinois 838 (Pocklington)	27
Illinois 863 (Burrus)	21
Illinois 863 (Canterbury)	19, 20A-C, 22, 24, 26, 27, 28
Illinois 863 (Pfeifer)	16
Illinois 877 (Burrus)	14
Illinois 877 (Castle)	22, 23A-B, 27
Illinois 877 (Dallmier)	24, 26
Illinois 877 (Kerns)	17, 19, 20A
Illinois 877 (Pfeifer)	16
Illinois 885A (Castle)	24, 25A, 26
Illinois 885A (Henley)	19, 20A
Illinois 885A (Nichols Bros.)	22, 23A
Illinois 885A (Pfeifer)	21, 27, 28
Illinois 947 (Koch)	19, 20A-C
Illinois 960 (L. A. Sass)	8, 9A-D, 10, 11, 14, 15A-D, 17, 18A-D
Illinois 972 (Holmes)	4, 5A, 12, 13A
Illinois 976 (Monier)	6
Illinois 1092 (Nichols Bros.)	4, 5A
Ioway Supercorn 123-H	8, 10
Ioway Supercorn 214-H	6
Ioway Supercorn 218-H	8, 10
Iowealth A	4, 5A-B
Iowealth AQ	6, 7A-C, 17, 18A-B
Iowealth AQF	6, 7A-B
Iowealth CI	12, 13A-B
Iowealth TX 1	24, 26, 27
Iowealth TX 2	21, 27
Iowealth 16	4
Iowealth 18	6
Iowealth 25	8, 9A, 10, 11, 12, 13A
Iowealth 25R	4, 6, 8, 10, 12
Iowealth 25W (Yellow)	8, 10
Iowealth 28N	19, 20A, 21, 22, 23A, 24, 25A, 26
Iowealth 29	27
Iowealth 29A	14, 16, 17, 19, 21, 22, 23A, 24, 25A, 26, 27, 28
Iowealth 29B	14, 16, 17, 22
Kelly K-99	16, 17
Kelly K-100	14, 15A, 16
Kelly K-374	14, 16, 17, 18A
Macon 666	14, 17, 19, 22
Miller 1047 (W)	12
Miller 1050 (W)	12
Miller 1180 (W)	17
Miller 1182 (W)	17
M-L 13 (Moews-Lowe)	4, 5A, 6, 7A
M-L 14 (Moews-Lowe)	4, 6, 7A-B
M-L 15 (Moews-Lowe)	4, 5A, 6, 7A-B
M-L 19 (Moews-Lowe)	4
M-L 20 (Moews-Lowe)	4, 6
M-L 120 (Moews-Lowe)	6, 8, 9A-B, 10, 11, 12
M-L 500 (Moews-Lowe)	8, 10, 12, 14, 16, 17, 19, 21
M-L 514 (Moews-Lowe)	8, 9A-B, 10, 11, 12, 13A-B, 14, 15A-B, 16, 17, 18A
M-L 523 (Moews-Lowe)	8, 9A-B, 10, 11, 12, 13A-B, 14, 16, 17, 19, 21
M-L 528 (Moews-Lowe)	8, 10, 12
M-L 550 (Moews-Lowe)	12
M-L 830 (Moews-Lowe)	14, 16, 17, 19, 21, 22
Morgan M-52	6, 7A-B, 8, 9A-C, 10, 11
Morgan M-52A	8, 9A, 10, 11, 14
Morgan M-52B	8, 10
Morgan M-180	14, 27
Mountjoy 2121	16
National 112_2	4
National 114_2	4
National 116	4, 6, 7A-B
National 117	6, 7A-C
National 119A	12
National 119_3	8, 9A-B, 10, 11
National 129	8, 10, 14, 17
National 134	27
Nichols Bros. N-202	4
Null N-16	14, 15A, 17, 18A
Null N-28	21
Null N-54	14, 15A
Null N-61	19, 20A
Null N-73	8, 10
Null N-77	16
Null N-81	21
Null N-85	8, 10
Null N-89	16
Null-Vollmer NV-10	19, 20A
Null-Vollmer NV-32	16
Null-Vollmer NV-47	14, 21
Null-Vollmer NV-96	21
Null-Vollmer NV-97	14, 15A
Pfeifer A-I-40	21, 27

Hybrid	Table
Pioneer 300	12, 14, 16, 17, 19, 21, 22, 24, 26, 27
Pioneer 307	6, 7A, 8, 9A-C, 10, 11, 12, 13A-C, 14, 15A-C 16, 17, 18A-C, 21, 22, 24, 26, 27
Pioneer 313	8, 9A-B, 10, 11, 12, 13A-B, 14, 15A-B, 16, 17, 18A-B, 19, 20A-B, 21, 22, 23A-B, 24, 25A-B, 26, 27, 28
Pioneer 314	6, 7A-C
Pioneer 322	4, 5A-B, 6, 7A-C
Pioneer 324	4, 5A, 6, 7A
Pioneer 330	4, 5A, 6, 7A, 12, 13A
Pioneer 332	8, 10, 12, 14, 16, 17, 19, 21, 22, 24, 27
Pioneer 332A	19, 21, 22, 24, 27
Pioneer 333	8, 10, 12, 14, 16, 17, 19, 21, 24, 27
Pioneer 334	8, 10, 12
Pioneer 336	14, 16, 17
Pioneer 349	4, 5A-B
Pioneer 353	4, 6
Pioneer 353A	4
Pioneer 355	4, 5A
Pioneer 370	4
Richbred 381	8, 10, 14, 17
Richbred 442	12
Richbred 894	4, 6
Richbred 1002	21, 22
Sager 33W	22, 23A
Sass 17 (L. A. Sass)	8, 10
Sass 40 (L. A. Sass)	12, 13A
Sass 50 (L. A. Sass)	8, 9A, 10, 11, 12, 13A
Sass 17 (U. G. Sass)	12
Sass 30 (U. G. Sass)	12
Sass 40 (U. G. Sass)	8, 10
Sass 305 (U. G. Sass)	8, 9A, 10, 11, 12
Seeber 11A	8, 9A, 10, 11
Seeber 11B	17
Seeber 36	19
Seeber 45	14
Seeber 50	6
Seeber 55	27
Sibley Farms S73	17
Sibley Farms S75	17
Sibley Farms 753A	17, 18A, 19
Sibley Farms 753B	12, 13A, 16, 17, 18A
Silver Cross W12 (Michael Leonard)	4
Stewart S22	8, 10
Stiegelmeier 38	14, 15A, 16, 17, 18A
Stiegelmeier 44	17, 18A
Stiegelmeier 100	16
Stiegelmeier 380	12, 13A
Stiegelmeier 702	8, 9A, 10, 11, 12, 13A
Stiegelmeier 901	14, 15A, 16, 17, 18A
Stiegelmeier 904	16, 17, 18A
U. S. 5 (Hulting)	8, 9A, 10, 11
U. S. 5 (Mountjoy)	14, 15A-B
U. S. 5 (Oakes)	16, 21
U. S. 5 (P.C.I.A.)	17
U. S. 5 (Stewart)	12, 13A
U. S. 13 (Burrus)	21
U. S. 13 (Canterbury)	22, 23A
U. S. 13 (C. Doubet & Son)	14, 15A-B
U. S. 13 (Frey)	16, 17, 18A-B
U. S. 13 (Holmes)	16
U. S. 13 (Huey Seed Co.)	14, 15A-B, 21
U. S. 13 (Lehmann)	16
U. S. 13 (Monier)	12, 13A
U. S. 13 (Mountjoy)	16
U. S. 13 (Pocklington)	27
U. S. 13 (Tiemann)	16, 19, 20A, 21
U. S. 13 (Van Horn)	16
U. S. 14 (Ferris)	8, 9A, 10, 11, 12, 13A, 14, 15A, 17, 18A
U. S. 35 (Allen)	16
U. S. 35 (Burrus)	14, 15A-B
U. S. 35 (Huey Seed Co.)	14, 15A-B
U. S. 35 (Ferris)	8, 9A, 10, 11, 12, 13A-B, 14, 15A-B
U. S. 35 (Sieben)	8, 9A, 10, 11
U. S. 44 (Ferris)	8, 9A-D, 10, 11
U. S. 44 (Frey)	12, 13A-D, 17, 18A-C
U. S. 44 (Gentert)	12, 13A-D
U. S. 44 (Morgan)	8, 9A-D, 10, 11
U. S. 44 (Sieben)	6, 8, 9A-D, 10, 11
U. S. 44 (Tiemann)	17, 18A-C
U. S. 45 (L. A. Sass)	12, 13A
U. S. 63 (Coldwater)	6, 12, 13A
U. S. 63 (Ferris)	6
U. S. 63 (Munson)	8, 10
Van Horn 22	12, 16
Van Horn 55	19
Wisconsin 645 (Huebsch)	4

Open-Pollinated Varieties

Variety	Table
Blackhawk	22, 23A-C
Bunning White Dent	19, 20A-C, 21
Canterbury Yellow Dent	14, 15A, 16, 17, 18A, 19, 20A-B, 21
Champion White Pearl	22, 23A-C, 24, 26, 27
Doubet Yellow Dent	8, 9A-C, 10, 11, 12, 13A-C, 14, 15A-C, 16, 17, 18A-C
Gunn Western Plowman	4, 5A-D, 6, 7A-D
Huebsch-Murdock Yellow Dent	4, 5A-D
Hunt White Dent	6, 7A-B, 8, 9A-B, 10, 11, 12, 13A-B
Krug	8, 9A-C, 10, 11, 12, 13A-C
Leaming	27, 28
Maland Yellow Dent	4, 5A-C, 6, 7A-C
McLurkin White Dent	22, 23A, 24, 25A, 26, 27, 28
Mohawk	22, 23A, 27, 28
Mountjoy Utility Dent	14, 15A-D, 16, 17, 18A-D
Pfingston Yellow Dent	4, 6
Rice White Dent	19, 20A-C, 21
Roeschley Yellow Dent	8, 9A-D, 10, 11, 12, 13A-D
Shuman Golden Beauty	19, 20A-C, 21
Sommer Yellow Dent	14, 15A-B, 17, 18A-B
Station Yellow Dent	8, 10, 12, 14, 15A-D, 16, 17, 18A-D
Stelford White Cap	4, 5A-B, 6, 7A
St. Charles White	22, 23A-C, 24, 25A-B, 26, 27, 28
Waddell Utility White Dent	24, 25A-B, 26
Waddell Utility Yellow Dent	24, 25A, 26
Wessbecker Yellow Dent	16
Wilson Yellow Dent	19, 20A-B, 21, 24, 25A-B, 26

3M—1-41—20268
18M—1-41—20268